



2009 BETTER VARIETIES Harvest Report for Indiana Central [INCE]

S9INCE43

Steve Pierce, Tipton County, IN 46076 [WINDFALL]

PREV. CROP/HERB: Corn / Balance, Keystone
SOIL DESCRIPTION: Brookston silty clay loam, non-irrigated, well drained
SOIL CONDITIONS: high P, high K, 6.6 pH, 2.6% OM
TILLAGE/CULTIVATION: no-till
PEST MANAGEMENT: Canopy, Roundup
SEEDED - RATE: May 30 180,000 /A
HARVESTED - STAND: Nov 5 191,200 /A

3.4 - 4.1 MAT. GROUP
15" ROW SPACING

TOP 30 for YIELD of 35 TESTED
AVERAGE of (3) REPLICATIONS

COMPANY	BRAND	TECH.†	MAT.	SCN RESIST	SEED ^{††} TRT	YIELD Bu/A	MOIST %	LODGING %	STAND (x 1000)	GROSS INCOME
NK Brand	S39-A3	RR	3.9	R	CM	75.7	14.6	0.0	173.2	\$719.2
Ebberts	RR2360*	RR2Y	3.6	R	AC	73.2	14.5	0.0	249.9	\$695.4
Beck	XL-362NR	RR	3.6	R	SG, F	72.8	14.7	0.0	196.3	\$691.6
iCORN.com	3.970R2*	RR2Y	3.9	R	AC	72.6	14.4	0.0	196.3	\$689.7
Ebberts	RR2350*	RR2Y	3.5	R	AC	72.3	15.1	0.0	184.8	\$686.9
Beck	XL-355R	RR	3.5	S	SG, F	71.8	14.5	0.0	196.3	\$682.1
Kruger	K2-3801	RR2Y	3.8	R	AC	71.4	14.8	0.0	196.3	\$678.3
Diener	3521CR2	RR2Y	3.5	R	AC	71.3	14.8	0.0	196.3	\$677.4
NK Brand	S37-P5	RR	3.7	R	CM	71.1	14.4	0.0	196.3	\$675.5
Kruger	K2-3501	RR2Y	3.5	R	AC	71.1	14.9	0.0	184.8	\$675.5
Trisler	38Z0R2	RR2Y	3.8	R	AC	71.1	14.9	0.0	173.2	\$675.5
NK Brand	S37-F7	RR	3.7	R	CM	70.8	14.4	0.0	196.3	\$672.6
Stewart	3511R2*	RR2Y	3.4	MR	AC	70.8	14.9	0.0	196.3	\$672.6
Trisler	34Z9R2	RR2Y	3.4	R	AC	70.5	14.8	0.0	184.8	\$669.8
Trisler	35Z0R2	RR2Y	3.5	R	AC	70.0	15.1	0.0	173.2	\$665.0
Kruger	K2-3901	RR2Y	3.9	R	AC	69.7	14.3	0.0	196.3	\$662.2
iCORN.com	3.160R2*	RR2Y	3.1	R	AC	69.7	14.8	0.0	184.8	\$662.2
Stewart	3877R2*	RR2Y	3.8	MR	AC	69.7	14.8	0.0	196.3	\$662.2
Diener	3821CR2	RR2Y	3.8	R	AC	69.6	14.7	0.0	196.3	\$661.2
Ebberts	1390RR*	RR	3.9	R	T	69.5	15.3	0.0	184.8	\$660.3
Diener	3820CR	RR	3.8	R	PO	69.4	14.2	0.0	196.3	\$659.3
Ebberts	1378RR*	RR	3.7	R	T	68.9	14.0	0.0	173.2	\$654.6
Diener	4001CR2	RR2Y	4.0	R	AC	68.9	14.6	0.0	184.8	\$654.6
Stewart	3677R2*	RR2Y	3.5	MR	AC	68.0	14.8	0.0	173.2	\$646.0
iCORN.com	2.960R2*	RR2Y	2.9	R	AC	67.9	14.8	0.0	173.2	\$645.1
Beck	399NR*	RR	3.9	R	SG, F	67.8	14.3	0.0	196.3	\$644.1
Stewart	4077R2*	RR2Y	3.9	MR	AC	67.7	14.5	0.0	184.8	\$643.2
Beck	XL-400NR	RR	4.0	R	SG, F	67.6	14.6	0.0	207.9	\$642.2
Kruger	K2-3401	RR2Y	3.4	R	AC	66.9	15.3	0.0	196.3	\$635.6
Diener	4110CR	RR	4.1	R	PO	66.7	14.7	0.0	184.8	\$633.7
Test Average =						69.4	14.6	0.0	191.2	\$659.8
LSD (0.10) =						3.2	0.6	n.s.		
C.V. =						3.4	3.0			

Rich H. Schleming
F.I.R.S.T. Manager

TEST COMMENTS: You see a higher final population due to faster planting speed. There was no lodging which made for a nice harvest. The plot area was fort ant to not have white mold.

Lat: N40.36338, Long: W85.82154

Yield & Income Factors: Base Moisture = 13% Shrink = 1.0 Drying = \$0.000 Price = \$9.50

† Technology: LL - Liberty Link, Lo Ln - Low Linolenic Acid, RR - Roundup Ready, RR2Y - Roundup Ready 2 Yield, STS - Sulfonyleurea Tol
†† Seed Treatment: A - Allegiance, AC - Accelaron, AM - ApronMaxx, AP - ApronXL, CM - CruiserMaxx, E - Excaliber, F - FaSTart, G - Gaucho, PO - PunchOut, SG - Sure Gro, T - Trilex, T6 - Trilex 6000

Results in bold are significantly above the test average. * = brands without a seed lot number ^ = discontinued brand.

A complete list of brands tested available at www.firstseedtests.com

AgSCI Copyright 2009

Report Date: 11/7/2009 Revised: