

**2013 Corn Grain Top 30 Harvest Report**

Iowa West Central [ IAWC ] DENISON  
 Ron Nelson, Crawford County, IA 51442



Test by: F.I.R.S.T. CCB, Inc., Elizabeth, IL

PREV. CROP/HERB: Soybean  
 SOIL DESCRIPTION: Kennebec silt loam, mod. well drained, minimum w/o fall till,  
 SOIL CONDITION:  
 PEST MANAGEMENT:  
 FERTILITY - Applied N:  
 Applied N-P-K (units): 0-0-0  
 SEEDED - RATE - ROW: Not planted /A 30" spacing  
 HARVESTED - STAND: /A

**Early-Season Test**  
**105 - 110 Day CRM**  
 B2013IAWC13a

**Top 30 of 72**  
 For Gross Income (Sorted by Yield)  
 Average of (3) Replications

Company/Brand	Product/Brand†	Technol.†	Seed Treatment†	RM	Yield Bu/A	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Location not planted										
Due to the wet weather this spring, the window of opportunity to plant this location was not wide enough to get the job done. The high amount of rain received over a wide area delayed planting regionally. Opportunities to find soil conditions suitable for planting were few. There was a narrow opportunity for Ron plant this location but rain was predicted that evening. Knowing I was unable to get back to his in time, Ron planted through the test area. It rained hours after he planted and stayed wet for days.										

randym@firstseedtests.com, (815) 238-8007

Test Average =  
 LSD (0.10) =  
 C.V. =

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Price = \$4.50 Local GMO  
 n/a non-GMO

**Test Comments:**

† See last page for footnote information. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average. **Italicized** brands exceed the grain moisture limit for this test. **GC** = grower comparison product, **ns** = not significantly different

**2013 Corn Grain Top 30 Harvest Report**

Iowa West Central [ IAWC ] DENISON  
 Ron Nelson, Crawford County, IA 51442



Test by: F.I.R.S.T. CCB, Inc., Elizabeth, IL

PREV. CROP/HERB: Soybean  
 SOIL DESCRIPTION: Kennebec silt loam, mod. well drained, minimum w/o fall till,  
 SOIL CONDITION:  
 PEST MANAGEMENT:  
 FERTILITY - Applied N:  
 Applied N-P-K (units): 0-0-0  
 SEEDED - RATE - ROW: Not planted /A 30" spacing  
 HARVESTED - STAND: /A

**Full-Season Test**  
**111 - 114 Day CRM**  
 B2013IAWC13b

**Top 30 of 63**  
 For Gross Income (Sorted by Yield)  
 Average of (3) Replications

Company/Brand	Product/Brand†	Technol.†	Seed Treatment†	RM	Yield Bu/A	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Location not planted										
<p>Due to the wet weather this spring, the window of opportunity to plant this location was not wide enough to get the job done. The high amount of rain received over a wide area delayed planting regionally. Opportunities to find soil conditions suitable for planting were few. There was a narrow opportunity for Ron plant this location but rain was predicted that evening. Knowing I was unable to get back to his in time, Ron planted through the test area. It rained hours after he planted and stayed wet for days.</p>										

randym@firstseedtests.com, (815) 238-8007

Test Average =  
 LSD (0.10) =  
 C.V. =

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Price = \$4.50 Local GMO  
 n/a non-GMO

**Test Comments:**

† See last page for footnote information. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average. **Italicized** brands exceed the grain moisture limit for this test. **GC** = grower comparison product, **ns** = not significantly different

2013 Corn Grain - Iowa West Central [ IAWC ]



**Early-Season Test Products (72 Total)**

Company/Brand	Product/Brand	Technol.	Seed Trt	RM	Company/Brand	Product/Brand	Technol.	Seed Trt	RM

2013 Corn Grain - Iowa West Central [ IAWC ]



**Full-Season Test Products (63 Total)**

Company/Brand	Product/Brand	Technol.	Seed Trt	RM	Company/Brand	Product/Brand	Technol.	Seed Trt	RM

## Footnotes and Abbreviation Descriptions

### Brand Footnotes

^	G2® brand seed is distributed by NuTech Seed, LLC. HPT® brand seed is distributed by Hoegemeyer Hybrids, Inc. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaXX® brand seed is distributed by AgVenture, Inc. XL® and Phoenix® brand seed is distributed by Beck's Superior Hybrids. Curry®, G2®, HPT®, RPM®, Supreme EX®, VPMaXX® and XL® are registered trademarks of DuPont Pioneer.
CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by F.I.R.S.T. when space permits.

### Corn Technologies\*

3000GT	Agrisure® 3000GT (CB,RW,LL,GT)	GT/CB/LL	Agrisure® GT/CB/LL
3011A	Agrisure® Artesian® (CB,RW,LL,GT)	HX	Herculex® 1, contains LL
3110	Agrisure® Viptera® 3110 (Vip, CB,LL,GT)	HX,RR2	Herculex® 1, Roundup Ready 2 Corn
3111	Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT)	HXRW	Herculex® rootworm, contains LL
3122	Agrisure® 3122 (CB,HXX,RW,LL,GT)	HXT	Herculex® Xtra (HX,HXRW,LL)
3220	Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT)	HXT,RR2	Herculex® Xtra, Roundup Ready 2 Corn
AM	Optimum® AcreMax® (YGCB,HX,LL,RR2)	LL	LibertyLink®
AM-R	Optimum® AcreMax® (YGCB,HX,RR2)	None	conventional corn
AM1	Optimum® AcreMax®1 (HXT,LL,RR2)	OI	Optimum® Intrasect® (YGCB,HX,LL,RR2)
AMRW	Optimum® AcreMax® Rootworm (HXRW,LL,RR2)	OIX	Optimum® Intrasect® Xtra (YGCB,HXT,LL,RR2)
AMRW-R	Optimum® AcreMax® Rootworm (HXRW,RR2)	OIXT	Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2)
AMX	Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2)	OT	Optimum® TRIssect® (HX,RW,LL,RR2)
AMX-R	Optimum® AcreMax® Xtra (YGCB,HXT,RR2)	RR2	Roundup Ready® 2 Corn
AMXT	Optimum® AcreMax® Xtreme (YGCB,HXT,LL,RR2)	STX	SmartStax® (VT3P,HXX)
B	Blended seed (i.e. refuge blend)	VT2P	Genuity® VT Double Pro®
CB/LL	Agrisure® CB/LL	VT3	YieldGard VT Triple®
CB/LL/RW	Agrisure® CB/LL/RW	VT3P	Genuity® VT Triple Pro®
GT	Agrisure® GT	YGCB	YieldGard® Corn Borer

\* The refuge component genetics may vary in a refuge blend seed product.

### Corn Seed Treatments\*\*

?	information not provided	MQ	Maxim Quattro®
A	Allegiance®	None	untreated
AC	Acceleron® fungicide products	P2, P5, P1	Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively
AVC	Avicta® Complete Corn	R	Raxil® (tebuconazole)
C2, C5, C1	Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively	SStd	SureStand™
CE	Cruiser Extreme®	St	Stamina® (pyraclostrobin)
CM	CruiserMaxx® Corn	T	Trilex® (trifloxystrobin)
D	Dynasty® (azoxystrobin)	V	Votivo®
Es	Escalate®	Z	zinc
M	Maxim XL®		

\*\* Seed treatments may include unspecified plant health promoting components.