




farmer's independent
research of seed
technologies

2013

Soybean Products Tested



www.FIRSTSeedTests.com



Maturity	Regions	Maturity	Regions
0.0 - 0.7	NDEC	2.1 - 2.8	SDSE, IANW*, IANC*, NCSL
0.5 - 1.2	NDSE, MNWC	2.5 - 3.3	NENE, IASC, ILNO
1.0 - 1.7	SDNE	2.4 - 3.4	INNO, OHNW
1.3 - 2.0	MNCE	2.8 - 3.8	NESE, IASO, ILNC, INCE
1.5 - 2.2	MNSC*	3.4 - 4.3	KSNE, MONW, MONE, ILSC, MIDA
1.6 - 2.3	SDEC, MNSO*	3.8 - 4.7	ILSO, KSEC
1.8 - 2.5	IANO*, WISO		

Regions identified with * have 2 split maturity (early and full season) tests.

Advantage Seeds (Advantage)*

17303 Hwy. 22, Good Thunder, MN 56037
(800) 231-4274

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
ADV1700CR2	RR2Y	1.7 R	None		MNCE
ADV1811CR2	RR2Y	1.8 R	None		MNSCa MNSOa
ADV2085CR2	RR2Y	1.7 R	None		MNSOb
ADV2184R1	RR	2.1 S	None		MNSCb

AgVenture Scherr's Seed, LLC (AgVenture/Scherr)*

44449 U.S. 212, Watertown, SD 57201
(605) 287-4170

www.scherrseed.com

^VPMMaxx® brand seed is distributed by AgVenture, Inc. VPMMaxx® is a registered trademark of DuPont Pioneer.

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
15E9RR §	RR	1.5 n/a	EE,G		SDNE
EX1.5RR2	RR2Y	1.5 n/a	G		SDNE

Anderson Seeds (Anderson)*

37825 County Rd. 63, St. Peter, MN 56082
(507) 246-5032

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
153R2Y	RR2Y	1.5 R	None		MNCE MNSCa
162R2Y	RR2Y	1.6 R	None		MNCE MNSCa
184R2Y	RR2Y	1.8 R	None		MNCE MNSCa
204R2Y	RR2Y	2.0 R	None		MNCE MNSCb

Albert Lea Seed (Viking)*

1414 W. Main St., PO Box 127, Albert Lea, MN 56007
(800) 352-5247

www.alseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
1234R2N	RR2Y	1.2 R	None		SDNE
1522R2N	RR2Y	1.5 R	ACi,Ex		SDNE
1707R2N	RR2Y	1.7 R	ACi,Ex		MNSCa MNSOa SDEC
1984R2N	RR2Y	1.9 R	ACi,Ex		IANOa MNSOa
2000R2N	RR2Y	2.0 R	ACi,Ex		IANOa
2000R2N CK	RR2Y	2.0 R	ACi,Ex		MNSCa MNSCb MNSOa MNSOb
2144R2N	RR2Y	2.1 R	None		IANOb MNSOb WISO
2300R2	RR2Y	2.3 MR	ACi,Ex		IANOb WISO

Asgrow Brand (Asgrow)*

800 N. Lindbergh Blvd., St. Louis, MO 63167
(800) 768-6387

Monsanto

www.asgrowanddekalb.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
AG0333 §	RR2Y	0.3 S	ACi		NDEC
AG0732 §	RR2Y	0.7 MR	ACi		NDEC NDSE
AG0832 §	RR2Y	0.8 S	ACi		MNWC NDSE
AG1132 §	RR2Y	1.1 S	ACi		MNWC NDSE
AG1431 §	RR2Y	1.4 R	ACi		MNCE MNSCa SDNE
AG1733	RR2Y	1.7 R	ACi		MNSCa
AG1733 §	RR2Y	1.7 R	ACi		MNCE MNSOa SDEC SDNE
AG1832 §	RR2Y	1.8 MR	ACi		MNCE MNSCa
AG2031 §	RR2Y	2.0 R	ACi		IANOa MNCE MNSCb MNSOb SDEC WISO
AG2232 §	RR2Y	2.2 R	ACi		IANCa IANOb IANWa MNSOb NCSL
AG2431 §	RR2Y	2.4 S	AC		ILNO SDSE WISO
AG2433 §	RR2Y	2.4 MR	AC		IANCa IANOb IANWa NCSL OHNW WISO
AG2534	RR2Y	2.5 R	ACi		IANWb
AG2632 §	RR2Y	2.6 MR	AC		IANCb IASC IASO ILNO INNO NCSL SDSE
AG2733 §	RR2Y	2.7 R	ACi		IANWb NENE

Asgrow Brand (Asgrow)*

(continued)

AG2933 §	RR2Y	2.9 R	ACi		IASC IASO ILNC INCE INNO OHNW
AG3231 §	RR2Y	3.2 R	ACi		IASC IASO ILNC ILNO INCE INNO MONW NENE NESE OHNW
AG3334 §	RR2Y	3.3 R	ACi		ILSC
AG3334 GC	RR2Y	3.3 R	ACi		ILNC
AG3432 §	RR2Y	3.4 MR	ACi		NENE NESE
AG3731 §	RR2Y	3.7 R	ACi		ILSC KSNE NESE
AG3731 GC	RR2Y	3.7 R	ACi		ILNC
AG3832 §	RR2Y	3.8 R	ACi		ILNC ILSC ILSO INCE KSNE MONE MONW
AG3931 GC	RR2Y	3.9 R	None		MIDA
AG3934 §	RR2Y	3.9 S	ACi		ILSO
AG3934 GC	RR2Y	3.9 R	ACi		ILSC
AG4033 GC	RR2Y	4.0 R	ACi		ILSC ILSO
AG4232 §	RR2Y,STS	4.2 R	ACi		ILSC ILSO KSNE MONE MONW

Champion Seed (Champion)*

PO Box 157, Ellsworth, IA 50075
(888-417-2004

www.championseedoflowa.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
19R72N	RR2Y	1.9 R	CMBV		IANOa
21R34N	RR2Y	2.1 R	CMBV		IANCa IANOa IANWa
23R73N	RR2Y	2.3 R	CMBV		IANCa IANOb IANWa
24R74N	RR2Y	2.4 R	CMBV		IANCa IANOb IANWa
26R83N	RR2Y	2.6 R	CMBV		IANCb IASC
27R84N	RR2Y	2.7 R	CMBV		IANWb
30R84N	RR2Y	3.0 R	CMBV		IASC
31R34N	RR2Y	3.1 R	CMBV		IASC

Channel Brand (Channel)*

Monsanto

800 N. Lindbergh Blvd., St. Louis, MO 63167
(800) 768-6387

www.channel.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
0605R2 §	RR2Y	0.6 S	ACi		NDEC
1405R2	RR2Y	1.4 R	ACi		MNCE
1503R2	RR2Y	1.5 R	ACi		MNSCa MNSOa
1700R2	RR2Y	1.7 R	ACi		MNCE MNSCa SDSE
1700R2 §	RR2Y	1.7 R	ACi		SDNE
1805R2	RR2Y	1.8 MR	ACi		MNCE MNSCa MNSOa
1901R2	RR2Y	1.9 R	ACi		IANOa
2000R2	RR2Y	2.0 R	ACi		MNCE
2105R2	RR2Y	2.1 MR	ACi		IANCa IANOa IANWa MNSCb MNSOb
2105R2 §	RR2Y	2.1 MR	ACi		SDEC SDSE
2207R2	RR2Y	2.2 R	ACi		IANCa IANOb IANWa WISO
2306R2	RR2Y	2.3 R	ACi		IANCa IANOb IANWa MNSOb NCSL WISO
2402R2	RR2Y	2.4 S	ACi		IANCa IANWa IASC
2605R2	RR2Y	2.6 R	ACi		IANCb IANWb IASC NCSL
2607R2	RR2Y	2.6 R	ACi		IASC
2706R2	RR2Y	2.7 MR	ACi		IANCb IANWb IASC
2800R2	RR2Y	2.8 R	ACi		IASC ILNO
2903R2	RR2Y	2.9 R	ACi		IASC IASO
2907R2	RR2Y	2.9 MR	ACi		IASC IASO NENE
3106R2	RR2Y	3.1 MR	ACi		IASC IASO ILNO NENE
3205R2	RR2Y	3.2 R	ACi		IASO
3207R2	RR2Y	3.2 MR	ACi		IASO

* Harvest results will identify company as shown in parenthesis.

† See p. 13 for abbreviation descriptions

§ - sponsored by United Soybean Board, GC - grower comparison, CK - check

Channel Brand (Channel)* (continued)						
3303R2	RR2Y	3.3 R	ACi	IASO	ILNC	NESE
3303R2 §	RR2Y	3.3 R	ACi	NENE		
3306R2	RR2Y	3.3 MR	ACi	IASO		
3306R2 §	RR2Y	3.3 MR	ACi	NENE	NESE	
3402R2	RR2Y	3.4 R	ACi	IASO		
3506R2	RR2Y	3.5 R	ACi	ILNC	MIDA	
3607R2	RR2Y	3.6 MR	ACi	MIDA		
3701R2	RR2Y	3.7 R	ACi	NESE		
3806R2/STS	RR2Y,STS	3.8 MR	ACi	ILNC	ILSC	MIDA
3806R2/STS §	RR2Y,STS	3.8 MR	ACi	KSNE	NESE	
3907R2	RR2Y	3.9 MR	ACi	ILSC	MIDA	
4306R2/STS	RR2Y,STS	4.3 R	ACi	ILSO		
4500R2/STS	RR2Y,STS	4.5 S	ACi	ILSO		
4705R2/STS	RR2Y,STS	4.7 R	ACi	ILSO		

Cornelius Seed (Cornelius)*
 14760 317th Ave., Bellevue, IA 52031
 (800) 218-1862 www.corneliusseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
CB18R52	RR2Y	1.8 R	None		IANOa	
CB20R44	RR2Y	2.0 R	None		IANOa	
CB22R60	RR2Y	2.2 R	None		IANCa	IANOOb NCSL WISO
CB24R71	RR2Y	2.4 R	None		IANCa	IANOOb IASC ILNO NCSL WISO
CB24R99	RR2Y	2.4 S	None		IANCa	IANOOb IASC ILNO NCSL WISO
CB26R37	RR2Y	2.6 R	None		IANCb	NCSL
CB27R83	RR2Y	2.7 R	None		IANCb	IASC ILNO NCSL
CB28R42	RR2Y	2.8 R	None		IASC	ILNO NCSL
CB31R64	RR2Y	3.1 R	None		IASC	ILNO

Croplan Genetics (Croplan)* WinField Solutions
 PO Box 64281, St. Paul, MN 56072
 (651) 765-5712 www.croplangenetics.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
R2C2200	RR2Y	2.1 R	None		IANCa	IANWa
R2C2200 §	RR2Y	2.1 R	None		IANOOb	

Curry Seed (Curry)* DuPont Pioneer
 701 N. Walnut, PO Box 517, Elk Point, SD 57025
 888-CURRYSD www.curryseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
1061	RR	0.6 R	None		MNWC	NDEC NDSE SDNE
1221	RR	2.2 R	None		IANOOb	
1252	RR	2.5 R	?		IANCb	IANOOb IANWb
1277	RR	2.7 R	CC		IANWb	NENE
1301	RR	3.0 R	CC		NENE	
1327 §	RR	3.2 R	CC		NENE	NESE
1357 §	RR	3.5 R	CC		NESE	
CBX-518	RR	1.7 R	?		SDNE	

Dairyland Seed Co., Inc. (Dairyland)* Dow AgroSciences
 PO Box 958, West Bend, WI 53095
 (800) 236-0163 www.dairylandseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
DSR-0404/R2Y	RR2Y	0.4 S		CMB	NDEC	
DSR-0606/R2Y §	RR2Y	0.6 S		CMB	MNWC NDEC NDSE	
DSR-0747/R2Y	RR2Y	0.7 S		CMB	NDEC	
DSR-0904/R2Y	RR2Y	0.9 MR		CMB	MNWC	
DSR-0904/R2Y §	RR2Y	0.9 MR		CMB	NDSE	
DSR-1120/R2Y	RR2Y	1.1 S		CMB	MNWC SDNE	
DSR-1120/R2Y §	RR2Y	1.1 S		CMB	NDSE	
DSR-1515/R2Y	RR2Y	1.5 MR		CMB,O	MNCE MNsCa SDNE	

Dairyland Seed Co., Inc. (Dairyland)* (continued)						
DSR-1808/R2Y	RR2Y	1.8 R		CMB,O	MNCE MNsCa MNsOa WISO	
DSR-2105/R2Y	RR2Y	2.1 R		CMB,O	MNSCb MNsOb SDEC	
DSR-2250/R2Y	RR2Y	2.2 MR		CMB,O	IANCa IANOb IANWa MNSCb MNsOb SDEC SDSE WISO	
DSR-2340/R2Y	RR2Y	2.3 MR		CMB,O	IANCa IANOb IANWa MNSOb NCSL SDEC SDSE WISO	
DSR-2411/R2Y	RR2Y	2.4 S		CMB,O	IANCa IANOb IANWa IASC NCSL SDSE WISO	
DSR-2612/R2Y	RR2Y	2.6 R		CMB,O	IANCb IASC NCSL SDSE	
DSR-2880/R2Y	RR2Y	2.8 MR		CMB,O	IASC ILNO	
DSR-3019/R2Y	RR2Y	3.0 R		CMB,O	IASC ILNO INNO OHNW	
DSR-3216/R2Y	RR2Y	3.2 R		CMB,O	ILNO INNO OHNW	
DSR-3232/R2Y	RR2Y	3.4 MR		CMB,O	ILNC INCE INNO OHNW	
DSR-3595/R2Y	RR2Y	3.5 R		CMB,O	ILNC INCE	
DSR-3703/R2Y	RR2Y	3.7 R		CMB,O	ILNC ILSC INCE	
DSR-4010/R2Y	RR2Y	4.0 MR		CMB,O	ILSC ILSO	
DSR-4330/R2Y	RR2Y	4.3 R		CMB,O	ILSC ILSO	
DSR-4633/R2Y	RR2Y	4.5 R		CMB,O	ILSO	
DSR-4850/R2Y	RR2Y	4.8 R		CMB,O	ILSO	

Doebler's Pennsylvania Hybrids, Inc. (Doebler's)* DuPont Pioneer
 202 Tiadaghton Ave., Jersey Shore, PA 17740
 (800) 853-2676 www.doebler.com

^ RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. RPM® is a registered trademark of DuPont Pioneer.

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
RPM DB2612RR^	RR	2.6 R		DPHB	INNO OHNW	
RPM DB2812RR^	RR	2.8 R		DPHB	INCE INNO OHNW	
RPM DB3012RR^	RR	3.0 R		DPHB	INCE INNO OHNW	
RPM DB3312RR^	RR	3.3 R		DPHB	INCE INNO OHNW	
RPM DB3513RR^	RR	3.5 R		DPHB	INCE MIDA	
RPM DB3813RR^	RR	3.8 R		DPHB	INCE MIDA	
RPM DB4013RR^	RR	4.0 R		DPHB	MIDA	

Dyna-Gro Seeds (Dyna-Gro)* Crop Production Services
 6221 Riverside Dr., Ste. 1, Dublin, OH 43017
 (614) 761-4110 www.dynagroseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
31RY34 §	RR2Y	3.4 R		ACi	NENE	
31RY45	RR2Y	4.5 R		ACi	ILSO	
32RY39 §	RR2Y,STS	3.9 R		ACi	KSNE NESE	
34RY03	RR2Y	0.3 S		ACi	NDEC	
37RY33	RR2Y	3.3 R		ACi	IASO ILNC	
38RY28	RR2Y	2.8 R		ACi	IASC ILNO NENE	
39RY25	RR2Y	2.5 S		ACi	IANWb SDSE	
39RY43	RR2Y	4.3 R		ACi	ILSO	
39RY43 GC	RR2Y	4.3 R		ACi	KSEC	
S02RY74	RR2Y	0.2 S		ACi	NDEC	
S06RY24	RR2Y	0.6 R		CMB	NDEC	
S08RY23	RR2Y	0.8 S		ACi	NDEC	
S09RY64	RR2Y	0.9 R		CMB	MNWC	
S09RY64 §	RR2Y	0.9 R		CMB	NDSE	
S12RY44	RR2Y	1.2 R		CMB	MNWC SDNE	
S12RY44 §	RR2Y	1.2 R		CMB	NDSE	
S15RY53	RR2Y	1.5 R		ACi	MNCE MNsCa SDNE	
S18RY33	RR2Y	1.8 R		ACi	MNCE MNsCa WISO	
S19RY84	RR2Y	1.9 MR		ACi	IANOa MNsOa	

* Harvest results will identify company as shown in parenthesis.
 † See p. 13 for abbreviation descriptions
 § - sponsored by United Soybean Board, GC - grower comparison, CK - check

Dyna-Gro Seeds (Dyna-Gro)* (continued)

S20RY94	RR2Y	2.0 R	ACi	IANOa MNSOb	MNCE	MNSCb
S22RY64	RR2Y	2.2 MR	ACi	IANOb WISO	MNSCb	MNSOb
S24RY73	RR2Y	2.4 R	ACi	IANCa WISO	IANOb	NCSL
S24RY73 GC	RR2Y	2.4 R	ACi	ILNO		
S25RY44	RR2Y	2.5 R	ACi	IANCb SDSE	IANWb WISO	NCSL
S27RY03	RR2Y	2.7 R	ACi	IANCb	IANWb	NCSL
S27RY03 GC	RR2Y	2.7 R	ACi	ILNO		
S29RY74	RR2Y	2.9 R	ACi	IASC	ILNO	NENE
S31RY93	RR2Y	3.1 R	ACi	IASC ILNO	IASO	ILNC
S31RY93 §	RR2Y	3.1 R	ACi	NENE		
S35RY83	RR2Y	3.5 R	ACi	ILNC	MIDA	
S36RY24	RR2Y	3.6 R	ACi	IASO	ILNC	NESE
S37RS14 §	RR2Y,STS	3.7 R	ACi	KSNE		
S37RS14 GC	RR2Y,STS	3.7 R	ACi	KSEC		
S38RY84	RR2Y	3.8 R	ACi	MIDA		
S38RY84 §	RR2Y	3.8 R	ACi	KSNE	NESE	
S39RY33	RR2Y	3.9 R	ACi	ILSO	MIDA	
S42RS03 §	RR2Y,STS	4.2 R	ACi	KSNE		
S42RS03 GC	RR2Y,STS	4.2 R	ACi	KSEC		

Ebberts Field Seeds, Inc. (Ebberts)*

6840 N. State Rt. 48, Covington, OH 45318
(888) 802-5715 www.ebbertsseeds.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
2304RR2	RR2Y	3.0 MR	ACi	INCE	INNO	OHNW
2313RR2	RR2Y	3.1 MR	ACi	INCE	INNO	OHNW
2324RR2	RR2Y	3.2 MR	ACi	INCE	INNO	OHNW
2333RR2	RR2Y	3.3 MR	ACi	INCE	INNO	OHNW
2342RR2	RR2Y	3.4 MR	ACi	INCE	INNO	OHNW
2364RR2	RR2Y	3.4 MR	ACi	INCE	INNO	OHNW
2383RR2	RR2Y	3.8 MR	ACi	INCE		
2394RR2	RR2Y	3.8 MR	ACi	INCE		

Federal Hybrids (Federal)*

209 3rd St. NE, PO Box 17, West Bend, IA 50597
(515) 887-5888 www.federalhybrids.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
F084NRR2Y	RR2Y	0.8 R	ACi	SDNE		
F114RR2Y	RR2Y	1.1 S	ACi	SDNE		
F143RR2Y	RR2Y	1.4 S	ACi	SDNE		
F154NRR2Y	RR2Y	1.5 R	ACi	SDNE		
F181NRR2Y	RR2Y	1.8 R	ACi	SDEC		
F183NRR2Y	RR2Y	1.8 R	ACi	IANOa	SDEC	
F224NRR2Y	RR2Y	2.2 R	ACi	IANCa	IANOb	IANWa
				SDEC		
F243NRR2Y	RR2Y	2.4 R	ACi	IANCa		
F263NRR2Y	RR2Y	2.6 R	ACi	IANWb		
F284NRR2Y	RR2Y	2.8 R	ACi	IANWb		

Fontanelle Hybrids (Fontanelle)* Monsanto

10981 8th St., Fontanelle, NE 68044
(800) 279-4353 www.fontanelle.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
47514 GC	RR2Y,STS	4.7 MR	ACi	KSEC		
70N93 §	RR2Y	3.0 MR	ACi	NENE		
71N13 §	RR2Y	3.1 MR	ACi	NENE		
73N33 §	RR2Y	3.3 MR	ACi	NENE		
77N61 §	RR2Y	3.7 R	ACi	KSNE	NESE	
78N71 §	RR2Y	3.8 R	ACi	KSNE	NESE	
78N83 §	RR2Y	3.8 R	ACi	KSNE	NESE	

Fontanelle Hybrids (Fontanelle)* (continued)

78N83 GC	RR2Y	3.8 R	ACi	KSEC		
81503 §	RR2Y,STS	4.1 MR	ACi	KSNE		
81503 GC	RR2Y,STS	4.1 MR	ACi	KSEC		

Gold Country Seed (Gold Country)* Monsanto

16506 Hwy. 15N, Hutchinson, MN 55350
(800) 795-8544 www.goldcountryseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
0641	RR2Y	0.6 S	ACi		MNWC	
0840	RR2Y	0.8 S	ACi		MNWC	
1243	RR2Y	1.2 R	ACi		MNWC	
1541	RR2Y	1.5 R	ACi		MNCE	
1644	RR2Y	1.6 R	ACi		MNCE	MNSCa MNSOa
1943	RR2Y	1.9 R	ACi		MNCE	MNSCb MNSOa
2040	RR2Y	2.0 R	ACi		MNCE	MNSCb MNSOa
2143	RR2Y	2.1 MR	ACi		MNCE	MNSCb MNSOb
2243	RR2Y	2.2 R	ACi		MNSCb	MNSOb

Great Heart Seed (Great Heart)*

220 W. Washington St., Paris, IL 61944
(877) 243-2071 www.greatheartseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
GT-376CR2	RR2Y	3.7 R	None		ILNC	ILSC
GT-385CR2	RR2Y	3.8 R	None		ILSC	
GT-427CR2	RR2Y	4.2 R	AP		ILSC	ILSO
GT-431CR2	RR2Y	4.3 R	None		ILSO	

Great Lakes Hybrids (Great Lakes)* AgReliant Genetics, LLC

9915 W. M-21, Ovid, MI 48866
(800) 367-2185 www.greatlakeshybrids.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested		
GL2069R2	RR2Y	2.0 R	AC,PV		IANOa	SDEC	WISO
GL2289R2	RR2Y	2.2 R	AC,PV		IANCa	IANWa	NCSL
					SDEC	SDSE	WISO
GL2289R2 CK	RR2Y	2.2 R	AC,PV		IANOa	IANOb	
GL2319R2	RR2Y	2.3 R	AC,PV		IANOb	IANWa	NCSL
					WISO		
GL2569R2	RR2Y	2.5 R	AC,PV		ILNO	WISO	
GL2829R2	RR2Y	2.8 R	AC,PV		IANCb	IANWb	IASC
					ILNO	NCSL	SDSE
GL2829R2 GC	RR2Y	2.8 R	AC,PV		IASO		
GL2949R2	RR2Y	2.9 R	AC,PV		IASC	IASO	ILNC
					ILNO	INNO	OHNW
GL3229R2	RR2Y	3.2 R	AC,PV		ILNC	INCE	INNO
					OHNW		
GL3429R2	RR2Y	3.4 R	AC,PV		IASO	ILNC	INCE
					INNO	OHNW	
GL3729R2	RR2Y	3.7 R	AC,PV		ILSC	INCE	
GL3729R2 §	RR2Y	3.7 R	AC,PV		MONE		
GL3879R2	RR2Y	3.8 R	AC,PV		ILSC		
GL4209R2	RR2Y	4.2 R	AC,PV		ILSC		

GROWMARK, Inc. (FS HiSoy)*

1701 Towanda Ave., PO Box 2205, Bloomington, IL 61701
(309) 557-6399 www.fsseeds.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
HS 19A32	RR2Y	1.9 R	CMB		IANOa	WISO
HS 20A22	RR2Y	2.0 R	CMB		IANOa	WISO
HS 22A21	RR2Y	2.2 R	CMB		IANCa	IANOb
					WISO	NCSL
HS 24A01	RR2Y	2.4 S	CMB		IANCa	IANOb
					WISO	NCSL
HS 24A32	RR2Y	2.4 R	CMB		IANCa	IANOb
					WISO	NCSL
HS 24A32 GC	RR2Y	2.4 R	CMB		ILNO	

* Harvest results will identify company as shown in parenthesis.
† See p. 13 for abbreviation descriptions
§ - sponsored by United Soybean Board, GC - grower comparison, CK - check

GROWMARK, Inc. (FS HiSoy)* (continued)

HS 25A22	RR2Y	2.5 R	CMB	IANCb NCSL	IANOb WISO	ILNO
HS 26A32	RR2Y	2.6 R	CMB	IANCb INNO	IASC NCSL	ILNO
HS 28A02	RR2Y	2.8 R	CMB	IANCb INCE	IASC NCSL	ILNO OHNW
HS 28A32	RR2Y	2.8 R	CMB	IANCb ILNO	IASC INNO	IASO NCSL
HS 29A22	RR2Y	2.9 R	CMB	IASC INCE	IASO INNO	ILNO
HS 29A38	RR2Y	2.9 R	CMB	IASC	IASO	ILNO
HS 30A22	RR2Y	3.0 R	CMB	IASC ILNO	IASO	ILNC
HS 31A32	RR2Y	3.1 R	CMB	IASC INCE	IASO INNO	ILNC OHNW
HS 33A02	RR2Y	3.3 R	CMB	ILNC		
HS 33A32	RR2Y	3.3 R	CMB	IASO	ILNC	INNO
HS 34A22	RR2Y	3.4 R	CMB	IASO INNO	ILNC MONE	ILSC OHNW
HS 35A32	RR2Y	3.5 R	CMB	IASO MONE	ILNC	ILSC
HS 37A22	RR2Y	3.7 R	CMB	ILNC	ILSC	MONE
HS 38A22	RR2Y	3.8 R	CMB	ILNC	ILSC	
HS 38A32	RR2Y	3.8 R	CMB	ILSC	ILSO	MONE
HS 39A22	RR2Y	3.9 R	CMB	ILSC	ILSO	MONE
HS 40A32	RR2Y	4.0 R	CMB	ILSC	ILSO	MONE
HS 42A12	RR2Y	4.2 R	CMB	ILSC	ILSO	MONE
HS 43A32	RR2Y	4.3 R	CMB	ILSO	MONE	
HS 44A22	RR2Y,STS	4.4 R	CMB	ILSO		
HS 45A12	RR2Y	4.5 R	CMB	ILSO		
HS 47A32	RR2Y,STS	4.7 R	CMB	ILSO		

Hefty Seed Company (Hefty)*

47504 252nd St., Baltic, SD 5700
(866) 769-7200 www.heftyseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
H01R3	RR2Y	0.1 S	I	NDEC	
H02R3	RR2Y	0.2 S	I	NDEC	
H05R3	RR2Y	0.5 S	I	MNWC NDEC	
H05R3 §	RR2Y	0.5 S	I	NDSE	
H06R4	RR2Y	0.6 MR	I	MNWC NDEC	
H06R4 §	RR2Y	0.6 MR	I	NDSE	
H09R4	RR2Y	0.9 MR	I	MNWC	
H09R4 §	RR2Y	0.9 MR	I	NDSE	
H10R3	RR2Y	1.0 S	I	MNWC SDNE	
H10R3 §	RR2Y	1.0 S	I	NDSE	
H10R4	RR2Y	1.0 S	I	MNWC SDNE	
H10R4 §	RR2Y	1.0 S	I	NDSE	
H11R3	RR2Y	1.1 S	I	MNWC SDNE	
H11R3 §	RR2Y	1.1 S	I	NDSE	
H11Y12	RR2Y	1.2 S	I	SDNE	
H12R4	RR2Y	1.2 MR	I	SDNE	
H14R3	RR2Y	1.4 MR	I	MNCE SDNE	
H16R4	RR2Y	1.6 MR	I	MNCE MNSCa MNSOa SDEC SDNE	
H17R4	RR2Y	1.7 S	I	SDEC SDNE	
H18Y12	RR2Y	1.8 MR	I	MNSCa MNSOa	
H20R3	RR2Y	2.0 MR	I	IANOa MNCE MNSCb MNSOb SDEC	
H21Y11	RR2Y	2.1 MR	I	IANCa IANOa IANWa MNSCb MNSOb SDEC SDSE	
H23R3	RR2Y	2.3 MR	I	IANCa IANOb IANWa MNSOb SDEC SDSE	

Hefty Seed Company (Hefty)* (continued)

H25Y12	RR2Y	2.5 MR	I	IANCb SDSE	IANOb IANWb	
H26R3	RR2Y	2.6 MR	I	IANCb SDSE	IANWb	NENE
H26R3S	RR2Y	2.6 S	I	IANWb	NENE	SDSE
H27R3	RR2Y	2.7 MR	I	IANWb	NENE	SDSE
H31R4 §	RR2Y	3.1 MR	None	NENE	NESE	
H38R4 §	RR2Y	3.8 MR	I	NESE		

Hoegemeyer Hybrids (Hoegemeyer)*

1755 Hoegemeyer Rd., Hooper, NE 68031
(800) 245-4631 www.therightseed.com

^HPT® brand seed is distributed by Hoegemeyer Hybrids. HPT® is a registered trademark of DuPont Pioneer.

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
HPT 2511NRR^ §	RR	2.5 R	RS	NENE	
HPT 2993NRR^ §	RR	2.9 R	RS	NENE	
HPT 3303NRR^ §	RR	3.3 R	RS	NESE	
HPT 3587NRR^ §	RR	3.5 R	RS	KSNE NESE	
HPT 3811NRR^ §	RR	3.8 R	RS	KSEC KSNE	
HPT 3997NRR^ §	RR	3.9 R	RS	KSEC KSNE	
HPT 4124NRR^ §	RR	4.1 R	RS	KSEC KSNE	

Hubner Seed Company (Hubner)*

10280 W. State Rd. 28, West Lebanon, IN 47991
(800) 328-4428 www.hubnerseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
H34-11R2	RR2Y	3.4 R	AC,PV	MIDA	
H36-14R2	RR2Y	3.6 R	AC,PV	MIDA	
H37-14R2/STS	RR2Y,STS	3.7 R	AC,PV	MIDA	
H40-13R2	RR2Y	4.0 MR	AC,PV	MIDA	

Jung Seed Genetics (Jung)*

341 S. High St., Randolph, WI 53956
(800) 242-1855 www.jungseedgenetics.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
1201RR2	RR2Y	2.0 R	None	MNSCb MNSOb WISO	
1212RR2	RR2Y	2.1 R	None	MNSCb MNSOb WISO	
1225RR2	RR2Y	2.2 R	None	MNSCb MNSOb NCSL WISO	
1228RR2	RR2Y	2.2 R	ACi	NCSL WISO	
1232RR2	RR2Y	2.3 S	None	NCSL	
1250RR2	RR2Y	2.5 R	None	NCSL	

Kruger Seeds, Inc. (Kruger)*

33938 160th St., PO Box A, Dilke, IA 50624
(800) 772-2721 www.krugerseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
K2-0092	RR2Y	00.9 S	ACi	NDEC	
K2-0101	RR2Y	0.1 S	ACi	NDEC	
K2-0302	RR2Y	0.3 MR	ACi	NDEC	
K2-0504	RR2Y	0.5 S	ACi	MNWC NDEC	
K2-0504 §	RR2Y	0.5 S	ACi	NDSE	
K2-0601	RR2Y	0.6 S	ACi	NDEC	
K2-0601 §	RR2Y	0.6 S	ACi	NDSE	
K2-0801 §	RR2Y	0.8 S	ACi	NDSE	
K2-0901	RR2Y	0.9 S	ACi	MNWC	
K2-0901 §	RR2Y	0.9 S	ACi	NDSE	
K2-1001	RR2Y	1.0 S	ACi	MNWC SDNE	
K2-1001 §	RR2Y	1.0 S	ACi	NDSE	
K2-1102	RR2Y	1.1 S	ACi	MNWC SDNE	
K2-1102 §	RR2Y	1.1 S	ACi	NDSE	
K2-1103	RR2Y	1.1 R	ACi	SDNE	
K2-1103 §	RR2Y	1.1 R	ACi	NDSE	
K2-1301	RR2Y	1.3 S	ACi	MNCE SDNE	
K2-1402	RR2Y	1.4 R	ACi	SDNE	

* Harvest results will identify company as shown in parenthesis.

† See p. 13 for abbreviation descriptions

§ - sponsored by United Soybean Board, GC - grower comparison, CK - check

Kruger Seeds, Inc. (Kruger)* (continued)

K2-1602	RR2Y	1.6 R	ACi	SDEC	SDNE	
K2-1901	RR2Y	1.9 R	ACi	IANOa	SDEC	
K2-1902	RR2Y	1.9 R	ACi	IANOa	SDEC	
K2-2002	RR2Y	2.0 MR	ACi	IANOa	SDEC	
K2-2201	RR2Y	2.2 R	ACi	IANCa	IANOb	IANWa
				SDEC	SDSE	
K2-2301	RR2Y	2.3 S	ACi	IANCa	IANWa	MNSOb
				SDEC	SDSE	
K2-2303	RR2Y	2.3 MR	ACi	IANCa	IANOb	IANWa
				MNSOb	SDEC	SDSE
K2-2402	RR2Y	2.4 R	ACi	IANCa	IANOb	IANWa
				IASC	SDSE	
K2-2503	RR2Y	2.5 R	ACi	IANCb	IANOb	IANWb
				IASC	SDSE	
K2-2602	RR2Y	2.6 MR	ACi	IANCb	IANWb	SDSE
K2-2704	RR2Y	2.7 R	ACi	IANCb	IANWb	IASC
				NENE	SDSE	
K2-2803	RR2Y	2.8 R	ACi	IANCb	IANWb	IASC
				NENE	SDSE	
K2-2904	RR2Y	2.9 R	ACi	IASC		
K2-2905	RR2Y	2.9 MR	ACi	IASC	IASO	NENE
K2-3004	RR2Y	3.0 MR	ACi	IASC	IASO	NENE
K2-3103	RR2Y	3.1 R	ACi	IASO	NENE	
K2-3104	RR2Y	3.1 MR	ACi	IASC	IASO	NENE
				NESE		
K2-3203	RR2Y	3.2 MR	ACi	IASO	NENE	NESE
K2-3402	RR2Y	3.4 R	ACi	IASO	NENE	NESE
K2-3502	RR2Y	3.5 MR	ACi	IASO		
K2-3701	RR2Y	3.6 R	ACi	IASO	NESE	
K2-3702	RR2Y	3.7 R	ACi	NESE		
K2-3702 §	RR2Y	3.7 R	ACi	KSEC	KSNE	
K2-3802	RR2Y	3.8 R	ACi	NESE		
K2-3803	RR2Y	3.8 R	ACi	NESE		
K2-3804	RR2Y,STS	3.8 MR	ACi	NESE		
K2-3804 §	RR2Y,STS	3.8 MR	ACi	KSEC	KSNE	
K2-4203 §	RR2Y	4.2 MR	ACi	KSEC	KSNE	
K2-4502 §	RR2Y	4.5 R	ACi	KSEC		

Latham Hi-Tech Seeds (Latham)*

131 180th St., Alexander, IA 50420

(877) 465-2842

www.lathamseeds.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
L1345R2	RR2Y	1.3 S	SS+	MNCE	
L1568R2	RR2Y	1.5 R	SS+	MNCE	MNSCa
L1585R2	RR2Y	1.5 R	SS+	MNCE	MNSCa
L1783R2	RR2Y	1.7 R	SS+	MNCE	MNSCa
L1948R2	RR2Y	1.9 R	SS+	MNCE	MNSOa
L1985R2	RR2Y	1.9 R	SS+	MNCE	MNSCb MNSOa
L2084R2	RR2Y	2.0 R	SS+	MNCE	MNSCb MNSOb
L2185R2	RR2Y	2.1 R	SS+	MNSOb	
L2185R2 GC	RR2Y	2.1 R	SS+	SDSE	
L21B53R2	RR2Y	2.1 R	SS+	MNSCb	MNSOb
L21B53R2 GC	RR2Y	2.1 R	SS+	SDSE	
L2253R2	RR2Y	2.2 R	SS+	MNSCb	MNSOb
L2483R2 CK	RR2Y	2.4 R	SS+	IANWa	IANWb
L2585R2	RR2Y	2.5 R	SS+	IANWb	
L2585R2 CK	RR2Y	2.5 R	SS+	IANCa	IANCb
L2648R2	RR2Y	2.6 R	SS+	IANWb	
L2885R2 §	RR2Y	2.8 MR	SS+	NENE	
L3058R2 §	RR2Y	3.0 MR	SS+	NENE	
L3184R2 §	RR2Y	3.1 R	SS+	NESE	
L3238R2 §	RR2Y	3.2 R	SS+	NESE	
L3385R2 §	RR2Y	3.3 R	SS+	NESE	

Legend Seeds, Inc. (Legend)*

PO Box 241, De Smet, SD 57231

(800) 678-3346

www.legendseeds.net

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
LS-03R22 §	RR2Y	0.3 S	AC	NDEC	
LS-06R21 §	RR2Y	0.6 S	AC	NDEC	
LS-08R22N §	RR2Y	0.8 R	AC	MNWC	NDSE
LS-08R24N §	RR2Y	0.8 R	AC	MNWC	
LS-12R24N §	RR2Y	1.2 R	AC	MNWC	NDSE

Lewis Hybrids, Inc. (Lewis)*

Monsanto

530 W. Maple Ave., PO Box 38, Ursa, IL 62376

(217) 964-2131

www.lewishybrids.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
381R2 §	RR2Y	3.8 R	ACi	KSEC	
392R2	RR2Y	3.9 MR	ACi	MONE	
392R2 §	RR2Y	3.9 MR	ACi	KSNE	
394R2	RR2Y	3.9 MR	ACi	ILSC	MONW
394R2 §	RR2Y	3.9 MR	ACi	KSEC	KSNE
414R2	RR2Y	4.1 MR	ACi	ILSC	MONW
423R2	RR2Y	4.2 R	ACi	MONE	
423R2 §	RR2Y	4.2 R	ACi	KSNE	
454R2 §	RR2Y,STS	4.5 R	ACi	KSEC	

LG Seeds (LG Seeds)*

AgReliant Genetics, LLC

22827 Shissler Rd., Elmwood, IL 61529

(800) 752-6847

www.lgseeds.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
C1530R2	RR2Y	1.5 R	AC,PV	MNCE	MNSCa
C1780R2	RR2Y	1.7 R	AC,PV	MNSCa	
C1917R2	RR2Y	1.9 R	AC,PV	IANOa	MNSOa
C2050R2	RR2Y	2.0 R	AC,PV	IANOa	MNCE MNSCb
				MNSOb	WISO
C2222R2	RR2Y	2.2 R	AC,PV	IANCa	IANOb
				MNSCb	MNSOb
				WISO	SDSE
C2333R2	RR2Y	2.3 R	AC,PV	IANCa	IANOb
C2500R2	RR2Y	2.5 R	AC,PV	NCSL	WISO
C2672R2	RR2Y	2.6 R	AC,PV	IANCb	IANWb
				ILNO	NCSL
C2835R2	RR2Y	2.8 R	AC,PV	IANCb	IANWb
				ILNO	INNO
				NENE	NCSL
				SDSE	
C2916R2	RR2Y	2.9 R	AC,PV	IASC	IASO
				INNO	ILNO
				OHNW	
C3055R2	RR2Y	3.0 R	AC,PV	IASC	IASO
				INNO	ILNO
				NENE	OHNW
C3111R2	RR2Y	3.1 R	AC,PV	NENE	
C3111R2 §	RR2Y	3.1 R	AC,PV	NESE	
C3220R2	RR2Y	3.2 R	AC,PV	IASO	ILNO
				OHNW	INNO
C3220R2 GC	RR2Y	3.2 R	AC,PV	MONW	
C3466R2	RR2Y	3.4 R	AC,PV	ILNC	INCE
				MONW	OHNW
C3650R2	RR2Y	3.6 R	AC,PV	IASO	ILNC
				KSNE	ILSC
				NESE	MONE
				MONW	MONW
C3770R2	RR2Y	3.7 R	AC,PV	ILNC	ILSC
				MONW	INCE
C3890R2	RR2Y	3.8 R	AC,PV	MONE	
C3890R2 §	RR2Y	3.8 R	AC,PV	KSNE	NESE
C3989R2	RR2Y	3.8 R	AC,PV	ILNC	ILSC
				INCE	KSNE
				MONW	ILSO
				NESE	MONE
C3989R2 §	RR2Y	3.8 R	AC,PV	KSEC	
C4211R2	RR2Y	4.2 R	AC,PV	MONE	

* Harvest results will identify company as shown in parenthesis.

† See p. 13 for abbreviation descriptions

§ - sponsored by United Soybean Board, GC - grower comparison, CK - check

LG Seeds (LG Seeds)* (continued)

C4211R2 §	RR2Y	4.2 R	AC,PV	KSNE
C4340R2	RR2Y	4.3 R	AC,PV	KSNE MONE
C4340R2 §	RR2Y	4.3 R	AC,PV	KSEC
C4411R2	RR2Y	4.4 R	AC,PV	ILSO
C4544R2	RR2Y	4.5 R	AC,PV	ILSO
C4544R2 §	RR2Y	4.5 R	AC,PV	KSEC
C4867R2	RR2Y	4.8 R	AC,PV	KSEC

Mid-Atlantic Seeds, Inc. (Mid-Atlantic)*

204 St. Charles Way #163E, York, PA 17402
(800) 854-6251

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
MAS3113NRR2	RR2Y	3.1 R	AC	MIDA	
MAS3511RR2	RR2Y	3.5 R	AC	MIDA	
MAS3599RR	RR	3.5 S	AC	MIDA	
MAS3689NRR2	RR2Y	3.6 R	AC	MIDA	
MAS3802NRR2	RR2Y	3.8 R	AC	MIDA	
MAS3889NRR2	RR2Y	3.8 R	AC	MIDA	
MAS3933NRR2/STS	RR2Y,STS	3.5 R	AC	MIDA	

Midland Genetics (Midland)* Sylvester Ranch, Inc

1906 Kingman Rd., Ottawa, KS, 66067
(800) 819-7333 www.midlandgenetics.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
3983NR2 §	RR2Y	3.8 R	CMB	KSEC	KSNE

Mustang Seeds (Mustang)*

306 S Washington, PO Box 466, Madison, SD 57042
(800) 952-3234 www.mustangseeds.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
01234	RR2Y	0.1 S	AC	NDEC	
04403	RR2Y	0.4 S	AC	NDEC	
06942	RR2Y	0.6 S	AC	NDEC	
07724	RR2Y	0.7 R	AC	MNWC NDEC	
07724 §	RR2Y	0.7 R	AC	NDSE	
08824 §	RR2Y	0.8 R	AC	MNWC NDSE	
12224	RR2Y	1.2 R	AC	SDNE	
12224 §	RR2Y	1.2 R	AC	MNWC NDSE	
14423	RR2Y	1.4 R	AC,PV	SDNE	
16624	RR2Y	1.6 R	AC	MNCE MNSCa MNSOa SDEC SDNE	
21993	RR2Y	2.1 R	AC	MNSCb MNSOb SDEC SDSE	
25333	RR2Y	2.5 S	AC	SDSE	
26623	RR2Y	2.6 R	AC	SDSE	

Mycogen Seeds (Mycogen)* Dow AgroSciences

9330 Zionsville Rd., Indianapolis, IN 46268
(800) MYCOGEN www.dowagro.com/mycogen

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
5B040R2	RR2Y	0.4 S	CMB	NDEC	
5B066R2	RR2Y	0.6 S	CMB	NDEC	
5B255R2	RR2Y	2.6 S	CMB	NENE	
5N284R2	RR2Y	2.8 R	CMB	NENE	
5N312R2	RR2Y	3.1 MR	CMB	NESE	
5N312R2 §	RR2Y	3.1 MR	CMB	NENE	
5N342R2	RR2Y	3.4 MR	CMB	MIDA NENE NESE	
5N372R2	RR2Y	3.7 R	CMB	KSNE	
5N372R2 §	RR2Y	3.7 R	CMB	NESE	
5N373R2	RR2Y	3.7 R	CMB	KSNE MONW	
5N373R2 §	RR2Y	3.7 R	CMB	KSEC	
5N385R2	RR2Y	3.8 MR	CMB	KSNE MIDA MONW NESE	
5N385R2 §	RR2Y	3.8 MR	CMB	KSEC	
5N393R2	RR2Y	3.9 R	CMB	KSEC KSNE MONW	
5N423R2	RR2Y	4.0 MR	CMB	MIDA	

NK Brand (NK Brand)* Syngenta

11055 Wayzata Blvd., Minnetonka, MN 55305
(612) 656-8600 www.nk-us.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
S04-D3 §	RR2Y	0.4 S	CMBV	NDEC	
S05-M8 §	RR2Y	0.5 S	CMBV	MNWC NDEC NDSE	
S08-G1 §	RR2Y	0.8 S	CMBV	MNWC NDSE	
S10-P9 §	RR2Y	1.0 S	CMBV	MNWC NDSE SDNE	
S14-J7 §	RR2Y	1.4 S	CMBV	MNCE SDNE	
S17-B3 §	RR2Y	1.7 R	CMBV	MNSOa SDNE	
S18-C2 §	RR2Y	1.8 R	CMBV	IANOa MNCE MNSCa	
S20-T6 §	RR2Y	2.0 R	CMBV	IANOa MNCE MNSCb MNSOb SDEC WISO	
S22-F8	RR2Y	2.2 S	CMBV	IANWa	
S22-F8 §	RR2Y	2.2 S	CMBV	IANCa IANOb MNSCb MNSOb SDEC SDSE	
S22-S1 §	RR2Y	2.2 R	CMBV	IANCa SDEC SDSE WISO	
S24-K2 §	RR2Y	2.4 S	CMBV	IANCa IANWa IASC ILNO NC SL SDSE	
S25-E5	RR2Y	2.5 R	CMBV	IANCb	
S25-E5 §	RR2Y	2.5 R	CMBV	IANWb IASC ILNO INNO NC SL OHNW WISO	
S28-U7 §	RR2Y	2.8 S	CMBV	IANWb IASC IASO ILNC ILNO INCE INNO NC SL NENE OHNW	
S29-V2	RR2Y	2.9 R	CMBV	INNO OHNW	
S31-L7 §	RR2Y	3.1 R	CMBV	IASO	
S34-Z1 §	RR2Y	3.4 R	CMBV	IASO ILNC ILSC INCE INNO KSNE MONE MONW NENE NESE OHNW	
S35-C3	RR2Y	3.5 R	CMBV	INNO	
S35-C3 §	RR2Y	3.5 R	CMBV	ILSC MONE MONW NESE	
S38-W4 §	RR2Y	3.8 R	CMBV	ILNC INCE	
S39-U2 §	RR2Y	3.9 R	CMBV	ILSC ILSO KSNE MONE MONW NESE	
S43-K1 §	RR2Y	4.3 R	CMBV	KSNE	
S45-V8 §	RR2Y	4.5 R	CMBV	ILSO	
S46-G9 §	RR2Y	4.6 R	CMBV	ILSO	

NorthStar Genetics, Ltd. (NorthStar)*

217 Main St., PO Box 40, Wanamingo, MN 55983
(507) 824-2878 www.northstargenetics.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
NS 0089R2	RR2Y	00.8 S	CMB	NDEC	
NS 0279R2 §	RR2Y	0.2 S	CMB	NDEC	
NS 1388NR2	RR2Y	1.3 R	ACi	MNCE	
NS 1528NR2	RR2Y	1.5 R	ACi	MNCE MNSCa	
NS 1726NR2	RR2Y	1.7 R	ACi	SDEC	
NS 1916NR2	RR2Y	1.9 R	ACi	MNSOb SDEC	
NS 2199NR2	RR2Y	2.1 R	ACi	MNSCb MNSOb SDEC	

NuTech Seed, LLC (NuTech/G2 Gen)* DuPont Pioneer

2321 N. Loop Dr., Ste. 230, Ames, IA 50010
(800) 942-6748 www.yieldleader.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested
0090	RR	0.1 S	SCE	NDEC	
6043	RR	0.4 S	SCE	NDEC	
6143	RR	1.4 S	SCE	MNCE SDNE	
7063	RR	0.6 S	SCE	NDEC	
7110	RR	1.1 R	SCE	SDNE	

* Harvest results will identify company as shown in parenthesis.
† See p. 13 for abbreviation descriptions
§ - sponsored by United Soybean Board, GC - grower comparison, CK - check

NuTech Seed, LLC (NuTech)* (continued)						
7171	RR	1.7 R	SCE	MNCE SDEC	MNSCa SDNE	MNSOa
7183	RR	1.8 R	SCE	IANOa MNSOa	MNCE SDEC	MNSCa WISO
7208	RR	2.0 R	SCE	IANOa MNSOb	MNCE SDEC	MNSCb WISO
7213	RR	2.1 R	SCE	IANCa MNSCb	IANOa MNSOb	IANWa NCSL
7240	RR	2.4 R	SCE	IANCa IASC SDSE	IANOa ILNO	IANWa NCSL
7250	RR	2.5 R	SCE	IANCb IASC SDSE	IANOa ILNO	IANWb NCSL
7261	RR	2.6 R	SCE	IANCb IASO SDSE	IANWb ILNO	IASC NCSL
7273	RR	2.7 R	SCE	IANCb IASO SDSE	IANWb ILNO	IASC NCSL
7273 §	RR	2.7 R	SCE	NENE		
7286	RR	2.8 R	SCE	IANCb IASO	IANWb SDSE	IASC
7286 §	RR	2.8 R	SCE	NENE		
7290	RR	2.9 R	SCE	IASC ILNO	IASO	ILNC
7290 §	RR	2.9 R	SCE	NENE		
7310	RR	3.1 R	SCE	IASC ILNO	IASO	ILNC
7323	RR	3.2 R	SCE	ILNC	ILNO	
7334	RR	3.3 R	SCE	ILNC	ILSC	
7360	RR	3.6 R	SCE	ILNC MONE	ILSC MONW	KSNE
7360 §	RR	3.6 R	SCE	NESE		
7380	RR	3.8 R	SCE	ILNC KSEC MONW	ILSC KSNE	ILSO MONE
7380 §	RR	3.8 R	SCE	NESE		
7393	RR	3.9 R	SCE	ILSC KSNE	ILSO MONE	KSEC MONW
7393 §	RR	3.9 R	SCE	NESE		
7414	RR	4.1 R	SCE	ILSC KSNE	ILSO MONE	KSEC MONW
7420	RR	4.2 R	SCE	ILSC KSNE	ILSO MONE	KSEC MONW
7442	RR	4.4 R	SCE	KSEC	KSNE	

Ohlde Seed Farms (Ohlde)*
 1577 4th Rd. , Palmer, KS 66962
 (877) 692-4555 www.ohldeeed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
O 404 §	RR2Y,STS	4.0 R		SDPI	KSNE	NESE
O 424 §	RR2Y,STS	4.2 R		SDPI	KSEC	KSNE
O 453 §	RR2Y,STS	4.5 R		SDPI	KSEC	KSNE

Pfister Seeds, LLC (Pfister)* Dow AgroSciences
 201 Knollwood Dr., Ste. A, Champaign, IL 61820
 (888) 647-3478 www.pfisterseeds.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
15R29	RR2Y	1.5 R		CMB	MNSCa	
17R27	RR2Y	1.7 R		CMB	MNSOa	
20R23	RR2Y	2.0 R		None	IANOa	MNSOb

Pfister Seeds, LLC (Pfister)* (continued)						
22R20	RR2Y	2.2 R	None	IANCa MNSOb	IANOa	IANWa
24R29	RR2Y	2.4 R	CMB	IANCa SDSE	IANOa	IANWa WISO
28R21	RR2Y	2.8 R	CMB	IANCb ILNO	IANWb	IASC SDSE
28R25	RR2Y	2.8 R	CMB	ILNO		
30R22	RR2Y	3.0 R	CMB	IASC	IASO	ILNO
35R25	RR2Y	3.5 R	CMB	IASO	ILNC	
36R29	RR2Y	3.6 R	CMB	IASO MONE	ILNC MONW	ILSC
37R23	RR2Y	3.7 R	None	ILNC	ILSC	
38R25	RR2Y	3.8 R	CMB	ILSC	ILSO	
42R26	RR2Y	4.2 R	CMB	ILSC	MONE	MONW
43R29	RR2Y	4.3 R	CMB	ILSO	MONE	MONW

Pioneer Hi-Bred International (Pioneer)* DuPont
 PO Box 454, Johnston, IA 50131
 (800) 247-6803 www.pioneer.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
900Y81 §	RR	00.8 S		None	NDEC	
90M80 §	RR	0.8 R		None	MNWC	NDEC NDSE
90Y21 §	RR	0.2 S		None	NDEC	
90Y41 §	RR	0.4 MR		None	NDEC	
90Y81 §	RR	0.8 R		EE,PV	MNWC	NDSE
91Y01 §	RR	1.1 R		None	MNWC	NDSE
91Y81 §	RR	1.8 R		EE,G	MNCE	MNSCa MNSOa SDEC
91Y92 §	RR	1.9 R		EE,G	MNCE	MNSCb MNSOa SDEC SDSE
				None	IANOa	
92M52 §	RR	2.5 R		EE,G	ILNO	NCSL WISO
92Y22 §	RR	2.2 R		EE,G	MNSCb	MNSOb SDEC SDSE
				None	IANWa	
92Y30 §	RR	2.3 R		None	IANCa	IANOa
92Y32 §	RR	2.3 R		EE,G	WISO	
92Y45 §	RR	2.4 S		EE,G	INNO	
92Y51 §	RR	2.5 R		EE,G	ILNO	NCSL SDSE WISO
				None	IANCb	IANWb
92Y53 §	RR	2.5 R		EE,G	ILNO	NCSL
92Y75 §	RR	2.7 R		EE,G	IASC	IASO OHNW
93Y13 §	RR	3.1 R		EE,G	NENE	NESE
93Y15 §	RR	3.1 R		EE,G	ILNC	NENE
93Y40 §	RR	3.4 R		EE,G	ILNC	ILSC
93Y52 §	RR	3.5 S		EE,G	KSNE	
93Y70 §	RR	3.7 R		EE,G	INCE	KSNE MONE MONW
93Y72 §	RR	3.7 R		None	ILNC	
				EE,G	KSNE	NESE
93Y84 §	RR	3.8 R		EE,G	MONE	MONW
93Y91 GC	RR	3.9 R		None	MIDA	
93Y92 §	RR	3.9 R		None	ILSC	ILSO
94Y23 §	RR	4.2 R		None	ILSC	ILSO
94Y50 §	RR	4.5 R		None	ILSO	
94Y70 §	RR	4.7 R		None	ILSO	
P26T76R §	RR	2.6 R		EE,G	INNO	OHNW
P28T33R §	RR	2.8 R		EE,G	IANCb	IANWb IASC IASO INCE INNO OHNW

* Harvest results will identify company as shown in parenthesis.
 † See p. 13 for abbreviation descriptions
 § - sponsored by United Soybean Board, GC - grower comparison, CK - check

Pioneer Hi-Bred International (Pioneer)* (continued)

P35T58R §	RR	3.5 R	EE,G	IASC	IASO	INCE
				MONA	MONW	NESE
P35T58R (2)	RR	3.5 R	EE,PV	MONA		

Prairie Brand Seed (Prairie Brand)* Dow AgroSciences

11261 U.S. Hwy. 69, Story City, IA 50248
 (800) 544-8751 www.prairiebrandseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
PB-0291R2	RR2Y	0.2 S	CMBV	NDEC		
PB-0441R2	RR2Y	0.4 S	CMBV	NDEC		
PB-0609R2	RR2Y	0.6 R	CMBV	MNWC	NDEC	
PB-0777R2	RR2Y	0.7 R	CMBV	MNWC		
PB-0777R2 §	RR2Y	0.7 R	CMBV	NDSE		
PB-0863R2	RR2Y	0.7 MR	CMBV	MNWC	NDEC	
PB-0863R2 §	RR2Y	0.7 MR	CMBV	NDSE		
PB-0866R2	RR2Y	0.8 S	CMBV	MNWC		
PB-0866R2 §	RR2Y	0.8 S	CMBV	NDSE		
PB-0991R2	RR2Y	1.0 S	CMBV	MNWC	SDNE	
PB-0991R2 §	RR2Y	1.0 S	CMBV	NDSE		
PB-1234R2	RR2Y	1.2 R	CMBV	MNWC	SDNE	
PB-1234R2 §	RR2Y	1.2 R	CMBV	NDSE		
PB-1566R2	RR2Y	1.6 R	CMBV	MNCE	MNSCa	MNSOa
				SDNE		
PB-1611R2	RR2Y	1.6 S	CMBV	SDEC	SDNE	
PB-1722R2	RR2Y	1.7 R	CMBV	MNSCa	MNSOa	
PB-1843R2	RR2Y	1.8 R	CMBV	IANOa	MNCE	MNSCa
				MNSOa	SDEC	
PB-1982R2	RR2Y	1.8 R	CMBV	IANOa	MNCE	MNSCa
				MNSOa	SDEC	
PB-2024R2	RR2Y	2.0 R	CMBV	IANOa	MNCE	MNSCb
				MNSOb	SDEC	
PB-2136R2	RR2Y	2.1 R	CMBV	MNSCb	MNSOb	
PB-2230R2	RR2Y	2.1 R	CMBV	IANCa	IANOa	IANWa
				MNSCb	MNSOb	NCSL
				SDEC	SDSE	
PB-2351R2	RR2Y	2.3 R	CMBV	IANCa	IANOa	IANWa
				IASC	MNSOb	NCSL
				SDEC	SDSE	
PB-2419R2	RR2Y	2.3 S	CMBV	IANCa	IANOa	IANWa
				NCSL	SDEC	SDSE
PB-2468R2	RR2Y	2.3 S	CMBV	IANCa	IANOa	NCSL
PB-2506R2	RR2Y	2.5 R	CMBV	IANCb	IANOa	IANWb
				IASC	NCSL	SDSE
PB-2544R2	RR2Y	2.6 MR	CMBV	IANWb		
PB-2626R2	RR2Y	2.6 R	CMBV	NCSL		
PB-2650R2	RR2Y	2.6 S	CMBV	IANWb	SDSE	
PB-2668R2	RR2Y	2.6 R	CMBV	IANCb	IANWb	IASC
				NCSL	SDSE	
PB-2668R2 §	RR2Y	2.6 R	CMBV	NENE		
PB-2788R2	RR2Y	2.7 R	CMBV	IASC		
PB-2798R2	RR2Y	2.7 R	CMBV	SDEC		
PB-2798R2 §	RR2Y	2.7 R	CMBV	NENE		
PB-2886R2	RR2Y	2.8 R	CMBV	IANCb	IASC	
PB-2905R2	RR2Y	2.9 R	CMBV	IASC		
PB-2905R2 GC	RR2Y	2.9 R	CMBV	IASO		
PB-2997R2	RR2Y	2.8 R	CMBV	IANWb		
PB-3124R2	RR2Y	3.1 R	CMBV	IASC		
PB-3124R2 §	RR2Y	3.1 R	CMBV	NENE		
PB-3342R2	RR2Y	3.3 R	CMBV	NESE		
PB-3455R2 §	RR2Y	3.4 R	CMBV	KSNE	NESE	
PB-3699R2 §	RR2Y	3.6 R	CMBV	KSNE	NESE	

Prairie Brand Seed (Prairie Brand)* (continued)

PB-3982R2 §	RR2Y	3.9 R	CMBV	KSNE
X13241R2	RR2Y	2.3 R	CMBV	IANCa
				SDSE

Proseed, Inc. (Proseed)*

705 E. Brewster, Harvey, ND 58341
 (800) 776-3121 www.proseed.net

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
P2 20-70	RR2Y	0.7 S	AC	MNWC	NDEC	
P2 20-70 §	RR2Y	0.7 S	AC	NDSE		
P2 20-90	RR2Y	0.9 R	AC	MNWC		
P2 20-90 §	RR2Y	0.9 R	AC	NDSE		
P2 21-40	RR2Y	1.4 MR	AC	SDNE		
PX02	RR2Y	0.2 S	AC	NDEC		
PX06	RR2Y	0.6 MR	AC	MNWC	NDEC	
PX11	RR2Y	1.1 S	AC	MNWC	SDNE	
PX11 §	RR2Y	1.1 S	AC	NDSE		
PX12	RR2Y	1.2 MR	AC	MNWC	SDNE	
PX12 §	RR2Y	1.2 MR	AC	NDSE		

REA Hybrids (Rea)* Monsanto

4745 6th Ave. SE, Aberdeen, SD 57402
 (800) 592-1215 www.rea-hybrids.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
62G22	RR2Y	0.2 S	AC	NDEC		
65G22	RR2Y	0.5 S	AC	MNWC	NDEC	
65G22 §	RR2Y	0.5 S	AC	NDSE		
66G14	RR2Y	0.6 R	AC	MNWC	NDEC	
66G14 §	RR2Y	0.6 R	AC	NDSE		
66G22	RR2Y	0.6 S	AC	MNWC	NDEC	
66G22 §	RR2Y	0.6 S	AC	NDSE		
69G13	RR2Y	0.9 S	AC	MNWC		
69G13 §	RR2Y	0.9 S	AC	NDSE		
69G14	RR2Y	0.9 MR	AC	MNWC		
69G14 §	RR2Y	0.9 MR	AC	NDSE		
71G14	RR2Y	1.1 R	AC	MNWC	SDNE	
71G14 §	RR2Y	1.1 R	AC	NDSE		
71G20	RR2Y	1.1 S	AC	MNWC	SDNE	
71G20 §	RR2Y	1.1 S	AC	NDSE		
73G13	RR2Y	1.3 S	AC	SDNE		
75G12	RR2Y	1.5 R	AC	SDNE		
78G12	RR2Y	1.8 R	AC	SDEC		
80G11	RR2Y	2.0 R	AC	SDEC		
82G14	RR2Y	2.2 R	AC	SDEC		

Renk Seed Co. (Renk)*

6809 Wilburn Rd., Sun Prairie, WI 53590
 (800) 289-7365 www.renkseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested		
RS033R2	RR2Y	0.3 S	None	NDEC			
RS053R2	RR2Y	0.5 S	None	NDEC			
RS082R2	RR2Y	0.7 S	None	MNWC			
RS082R2 §	RR2Y	0.7 S	None	NDSE			
RS084R2	RR2Y	0.8 S	None	MNWC			
RS084R2 §	RR2Y	0.8 S	None	NDSE			
RS183NR2	RR2Y	1.8 R	CMB,O	MNSCa	MNSOa	WISO	
RS184NR2	RR2Y	1.8 R	None	MNSCa	MNSOa	WISO	
RS213NR2	RR2Y	2.1 R	CMB,O	MNSOb	SDEC	SDSE	
RS224NR2	RR2Y	2.2 R	None	IANWa	MNSCb	MNSOb	
				SDEC	SDSE	WISO	
RS241R2	RR2Y	2.4 S	CMB,O	IANOa	IANWa	NCSL	
				WISO			
RS244NR2	RR2Y	2.4 R	None	IANCa	IANOa	IANWa	
				IASC	NCSL	SDSE	
				WISO			

* Harvest results will identify company as shown in parenthesis.
 † See p. 13 for abbreviation descriptions
 § - sponsored by United Soybean Board, GC - grower comparison, CK - check

Renk Seed Co. (Renk)* (continued)

RS274NR2	RR2Y	2.7 R	None	ILNO	NCSL	
RS283NR2	RR2Y	2.8 R	None	IANCb	IANWb	IASC
				IASO	ILNO	NENE
				SDSE		
RS314NR2	RR2Y	3.1 R	None	IASC	IASO	ILNO
				NENE	NESE	
RS323NR2	RR2Y	3.1 R	CMB,O	NENE	NESE	
RS383SNR2	RR2Y,STS	3.8 R	CMB,O	KSNE		
RS383SNR2 §	RR2Y,STS	3.8 R	CMB,O	KSEC		
RS414NR2	RR2Y	4.1 R	None	KSNE		
RS414NR2 §	RR2Y	4.1 R	None	KSEC		

Sands of Iowa, Inc. (SOI)*
 4765 Hwy. 143, PO Box 648, Marcus, IA 51035-0648
 (800) 352-2228 www.sandsofiowa.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
1741NRR2Y	RR2Y	1.7 R	CMB	MNSOa		
2013NRR2Y	RR2Y	2.0 R	CMB	IANOa	MNSOb	
2208NRR2Y	RR2Y	2.2 R	None	IANOb	IANWa	
2430RR2Y	RR2Y	2.4 S	CMB	IANCa	IANOb	IANWa
2520SRR2Y	RR2Y	2.5 S	None	IANCb	IANWb	
2738NRR2Y	RR2Y	2.7 R	CMBV	IASC		
2804NRR2Y	RR2Y	2.8 R	None	IASC		
3102NRR2Y	RR2Y	3.1 R	None	IASO		

Seed Consultants, Inc. (Seed Consultants)* DuPont Pioneer
 648 Miami Trace Rd. S.W., PO Box 370, Washington C.H., OH 43160
 (800) 709-2676 www.seedconsultants.com

^Supreme EX® brand seed is distributed by Seed Consultants, Inc. Supreme EX® is a registered trademark of DuPont Pioneer.

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
SCS 9241RR	RR	2.4 R	EE,G	INNO		
SCS 9273RR	RR	2.7 R	EE,G	INNO		
SCS 9282RR	RR	2.8 R	EE,G	INCE	INNO	
SCS 9314RR	RR	3.1 R	EE,G	INCE	INNO	
SCS 9328RR	RR	3.2 S	EE,G	INCE	INNO	
SCS 9330RR	RR	3.3 R	EE,G	INCE	INNO	
SCS 9334RR	RR	3.3 R	EE,G	INCE	INNO	
SCS 9354RR	RR	3.4 R	EE,G	INCE	INNO	
SCS 9363RR	RR	3.6 R	EE,G	INCE		
SCS 9373RR	RR	3.8 R	EE,G	ILSO	INCE	
SCS 9392RR	RR	3.9 R	EE,G	ILSO		
SCS 9393RR	RR	3.9 R	EE,G	ILSO		
SCS 9412RR	RR	4.1 R	EE,G	ILSO		
SCS 9421RR	RR,STS	4.2 R	EE,G	ILSO		
SCS 9434RR	RR	4.3 R	EE,G	ILSO		
SCS 9443RR	RR	4.4 R	EE,G	ILSO		
SCS 9474RR	RR	4.7 R	EE,G	ILSO		

Seeds 2000, Inc. (Seeds 2000)* Nufarm Limited
 115 N. 3rd St., PO Box 200, Breckenridge, MN 56520
 (888) 786-7333 www.seeds2000.net

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
2071RR2YN §	RR2Y	0.7 R	CMB	SDNE		
2122RR2YN §	RR2Y	1.2 R	CMB	SDNE		

Specialty Hybrids (Specialty)* Monsanto
 371 N. Diener Rd., Reynolds, IN 47980
 (800) 545-8611 www.specialtyhybrids.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
2480R2	RR2Y	2.4 R	ACi	INCE	OHNW	
2720CR2	RR2Y	2.7 R	ACi	OHNW		
3200CR2	RR2Y	3.2 MR	AC,PV	INCE	OHNW	
3494CR2	RR2Y	3.4 R	AC,PV	OHNW		
3670CR2	RR2Y	3.6 MR	ACi	INCE		
3790CR2	RR2Y	3.7 R	AC,PV	INCE		

Steyer Seeds (Steyer)*

6154 N. County Rd. 33, Tiffin, OH 44883
 (800) 231-4274 www.steyerseeds.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
1901R2	RR2Y	1.9 MR	SStd	IANOa	WISO	
2202R2	RR2Y	2.2 MR	SStd	IANCa	IANOb	NCSL
				WISO		
2501R2	RR2Y	2.5 MR	SStd	IANCb	IANOb	INNO
				OHNW		
2603R2	RR2Y	2.6 MR	SStd	IANCb	ILNO	NCSL
2702R2	RR2Y	2.7 MR	SStd	IANCb	ILNO	INNO
				NCSL	OHNW	
2703R2	RR2Y	2.7 MR	SStd	ILNO	NCSL	OHNW
2805R2	RR2Y	2.8 MR	SStd	ILNC	ILNO	INNO
				NCSL	OHNW	
2902R2	RR2Y	2.9 MR	SStd	IASC	OHNW	
3103R2	RR2Y	3.1 MR	SStd	IASC	ILNC	INNO
				OHNW		
3203R2	RR2Y	3.2 MR	SStd	ILNC		
3205R2	RR2Y	3.2 MR	SStd	INCE	OHNW	
3403R2	RR2Y	3.4 MR	SStd	INCE	MIDA	OHNW
3406R2	RR2Y	3.4 MR	SStd	ILNC	ILSC	
3502R2	RR2Y	3.5 MR	SStd	ILNC	ILSC	
3603R2	RR2Y	3.6 MR	SStd	INCE		
3604R2	RR2Y	3.6 MR	SStd	ILNC	ILNC	
3702R2	RR2Y	3.7 MR	SStd	INCE	MIDA	
3703R2	RR2Y	3.7 MR	SStd	ILNC	ILSC	
3802R2	RR2Y	3.8 MR	SStd	INCE	MIDA	
3803R2	RR2Y	3.8 MR	SStd	ILSC	ILSO	
3903R2	RR2Y	3.9 MR	SStd	ILSC		
4203R2	RR2Y	4.2 MR	SStd	ILSC	ILSO	
4401R2	RR2Y,STS	4.4 MR	SStd	ILSO		
4501R2	RR2Y,STS	4.5 S	SStd	ILSO		
4701R2	RR2Y	4.7 MR	SStd	ILSO		

Stine Seed Company (Stine)*
 22555 Laredo Trail, Adel, IA 50003
 (800) 362-2510 www.stinseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
01RD66 §	RR2Y	0.1 MR	None	NDEC		
02RD00 §	RR2Y	0.2 S	None	NDEC		
03RD66 §	RR2Y	0.3 MR	None	NDEC		
08RC68 §	RR2Y	0.8 MR	None	MNWC	NDSE	
10RD03 §	RR2Y	1.0 MR	None	NDSE	SDNE	
14RD62 §	RR2Y	1.4 R	CMB	SDNE		
16RA02 §	RR2Y	1.6 R	CMB	MNCE	MNSCa	MNSOa
16RD02	RR2Y	1.6 R	CMB	MNSCa		
16RD02 §	RR2Y	1.6 R	CMB	SDEC	SDNE	
19RA02 §	RR2Y	1.9 R	CMB	IANOa	MNCE	MNSCb
				SDEC	WISO	
20RD20 §	RR2Y	2.0 R	CMB	IANOa	MNCE	MNSCb
				MNSOb	SDEC	WISO
22RD00 §	RR2Y	2.2 MR	CMB	IANCa	IANOb	IANWa
				MNSOb	NCSL	SDSE
24RD03 §	RR2Y	2.4 MR	CMB	IANCa	IANWa	IASC
				INNO	NCSL	OHNW
				SDSE	WISO	
26RD02 §	RR2Y	2.6 R	CMB	IANCb	IANWb	IASC
				ILNO	INNO	NCSL
				NENE	OHNW	SDSE
28RE20	RR2Y	2.8 R	None	IANWb		
29RD02 §	RR2Y	2.9 R	CMB	IASO	ILNO	INNO
				NENE	OHNW	

* Harvest results will identify company as shown in parenthesis.
 † See p. 13 for abbreviation descriptions
 § - sponsored by United Soybean Board, GC - grower comparison, CK - check

Stine Seed Company (Stine)* (continued)

29RD22 §	RR2Y	2.9 R	CMB	IASC ILNO	IASO INCE	ILNC NENE
33RD02 §	RR2Y	3.0 R	None	INNO		
35RA02 §	RR2Y	3.5 R	CMB	IASC	INCE	MONÉ
37RC82 §	RR2Y	3.7 R	CMB	ILNC MONÉ	ILSC NESE	KSNE
37RD82 §	RR2Y	3.7 R	CMB	MONW		
38RD02 §	RR2Y	3.8 R	CMB	ILNC KSNE	ILSO MONW	INCE
40RC32 §	RR2Y	4.0 R	CMB	ILSC NESE	ILSO	MONW
42RD02 §	RR2Y	4.2 R	CMB	MONÉ		

Stone Seed Group (Stone)* Monsanto

5965 W. State Rd. 97, Pleasant Plains, IL 62677
(217) 546-8006 www.stoneseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
2R2502	RR2Y	2.5 S	ACi	ILNO		
2R2604	RR2Y	2.6 R	ACi	ILNO		
2R2801	RR2Y	2.8 R	ACi	ILNC	ILNO	
2R3103	RR2Y	3.1 R	ACi	ILNC		
2R3303	RR2Y	3.3 R	ACi	ILNC		
2R3604	RR2Y	3.6 MR	ACi	ILNC	ILSC	
2R3701	RR2Y	3.7 R	ACi	ILSC		
2R3801	RR2Y	3.8 R	ACi	ILSC		
2R3904	RR2Y	3.9 R	ACi	ILSC		
2R4003	RR2Y	4.0 R	ACi	ILSC	ILSO	
2R4204	RR2Y	4.2 R	ACi	ILSO		
2R4302	RR2Y	4.3 R	ACi	ILSO		
2R4604STS	RR2Y,STS	4.6 R	ACi	ILSO		
2R4903STS	RR2Y,STS	4.9 R	ACi	ILSO		

TA Seeds, LLC (TA Seeds)*

39 Seeds Ln., Jersey Shore, PA 17740
(570) 753-5503 www.taseeds.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
TS3849R2S	RR2Y,STS	3.9 R	AVB	MIDA		

Taylor Seed Farms, Inc. (Taylor)*

2467 Hwy. 7, White Cloud, KS 66094
(800) 742-7473 www.taylorseedfarms.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
399-2R §	RR2Y	3.9 R	CMB	KSNE		
399-2R GC	RR2Y	4.0 R	CMB	KSEC		
420-2R §	RR2Y	4.2 R	CMB	KSNE		
420-2R GC	RR2Y,STS	4.2 R	CMB	KSEC		
440-2R §	RR2Y	4.4 R	CMB	KSNE		
440-2R GC	RR2Y	4.4 R	CMB	KSEC		

Titan Pro SCI, Inc. (Titan Pro)*

1301 S. 24th St., Clear Lake, IA 50428
(641) 357-7283 www.titanprosci.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested		
15M22	RR2Y	1.5 R	CMBV	MNCE	MNSCa	SDNE	
20M1	RR2Y	2.0 R	CMBV	IANOa	MNCE	MNSCb	MNSOb SDEC WISO
22M12	RR2Y	2.2 R	CMBV	IANCa	IANWa	MNSCb	MNSOb SDEC SDSE WISO
23M9	RR2Y	2.3 S	CMBV	IANCa	IANOb	IANWa	MNSOb SDSE
24M21	RR2Y	2.4 R	CMBV	IANOb	IASC	SDSE	
25M22	RR2Y	2.5 R	CMBV	IANOb	IASC		
27M32	RR2Y	2.7 R	CMBV	IANCb	IANWb	IASC	IASC NENE

Titan Pro SCI, Inc. (Titan Pro)* (continued)

33M22	RR2Y	3.3 R	CMBV	IASC	NESE		
33M22 §	RR2Y	3.3 R	CMBV	NENE			
35M12	RR2Y	3.5 R	CMBV	IASC	NESE		
36B21	RR2Y	3.6 R	CMBV	NESE			
TP-11R33	RR2Y	1.1 R	CMBV	SDNE			
TP-18R73	RR2Y	1.8 R	CMBV	IANOa	MNCE	MNSCa	MNSOa SDEC WISO
TP-19R23	RR2Y	1.9 MR	CMBV	MNCE	MNSCb	MNSOa	SDEC WISO
TP-21R63	RR2Y	2.1 MR	CMBV	None	IANOa		
TP-22R13	RR2Y	2.2 R	CMBV	IANCa	IANOa	IANWa	MNSCb MNSOb SDEC
TP-29R03	RR2Y	2.9 R	CMBV	IASC	IASC	NESE	
TP-31R13	RR2Y	3.1 R	CMBV	IASC	IASC	NESE	

Wensman Seed Co. (Wensman)* AgReliant Genetics, LLC

63585 W. Hwy. 10, Wadena, MN 56482
(800) 456-4894 www.wensmanseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested		
W 3030R2	RR2Y	0.2 S	AC,PV	NDEC			
W 3032R2	RR2Y	0.4 S	AC,PV	NDEC			
W 3050NR2	RR2Y	0.5 MR	AC,PV	MNWC			
W 3058R2	RR2Y	0.5 S	AC,PV	NDEC			
W 3058R2 §	RR2Y	0.5 S	AC,PV	NDSE			
W 3062NR2	RR2Y	0.6 MR	AC,PV	MNWC	NDEC		
W 3062NR2 §	RR2Y	0.6 MR	AC,PV	NDSE			
W 3076R2	RR2Y	0.7 S	AC,PV	MNWC	NDEC		
W 3076R2 §	RR2Y	0.7 S	AC,PV	NDSE			
W 3090NR2	RR2Y	0.8 MR	AC,PV	MNWC			
W 3090NR2 §	RR2Y	0.8 MR	AC,PV	NDSE			
W 3106R2	RR2Y	1.0 S	AC,PV	MNWC	NDSE	SDNE	
W 3106R2 §	RR2Y	1.0 S	AC,PV	NDSE			
W 3121NR2	RR2Y	1.2 R	AC,PV	MNCE	SDNE		
W 3128R2	RR2Y	1.2 S	AC,PV	SDNE			
W 3140R2	RR2Y	1.5 S	AC,PV	SDNE			
W 3160NR2	RR2Y	1.6 R	AC,PV	MNCE	MNSCa	MNSOa	SDEC
W 3178R2	RR2Y	1.7 S	AC,PV	SDNE			
W 3200NR2	RR2Y	2.0 R	AC,PV	MNCE	MNSCb	MNSOa	SDEC
W 3214NR2	RR2Y	2.1 R	AC,PV	MNCE	MNSCb	MNSOb	SDEC
W 3222NR2	RR2Y	2.2 R	AC,PV	MNSCb	MNSOb	SDEC	SDSE
W 3230R2	RR2Y	2.3 S	AC,PV	SDEC	SDSE		
W 3256NR2	RR2Y	2.5 MR	AC,PV	MNSOb	SDSE		
W 3284NR2	RR2Y	2.8 R	AC,PV	SDSE			

Willcross Seed (Willcross)*

4564 U.S. Hwy. 169, PO Box 667, King City, MO 64463
(660) 535-4444 www.willcrossseed.com

Brand	Tech.†	Mat.	SCN†	STrt†	Region(s) Tested	
WX2364N §	RR2Y	3.6 R	CMB	KSNE		
WX2365N §	RR2Y	3.6 R	CMB	KSNE		
WX2384N §	RR2Y	3.8 R	CMB	KSNE		
WX2385NS §	RR2Y,STS	3.8 R	CMB	NESE		

* Harvest results will identify company as shown in parenthesis.
† See p. 13 for abbreviation descriptions
§ - sponsored by United Soybean Board, GC - grower comparison, CK - check

Product Suffix Identifiers:

Code	Product Suffix Description
§	United Soybean Board sponsored entry
GC	"Grower Comparison" product for farmer cooperators
CK	Check product found in early and full season tests

Technology (Tech) abbreviations:

Code	Technology Description
Conv	Conventional, non-GMO
LL	LibertyLink®
RR	Roundup Ready® Soybeans
RR2Y	Genuity® Roundup Ready 2 Yield®
STS	STS® - sulfonylurea tolerant soybeans

Soybean Cyst Nematode (SCN) Resistance Rating

Code	Soybean Cyst Nematode Description
S	susceptible
MR	moderate resistance
R	resistant
n/a	info unavailable

Seed Treatment* (STrt) abbreviations:

Code	Seed Treatment Description
?	Information not provided
A	Allegiance®
AC	Acceleron® fungicide products
ACi	Acceleron® fungicide and insecticide products
AM	ApronMaxx®
AP	Apron XL®
AVB	Avicta® Complete Beans
C	Cruiser®
CC	CurryCoat™
CMB	CruiserMaxx® Beans
CMBV	CruiserMaxx® Beans with Vibrance
DPHB	DPH Boost™
EE	Evergol™ Energy
Ex	Excalibre™
G	Gaucha®
I	Inovate™ System
None	untreated
O	Optimize®
PV	Poncho®/Votivo®
RS	Right Stand™
SCE	SmartCote™ Extra
SDPI	Servo DPI
SS+	Soyshield Plus™
SStd	SureStand™
T	Trilex®

* Seed treatments may include unspecified plant health promoting components.

* Harvest results will identify company as shown in parenthesis.

† See p. 13 for abbreviation descriptions

§ - sponsored by United Soybean Board, GC - grower comparison, CK - check