

2014 Soybean Top 30 Harvest Report

Iowa Northwest [IANW] HARTLEY

Clint Van Beek, O'Brien County, IA 51346



Test by: North Iowa F.I.R.S.T., Inc, Sanborn, IA

PREV. CROP/HERB: Corn / Balance Flexx, Roundup
 SOIL DESCRIPTION: Sac silty clay loam, well drained, non-irrigated
 SOIL CONDITIONS: Mod. High P, mod. high K, 6.3 pH, 3.9 % OM
 TILLAGE/CULTIVATION: Minimum w/ fall till
 PEST MANAGEMENT: Authority First DF, Glyphosate, Select, Zidua, Quilt Xcel, Warrior
 SEEDED - RATE - ROW: May 14 167,000 /A 15" Spacing
 HARVESTED - STAND: Oct 8 154,700 /A

Early-Season Test

2.1 - 2.4 Day RM

S2014IANW02a

Top 30 of 54

For Gross Income (Sorted by Yield)

Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Mat. | SCN Resist. | Seed Trmt.† | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income |
|---------------|----------------|-----------|------|-------------|-------------|------------|------------|-----------|----------------|--------------|
| Channel | 2108R2 | RR2Y | 2.10 | R | ACi | 61.3 | 15.0 | 4 | 162.6 | \$537 |
| Kruger | K2-2103 | RR2Y | 2.10 | R | ACi | 59.2 | 13.7 | 4 | 147.1 | \$520 |
| Pioneer | P22T69R § | RR | 2.20 | R | EE,G | 59.0 | 11.0 | 4 | 158.7 | \$519 |
| Federal | F205NRR2Y | RR2Y | 2.00 | R | CCB | 58.9 | 13.3 | 4 | 143.3 | \$518 |
| LG Seeds | C2441R2 | RR2Y | 2.40 | R | AC,PV | 58.2 | 11.9 | 4 | 135.5 | \$512 |
| Latham | L2128R2 | RR2Y | 2.10 | R | CCB | 58.0 | 13.7 | 4 | 162.6 | \$510 |
| Dairyland | DSR-2411/R2Y | RR2Y | 2.40 | S | CMB | 57.9 | 13.8 | 4 | 158.7 | \$509 |
| Champion | 21R34N | RR2Y | 2.10 | MR | CMBV | 57.5 | 11.2 | 4 | 135.5 | \$506 |
| Viking | 2144R2N | RR2Y | 2.10 | R | CMB | 57.4 | 12.8 | 4 | 151.0 | \$505 |
| Renze | 24R25R2cn | RR2Y | 2.40 | R | CMB | 57.2 | 13.0 | 4 | 151.0 | \$503 |
| Channel | 2306R2 | RR2Y | 2.30 | R | ACi | 57.0 | 12.8 | 4 | 162.6 | \$502 |
| Channel | 2105R2 | RR2Y | 2.10 | MR | ACi | 56.8 | 14.2 | 4 | 151.0 | \$498 |
| SOI | 2430RR2Y | RR2Y | 2.40 | S | None | 56.7 | 12.0 | 4 | 147.1 | \$499 |
| Champion | 242R | RR2Y | 2.40 | S | CCB | 56.5 | 11.9 | 4 | 158.8 | \$497 |
| Titan Pro | TP-23R04 | RR2Y | 2.30 | R | CCB | 56.4 | 11.6 | 4 | 147.1 | \$496 |
| Dyna-Gro | S24RY65 | RR2Y | 2.40 | R | CMBV | 56.3 | 12.6 | 4 | 154.9 | \$495 |
| Renk | RS213NR2 | RR2Y | 2.10 | R | CMB | 56.3 | 13.5 | 4 | 147.1 | \$495 |
| Hefty | H23R5 | RR2Y | 2.30 | MR | DST | 56.1 | 11.7 | 4 | 139.4 | \$494 |
| Prairie Brand | PB-2319R2 | RR2Y | 2.30 | R | CMBV | 55.8 | 11.9 | 4 | 154.9 | \$491 |
| Titan Pro | TP-21R63 | RR2Y | 2.10 | R | CCB | 55.5 | 12.0 | 4 | 135.5 | \$488 |
| SOI | 2486NRR2Y | RR2Y | 2.40 | R | None | 55.0 | 12.3 | 4 | 151.0 | \$484 |
| Hefty | H21Y11 | RR2Y | 2.10 | R | DST | 55.0 | 14.0 | 4 | 151.0 | \$483 |
| Renk | RS224NR2 | RR2Y | 2.20 | R | None | 54.5 | 12.6 | 4 | 162.7 | \$480 |
| SOI | 2208NRR2Y | RR2Y | 2.20 | R | None | 54.5 | 12.8 | 4 | 154.9 | \$480 |
| Viking | 2301R2N | RR2Y | 2.30 | R | None | 54.4 | 11.8 | 4 | 162.6 | \$479 |
| Renze | 22R33R2cn | RR2Y | 2.20 | R | CMB | 54.1 | 13.0 | 4 | 166.5 | \$476 |
| Dyna-Gro | S22RY64 | RR2Y | 2.20 | MR | CMBV | 53.9 | 12.9 | 4 | 162.6 | \$474 |
| Prairie Brand | PB-2230R2 | RR2Y | 2.20 | R | CMBV | 53.9 | 13.0 | 4 | 147.1 | \$474 |
| Stine | 22RD00 § | RR2Y | 2.20 | MR | None | 53.8 | 13.0 | 4 | 154.9 | \$473 |
| Federal | F224NRR2Y | RR2Y | 2.20 | R | CCB | 53.7 | 12.7 | 4 | 166.5 | \$473 |
| Croplan | R2T2501 CK | RR2Y | 2.40 | R | None | 55.5 | 14.0 | 4 | 139.4 | \$487 |

Corey Rozenboom

Corey Rozenboom

corey.rozenboom@firstseedtests.com, (319) 830-8886

| | | | | | |
|----------------|------|------|----|-------|-------|
| Test Average = | 53.9 | 13.1 | 4 | 154.7 | \$474 |
| LSD (0.10) = | 4.2 | 1.9 | ns | | |
| LSD (0.25) = | 2.9 | 1.3 | ns | | |
| C.V. = | 5.7 | 10.9 | | | |

Yield & Income Factors Base Moisture = 13.0% Shrink = 1.3 Drying = \$0.020 Price = $\frac{\$8.80}{\$8.80}$ GMO Non-GMO

TEST COMMENTS: This site stayed dry after planting until 1.5" fell June 1. Three big June storms brought 3.67", 2.44" and 2.61" on June 14, 16 and 17, respectively. Much of July was dry and periodic August rain kept this crop going. Below average temperatures from late June through Sept slowed development. A Sept 19 storm brought hail to the area. The field surrounding us was rated at 27% damaged.

† See last page for abbreviation descriptions. Results in bold are significantly above test average by LSD (0.10). ns = column values not significantly different.

Additional reports available at www.firstseedtests.com

Report date: 10/8/2014

Revised:

AgSCI Copyright 2014

2014 Soybean Top 30 Harvest Report

Iowa Northwest [IANW] HARTLEY

Clint Van Beek, O'Brien County, IA 51346



Test by: North Iowa F.I.R.S.T., Inc, Sanborn, IA

PREV. CROP/HERB: Corn / Balance Flexx, Roundup
 SOIL DESCRIPTION: Sac silty clay loam, well drained, non-irrigated
 SOIL CONDITIONS: Mod. High P, mod. high K, 6.3 pH, 3.9 % OM
 TILLAGE/CULTIVATION: Minimum w/ fall till
 PEST MANAGEMENT: Authority First DF, Glyphosate, Select, Zidua, Quilt Xcel, Warrior
 SEEDED - RATE - ROW: May 14 167,000 /A 15" Spacing
 HARVESTED - STAND: Oct 8 152,100 /A

Full-Season Test

2.5 - 2.8 Day CRM

S2014IANW02b

Top 30 of 36

For Gross Income (Sorted by Yield)

Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | Mat. | SCN Resist. | Seed Trmt.† | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income |
|---------------|----------------|-----------|------|-------------|-------------|------------|------------|-----------|----------------|--------------|
| Titan Pro | 25M22 | RR2Y | 2.50 | R | CCB | 57.7 | 12.0 | 4 | 154.9 | \$508 |
| Latham | L2758R2 | RR2Y | 2.70 | R | CCB | 57.4 | 13.8 | 4 | 143.3 | \$504 |
| Prairie Brand | PB-2600R2 | RR2Y | 2.60 | MR | CMBV | 57.2 | 12.4 | 4 | 151.0 | \$503 |
| Latham | L2645R2 | RR2Y | 2.60 | S | CCB | 56.8 | 12.7 | 4 | 147.1 | \$500 |
| Dyna-Gro | S25RY44 | RR2Y | 2.50 | R | CMBV | 55.4 | 12.3 | 8 | 143.3 | \$488 |
| Pioneer | 92Y74 § | RR | 2.70 | R | EE,G | 55.2 | 13.1 | 4 | 166.5 | \$486 |
| Channel | 2508R2 | RR2Y | 2.50 | R | ACi | 55.0 | 11.8 | 4 | 147.1 | \$484 |
| Champion | 26R83N | RR2Y | 2.60 | MR | CMBV | 55.0 | 12.7 | 4 | 151.0 | \$484 |
| Asgrow | AG2733 § | RR2Y | 2.70 | MR | ACi | 54.9 | 11.8 | 4 | 154.9 | \$483 |
| Hefty | H25R5 | RR2Y | 2.50 | MR | DST | 54.5 | 13.6 | 4 | 158.8 | \$479 |
| Pioneer | 92Y51 § | RR | 2.50 | R | EE,G | 54.4 | 11.9 | 4 | 139.4 | \$479 |
| Dairyland | DST26-005/R2Y | RR2Y | 2.60 | MR | CMB | 53.6 | 12.5 | 4 | 147.1 | \$472 |
| Latham | L2884R2 | RR2Y | 2.80 | R | CCB | 53.3 | 14.6 | 4 | 170.4 | \$467 |
| Latham | L2585R2 | RR2Y | 2.50 | MR | CCB | 52.9 | 12.9 | 4 | 143.3 | \$466 |
| Kruger | K2-2503 | RR2Y | 2.50 | R | ACi | 52.8 | 13.0 | 4 | 151.0 | \$465 |
| Stine | 26RD02 § | RR2Y | 2.60 | R | None | 52.2 | 12.5 | 4 | 135.5 | \$459 |
| Pfister | 26R29 | RR2Y | 2.60 | R | CCB | 52.1 | 14.2 | 4 | 151.0 | \$457 |
| LG Seeds | C2534R2 | RR2Y | 2.50 | R | AC,PV | 52.0 | 13.5 | 4 | 162.6 | \$457 |
| Channel | 2706R2 | RR2Y | 2.70 | MR | ACi | 51.3 | 12.7 | 4 | 139.4 | \$451 |
| Prairie Brand | PB-2556R2 | RR2Y | 2.50 | R | CMBV | 51.2 | 12.0 | 4 | 162.6 | \$451 |
| Titan Pro | TP-27R54 | RR2Y | 2.70 | R | CCB | 50.7 | 12.3 | 4 | 151.0 | \$446 |
| Hefty | H28R5 | RR2Y | 2.80 | MR | DST | 50.7 | 14.3 | 4 | 147.1 | \$445 |
| Hefty | H28R4 | RR2Y | 2.80 | MR | DST | 50.5 | 15.0 | 8 | 143.3 | \$442 |
| LG Seeds | C2744R2 | RR2Y | 2.70 | R | AC,PV | 50.0 | 13.6 | 4 | 154.9 | \$439 |
| NK Brand | S28-A2 § | RR2Y | 2.80 | R | CCB | 49.2 | 14.6 | 8 | 147.1 | \$431 |
| Dairyland | DSR-2612/R2Y | RR2Y | 2.60 | R | CMB | 49.1 | 14.2 | 4 | 154.9 | \$431 |
| Channel | 2808R2 | RR2Y | 2.80 | R | ACi | 48.0 | 20.7 | 4 | 158.8 | \$415 |
| Champion | 25R95N | RR2Y | 2.50 | MR | CMBV | 47.2 | 14.4 | 4 | 162.6 | \$414 |
| NK Brand | S27-J7 § | RR2Y | 2.70 | R | CCB | 46.8 | 17.4 | 4 | 154.9 | \$408 |
| Kruger | K2-2805 | RR2Y | 2.80 | R | ACi | 46.8 | 21.6 | 4 | 143.3 | \$404 |
| Croplan | R2T2501 CK | RR2Y | 2.40 | R | None | 57.2 | 11.9 | 4 | 158.8 | \$503 |

Corey Rozenboom

Corey Rozenboom

corey.rozenboom@firstseedtests.com, (319) 830-8886

| | | | | | |
|----------------|------|------|----|-------|-------|
| Test Average = | 51.5 | 14.0 | 4 | 152.1 | \$452 |
| LSD (0.10) = | 4.4 | 1.4 | ns | | |
| LSD (0.25) = | 3.1 | 0.9 | ns | | |
| C.V. = | 6.3 | 7.1 | | | |

Yield & Income Factors Base Moisture = 13.0% Shrink = 1.3 Drying = \$0.020 Price = $\frac{\$8.80}{\$8.80}$ GMO Non-GMO

TEST COMMENTS: This site stayed dry after planting until 1.5" fell June 1. Three big June storms brought 3.67", 2.44" and 2.61" on June 14, 16 and 17, respectively. Much of July was dry and periodic August rain kept this crop going. Below average temperatures from late June through Sept slowed development. A Sept 19 storm brought hail to the area. The field surrounding us was rated at 27% damaged.

† See last page for abbreviation descriptions. Results in bold are significantly above test average by LSD (0.10). ns = column values not significantly different.

Additional reports available at www.firstseedtests.com

Report date: 10/8/2014

Revised:

AgSCI Copyright 2014

Early-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed | Trt | Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed | Trt |
|---------------|---------------|----------|------|-----|-------|-----|---------------|---------------|----------|------|-----|------|-----|
| Asgrow | AG2232 § | RR2Y | 2.20 | R | ACi | | SOI | 2486NRR2Y | RR2Y | 2.40 | R | None | |
| Asgrow | AG2433 § | RR2Y | 2.40 | MR | ACi | | Stine | 22RD00 § | RR2Y | 2.20 | MR | None | |
| Champion | 21R34N | RR2Y | 2.10 | MR | CMBV | | Stine | 24RE03 § | RR2Y | 2.40 | MR | None | |
| Champion | 242R | RR2Y | 2.40 | S | CCB | | Titan Pro | 22M12 | RR2Y | 2.20 | R | CCB | |
| Channel | 2105R2 | RR2Y | 2.10 | MR | ACi | | Titan Pro | TP-21R63 | RR2Y | 2.10 | R | CCB | |
| Channel | 2108R2 | RR2Y | 2.10 | R | ACi | | Titan Pro | TP-23R04 | RR2Y | 2.30 | R | CCB | |
| Channel | 2306R2 | RR2Y | 2.30 | R | ACi | | Titan Pro | TP-24R24 | RR2Y | 2.40 | R | CCB | |
| Croplan | R2T2501 CK | RR2Y | 2.40 | R | None | | Viking | 2144R2N | RR2Y | 2.10 | R | CMB | |
| Dairyland | DSR-2411/R2Y | RR2Y | 2.40 | S | CMB | | Viking | 2301R2N | RR2Y | 2.30 | R | None | |
| Dairyland | DST24-006/R2Y | RR2Y | 2.40 | R | CMB | | | | | | | | |
| Dyna-Gro | S22RY64 | RR2Y | 2.20 | MR | CMBV | | | | | | | | |
| Dyna-Gro | S24RY65 | RR2Y | 2.40 | R | CMBV | | | | | | | | |
| Federal | F205NRR2Y | RR2Y | 2.00 | R | CCB | | | | | | | | |
| Federal | F224NRR2Y | RR2Y | 2.20 | R | CCB | | | | | | | | |
| Federal | F235NRR2Y | RR2Y | 2.30 | R | CCB | | | | | | | | |
| Federal | F245NRR2Y | RR2Y | 2.40 | R | CCB | | | | | | | | |
| Hefty | H20Y12 | RR2Y | 2.00 | MR | DST | | | | | | | | |
| Hefty | H21Y11 | RR2Y | 2.10 | R | DST | | | | | | | | |
| Hefty | H23R5 | RR2Y | 2.30 | MR | DST | | | | | | | | |
| Hefty | H24R5 | RR2Y | 2.40 | MR | DST | | | | | | | | |
| Kruger | K2-2103 | RR2Y | 2.10 | R | ACi | | | | | | | | |
| Kruger | K2-2201 | RR2Y | 2.20 | R | ACi | | | | | | | | |
| Kruger | K2-2402 | RR2Y | 2.40 | R | ACi | | | | | | | | |
| Kruger | K2-2403 | RR2Y | 2.40 | R | ACi | | | | | | | | |
| Latham | L2128R2 | RR2Y | 2.10 | R | CCB | | | | | | | | |
| Latham | L2253R2 | RR2Y | 2.20 | R | CCB | | | | | | | | |
| Latham | L2384R2 | RR2Y | 2.30 | R | SS+ | | | | | | | | |
| Latham | L2448R2 | RR2Y | 2.40 | R | CCB | | | | | | | | |
| LG Seeds | C2333R2 | RR2Y | 2.30 | R | AC,PV | | | | | | | | |
| LG Seeds | C2441R2 | RR2Y | 2.40 | R | AC,PV | | | | | | | | |
| NK Brand | S24-K2 § | RR2Y | 2.40 | S | CMBV | | | | | | | | |
| Pfister | 22R20 | RR2Y | 2.20 | R | CCB | | | | | | | | |
| Pfister | 24R22 | RR2Y | 2.40 | R | CCB | | | | | | | | |
| Pioneer | P22T69R § | RR | 2.20 | R | EE,G | | | | | | | | |
| Prairie Brand | PB-2188R2 | RR2Y | 2.10 | R | CMBV | | | | | | | | |
| Prairie Brand | PB-2230R2 | RR2Y | 2.20 | R | CMBV | | | | | | | | |
| Prairie Brand | PB-2319R2 | RR2Y | 2.30 | R | CMBV | | | | | | | | |
| Renk | RS213NR2 | RR2Y | 2.10 | R | CMB | | | | | | | | |
| Renk | RS224NR2 | RR2Y | 2.20 | R | None | | | | | | | | |
| Renk | RS244NR2 | RR2Y | 2.40 | R | None | | | | | | | | |
| Renze | 22R33R2cn | RR2Y | 2.20 | R | CMB | | | | | | | | |
| Renze | 24R25R2cn | RR2Y | 2.40 | R | CMB | | | | | | | | |
| SOI | 2208NRR2Y | RR2Y | 2.20 | R | None | | | | | | | | |
| SOI | 2406NRR2Y | RR2Y | 2.40 | R | None | | | | | | | | |
| SOI | 2430RR2Y | RR2Y | 2.40 | S | None | | | | | | | | |

2014 Soybean - Iowa Northwest [IANW]



Full-Season Test Products (36 Total)

| Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt | Company/Brand | Product/Brand | Technol. | Mat. | SCN | Seed Trt |
|---------------|---------------|----------|------|-----|----------|---------------|---------------|----------|------|-----|----------|
| Asgrow | AG2733 § | RR2Y | 2.70 | MR | ACi | | | | | | |
| Champion | 25R95N | RR2Y | 2.50 | MR | CMBV | | | | | | |
| Champion | 26R83N | RR2Y | 2.60 | MR | CMBV | | | | | | |
| Channel | 2508R2 | RR2Y | 2.50 | R | ACi | | | | | | |
| Channel | 2706R2 | RR2Y | 2.70 | MR | ACi | | | | | | |
| Channel | 2808R2 | RR2Y | 2.80 | R | ACi | | | | | | |
| Croplan | R2C2800 | RR2Y | 2.80 | R | None | | | | | | |
| Croplan | R2T2501 CK | RR2Y | 2.40 | R | None | | | | | | |
| Dairyland | DSR-2612/R2Y | RR2Y | 2.60 | R | CMB | | | | | | |
| Dairyland | DST26-005/R2Y | RR2Y | 2.60 | MR | CMB | | | | | | |
| Dyna-Gro | 38RY28 | RR2Y | 2.80 | R | CMBV | | | | | | |
| Dyna-Gro | S25RY44 | RR2Y | 2.50 | R | CMBV | | | | | | |
| Hefty | H25R5 | RR2Y | 2.50 | MR | DST | | | | | | |
| Hefty | H27R5 | RR2Y | 2.70 | MR | DST | | | | | | |
| Hefty | H28R4 | RR2Y | 2.80 | MR | DST | | | | | | |
| Hefty | H28R5 | RR2Y | 2.80 | MR | DST | | | | | | |
| Kruger | K2-2503 | RR2Y | 2.50 | R | ACi | | | | | | |
| Kruger | K2-2803 | RR2Y | 2.80 | R | ACi | | | | | | |
| Kruger | K2-2805 | RR2Y | 2.80 | R | ACi | | | | | | |
| Latham | L2585R2 | RR2Y | 2.50 | MR | CCB | | | | | | |
| Latham | L2645R2 | RR2Y | 2.60 | S | CCB | | | | | | |
| Latham | L2758R2 | RR2Y | 2.70 | R | CCB | | | | | | |
| Latham | L2884R2 | RR2Y | 2.80 | R | CCB | | | | | | |
| LG Seeds | C2534R2 | RR2Y | 2.50 | R | AC,PV | | | | | | |
| LG Seeds | C2744R2 | RR2Y | 2.70 | R | AC,PV | | | | | | |
| NK Brand | S27-J7 § | RR2Y | 2.70 | R | CCB | | | | | | |
| NK Brand | S28-A2 § | RR2Y | 2.80 | R | CCB | | | | | | |
| Pfister | 26R29 | RR2Y | 2.60 | R | CCB | | | | | | |
| Pioneer | 92Y51 § | RR | 2.50 | R | EE,G | | | | | | |
| Pioneer | 92Y74 § | RR | 2.70 | R | EE,G | | | | | | |
| Prairie Brand | PB-2556R2 | RR2Y | 2.50 | R | CMBV | | | | | | |
| Prairie Brand | PB-2600R2 | RR2Y | 2.60 | MR | CMBV | | | | | | |
| Prairie Brand | PB-2788R2 | RR2Y | 2.70 | R | CMB | | | | | | |
| Stine | 26RD02 § | RR2Y | 2.60 | R | None | | | | | | |
| Titan Pro | 25M22 | RR2Y | 2.50 | R | CCB | | | | | | |
| Titan Pro | TP-27R54 | RR2Y | 2.70 | R | CCB | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|--|
| ^ | G2® brand seed is distributed by NuTech Seed, LLC. HPT® brand seed is distributed by Hoegemeyer Hybrids, Inc. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaxx® brand seed is distributed by AgVenture, Inc. XL® and Phoenix® brand seed are distributed by Beck's Superior Hybrids, Inc. Curry®, G2®, HPT®, RPM®, Supreme EX®, VPMaxx® and XL® are registered trademarks of DuPont Pioneer. Phoenix® is a trademark of a Syngenta Group Company. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |
| § | United Soybean Board sponsored entry |

Soybean Technologies

| | |
|------|---------------------------------|
| LL | LibertyLink® |
| None | Conventional, non-GMO |
| RR | Roundup Ready® Soybeans |
| RR2Y | Genuity® Roundup Ready 2 Yield® |
| ST | Sulfonylurea herbicide tolerant |

Soybean Cyst Nematode (SCN) Resistance Rating

| | |
|-----|---------------------|
| S | susceptible |
| MR | moderate resistance |
| R | resistant |
| n/a | info unavailable |

Soybean Seed Treatments*

| | | | |
|------|---|------|--------------------------------|
| ? | Information not provided | DST | Dominance ST |
| A | Allegiance® | EE | Evergol™ Energy |
| AC | Acceleron® fungicide products | G | Gaucho® |
| ACi | Acceleron® fungicide and insecticide products | I | Inovate™ System |
| AM | ApronMaxx® | M | Maxim® |
| AP | Apron XL® | None | untreated |
| AVB | Avicta® Complete Beans | PS | ProShield™ (Mid-Atlantic Seed) |
| C | Cruiser® | PV | Poncho®/Votivo® |
| CCB | Clariva Complete Beans | SS+ | Soyshield Plus™ |
| CMB | CruiserMaxx® Beans | T | Trilex® |
| CMBV | CruiserMaxx® Beans with Vibrance | | |

* Seed treatments may include unspecified plant health promoting components.