

2015 Corn Grain Top 30 Harvest Report
 South Dakota Northeast [SDNE] WATERTOWN
 Myron Keltgen, Codington County, SD 57201



PREV. CROP/HERB: Soybean / Roundup, Anthem
 SOIL DESCRIPTION: Poinsett-Buse-Waubay silty clay loam, well drained, minimum w/o fall till, non-irrigated
 SOIL CONDITION: Mod. Low P, moderate K, 6.7 pH, 3.7% OM
 PEST MANAGEMENT: Force, Harness, atrazine, Callisto, Roundup
 FERTILITY - Applied N: 185 Spring, 3 Planter
 Applied N-P-K (units): 188-73-63
 SEEDING - RATE - ROW: Apr 30 32,000 /A 30" spacing
 HARVESTED - STAND: Oct 27 29,700 /A

Early-Season Test
91 - 95 Day CRM
 B2015SDNE08a

Top 30 of 60
 For Gross Income (Sorted by Yield)
 Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------|------------------|-----------|----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Dairyland | DS9593 | 3000GT | 93 | 208.8 | 16.6 | 2 | 28.6 | 716 | 1 |
| Mustang | 4291GENVT2P | VT2P | 91 | 207.9 | 16.5 | 1 | 28.6 | 714 | 2 |
| Mustang | 4294GENVT2P | VT2P | 94 | 206.6 | 19.2 | 1 | 30.5 | 684 | 6 |
| Heine | 626STX | STX | 94 | 204.8 | 19.3 | 1 | 27.6 | 677 | 11 |
| Prairie Brand | x1533AG-3220 | 3220 | 93 | 204.5 | 18.6 | 2 | 29.5 | 683 | 8 |
| Heine | 627VT3PRO | VT3P | 95 | 203.8 | 18.1 | 1 | 27.6 | 685 | 4 |
| REA | 4B931-RIB | VT2P,B | 93 | 203.7 | 16.9 | 1 | 30.0 | 696 | 3 |
| Titan Pro | 2M95-2P | VT2P,B | 95 | 203.0 | 18.8 | 1 | 30.0 | 676 | 12 |
| Gold Country | 94-19RSS | STX,B | 94 | 202.5 | 17.7 | 1 | 29.0 | 684 | 7 |
| Dekalb | DKC44-13RIB GC | STX,B | 94 | 201.2 | 17.5 | 1 | 29.5 | 682 | 9 |
| REA | 4B953-RIB | VT2P,B | 95 | 200.0 | 17.0 | 1 | 30.0 | 682 | 10 |
| Federal | 4540VT2P | VT2P | 95 | 199.8 | 17.9 | 2 | 28.6 | 673 | 14 |
| Latham | LH4147VT2ProRIB | VT2P,B | 91 | 198.6 | 17.3 | 1 | 31.9 | 675 | 13 |
| Federal | 4160VT2P | VT2P | 91 | 198.5 | 16.1 | 2 | 30.5 | 685 | 5 |
| Croplan | 3499VT2PRIB GC | VT2P,B | 94 | 198.1 | 18.5 | 1 | 30.5 | 662 | 20 |
| Channel | 192-08VT2PRIB GC | VT2P,B | 92 | 197.4 | 17.0 | 2 | 31.0 | 673 | 15 |
| Latham | LH4242VT2ProRIB | VT2P,B | 92 | 196.6 | 17.0 | 2 | 29.0 | 670 | 17 |
| Pfister | 53A1RA | STX,B | 93 | 196.4 | 17.3 | 2 | 31.9 | 667 | 19 |
| Dyna-Gro | D37VC60RIB | VT2P,B | 95 | 195.3 | 18.3 | 3 | 31.5 | 655 | 25 |
| Titan Pro | 2M91-2P | VT2P,B | 91 | 194.5 | 16.5 | 1 | 29.5 | 668 | 18 |
| Channel | 191-85VT2PRIB GC | VT2P,B | 91 | 194.3 | 16.0 | 1 | 31.9 | 671 | 16 |
| Renk | RK568VT3P | VT3P,B | 95 | 193.7 | 17.8 | 1 | 31.5 | 654 | 26 |
| Titan Pro | TP 48-93 2P | VT2P,B | 93 | 193.6 | 17.0 | 1 | 31.9 | 660 | 22 |
| Prairie Brand | 4284SX | STX | 92 | 192.7 | 17.6 | 1 | 28.6 | 652 | 28 |
| King Seed | 4505GT | GT | 93 | 192.4 | 16.9 | 2 | 31.0 | 657 | 23 |
| Renk | RK415VT2P | VT2P,B | 92 | 192.1 | 17.2 | 3 | 32.4 | 653 | 27 |
| Mustang | 3292GENVT2P | VT2P,B | 92 | 191.9 | 17.5 | 1 | 30.5 | 650 | 29 |
| Latham | LH4098VT3ProRIB | VT3P,B | 90 | 191.4 | 15.9 | 2 | 29.5 | 662 | 21 |
| Channel | 193-34VT2PRIB GC | VT2P,B | 93 | 189.5 | 15.9 | 1 | 30.5 | 656 | 24 |
| Nuseed | 9202VT2PRIB | VT2P,B | 92 | 188.5 | 16.3 | 1 | 30.0 | 649 | 30 |
| Dekalb | DKC48-12RIB CK | STX,B | 98 | 187.8 | 17.2 | 2 | 30.0 | 639 | 35 |

Mark Tollefson
 mark.tollefson@firstseedtests.com, (507) 456-2357

| | | | | | |
|--------------|--------------|-------------|----------|-------------|------------|
| Averages = | 190.3 | 17.5 | 1 | 29.7 | 645 |
| LSD (0.10) = | 17.6 | 0.9 | ns | | |
| LSD (0.25) = | 12.3 | 0.6 | ns | | |
| C.V. = | 6.8 | 3.7 | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.045 Prices: GMO = \$3.50; non-GMO = \$3.50

Test Comments: *Ideal planting conditions this spring as April weather was very good this year. Another very even looking plot with good stands and weed control. Stalk strength was very good as the plot stood well when heavy winds hit this fall. Myron, the farmer at this location, reported field yields around 180 bushel per acre surrounding the test area.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com
 Report Date: 10/28/2015 Revised:

AgSCI Copyright 2015

2015 Corn Grain Top 30 Harvest Report
 South Dakota Northeast [SDNE] WATERTOWN
 Myron Keltgen, Codington County, SD 57201



PREV. CROP/HERB: Soybean / Roundup, Anthem
 SOIL DESCRIPTION: Poinsett-Buse-Waubay silty clay loam, well drained, minimum w/o fall till, non-irrigated
 SOIL CONDITION: Mod. Low P, moderate K, 6.7 pH, 3.7% OM
 PEST MANAGEMENT: Force, Harness, atrazine, Callisto, Roundup
 FERTILITY - Applied N: 185 Spring, 3 Planter
 Applied N-P-K (units): 188-73-63
 SEEDED - RATE - ROW: Apr 30 32,000 /A 30" spacing
 HARVESTED - STAND: Oct 27 30,100 /A

Full-Season Test
96 - 100 Day CRM
 B2015SDNE08b

Top 30 of 48

For Gross Income (Sorted by Yield)
 Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------|-----------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Federal | 5050VT2PRIB | VT2P,B | 100 | 217.6 | 20.2 | 1 | 29.5 | 711 | 1 |
| Heine | 639VT2PRORIB | VT2P,B | 99 | 217.3 | 20.3 | 1 | 31.5 | 709 | 2 |
| Dairyland | DS9599 | 3000GT | 99 | 213.7 | 20.3 | 1 | 30.0 | 697 | 4 |
| Latham | LH4859SSRIB | STX,B | 98 | 212.5 | 20.6 | 1 | 27.6 | 690 | 6 |
| Titan Pro | TP 39-98 SS | STX,B | 98 | 211.3 | 19.6 | 2 | 29.0 | 696 | 5 |
| NuTech/G2 Gen | 5F-196^ | AM,B | 96 | 209.6 | 18.4 | 1 | 28.6 | 702 | 3 |
| Heine | 712VT2PRO | VT2P | 100 | 209.3 | 20.7 | 1 | 32.4 | 679 | 9 |
| Pfister | 60B1 | HXT,RR2 | 100 | 209.3 | 21.3 | 1 | 28.6 | 673 | 12 |
| ProSeed | PX598SSRIB | STX,B | 98 | 208.6 | 19.8 | 1 | 32.4 | 685 | 8 |
| Pfister | 1740RA | STX,B | 98 | 208.3 | 21.7 | 2 | 28.6 | 666 | 17 |
| Heine | 639STX | STX | 99 | 206.6 | 20.5 | 1 | 29.0 | 672 | 15 |
| Renk | RK612SSTX | STX | 100 | 205.4 | 20.8 | 1 | 30.5 | 665 | 19 |
| Pfister | 56A1G3 | 3000GT | 96 | 204.3 | 19.6 | 1 | 31.0 | 673 | 13 |
| Latham | LH4729SS | STX | 97 | 204.0 | 20.6 | 1 | 32.9 | 663 | 21 |
| Latham | LH4955VT2ProRIB | VT2P,B | 99 | 201.7 | 19.6 | 1 | 30.0 | 664 | 20 |
| Thunder | 7396VT2PRIB | VT2P,B | 96 | 201.0 | 16.9 | 1 | 31.9 | 686 | 7 |
| Federal | 4640VT3PRIB | VT3P,B | 96 | 200.7 | 18.6 | 3 | 30.0 | 670 | 16 |
| Prairie Brand | 4776SX | STX | 97 | 200.5 | 17.6 | 1 | 29.0 | 678 | 10 |
| Dekalb | DKC49-29RIB | STX,B | 99 | 200.5 | 19.6 | 1 | 32.4 | 660 | 22 |
| NuTech/G2 Gen | 5F-198^ | AM,B | 98 | 200.1 | 17.7 | 1 | 27.6 | 676 | 11 |
| Integra | 9482VT3PRIB | VT3P,B | 98 | 200.1 | 20.5 | 1 | 29.0 | 651 | 28 |
| Croplan | 3899VT2PRIB GC | VT2P,B | 96 | 199.6 | 18.6 | 1 | 30.5 | 666 | 18 |
| Titan Pro | TP 39-00 SS | STX,B | 100 | 199.5 | 20.2 | 1 | 30.0 | 652 | 26 |
| Federal | 4760SSTAX | STX | 97 | 198.9 | 19.5 | 1 | 29.5 | 656 | 23 |
| Federal | 5140VT2PRIB | VT2P,B | 101 | 198.5 | 20.0 | 1 | 32.4 | 650 | 30 |
| Mustang | 4298GENSS | STX | 98 | 198.4 | 19.4 | 1 | 30.5 | 655 | 25 |
| Pfister | 57A1 | HXT,RR2 | 97 | 198.3 | 17.4 | 1 | 30.5 | 673 | 14 |
| Dyna-Gro | D40SS27RIB | STX,B | 100 | 198.2 | 19.7 | 1 | 31.5 | 652 | 27 |
| Dairyland | DS9198 | STX | 98 | 194.4 | 17.8 | 1 | 31.0 | 656 | 24 |
| Thunder | 101-97SSRIB | STX,B | 97 | 194.3 | 18.3 | 1 | 31.5 | 651 | 29 |
| Dekalb | DKC48-12RIB CK | STX,B | 98 | 190.1 | 18.5 | 1 | 30.5 | 635 | 38 |

| | | | | | |
|--------------|--------------|-------------|----------|-------------|------------|
| Averages = | 199.8 | 19.6 | 1 | 30.1 | 658 |
| LSD (0.10) = | 16.1 | 0.9 | 1 | | |
| LSD (0.25) = | 11.2 | 0.6 | 1 | | |
| C.V. = | 5.9 | 3.3 | | | |

Mark Tollefson
 mark.tollefson@firstseedtests.com, (507) 456-2357

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.045 Prices: GMO = \$3.50; non-GMO = \$3.50

Test Comments: *Ideal planting conditions this spring as April weather was very good this year. Another very even looking plot with good stands and weed control. Stalk strength was very good as the plot stood well when heavy winds hit this fall. Myron, the farmer at this location, reported field yields around 180 bushel per acre surrounding the test area.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

2015 Corn Grain - South Dakota Northeast [SDNE]



Early-Season Test Products (60 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|---------------|------------------|----------|-------------|----|---------------|---------------|----------|----------|----|
| Channel | 191-85VT2PRIB GC | VT2P,B | AC,P5V | 91 | Renk | RK415VT2P | VT2P,B | AC,P2 | 92 |
| Channel | 192-08VT2PRIB GC | VT2P,B | AC,P5V | 92 | Renk | RK522SSTX | STX,B | AC,P5V | 94 |
| Channel | 193-34VT2PRIB GC | VT2P,B | AC,P5V | 93 | Renk | RK544SSTX | STX,B | AC,P5V | 95 |
| Channel | 194-14STXRIB GC | STX,B | AC,P5V | 94 | Renk | RK568VT3P | VT3P,B | AC,P2 | 95 |
| Croplan | 3499VT2PRIB GC | VT2P,B | AC,P2 | 94 | Stine | R9209VT2Pro | VT2P,B | AC,P2 | 93 |
| Dairyland | DS9593 | 3000GT | CM,C2 | 93 | Stine | R9313VT2Pro | VT2P,B | AC,P2 | 95 |
| Dairyland | DS9693 | STX | CM,C5,Vi,In | 93 | Thunder | 101-95SSRIB | STX,B | AC,C2 | 95 |
| Dairyland | DS9791RA | STX,B | CM,C5,Vi,In | 91 | Thunder | 7993VT2PRIB | VT2P,B | AC,C2 | 93 |
| Dekalb | DKC44-13RIB GC | STX,B | AC,P5V | 94 | Titan Pro | 2M91-2P | VT2P,B | AC,P2 | 91 |
| Dekalb | DKC48-12RIB CK | STX,B | AC,P5V | 98 | Titan Pro | 2M95-2P | VT2P,B | AC,P2 | 95 |
| Dyna-Gro | D32VC56 | VT2P | AC,P5V | 92 | Titan Pro | TP 48-93 2P | VT2P,B | AC,P2 | 93 |
| Dyna-Gro | D37VC60RIB | VT2P,B | AC,P2 | 95 | Titan Pro | TP 58-95 SS | STX | AC,P5V | 95 |
| Federal | 4160VT2P | VT2P | AC,P5 | 91 | Viking | C44-95R | VT3P,B | AC,P2 | 95 |
| Federal | 4240VT2P | VT2P | AC,P2 | 92 | Viking | D34-95RL | STX,B | AC,P2 | 95 |
| Federal | 4440VT3P | VT3P | AC,P2 | 94 | Viking | D42-94RL | STX | AC,P5V | 94 |
| Federal | 4540VT2P | VT2P | AC,P2 | 95 | | | | | |
| Gold Country | 94-19RSS | STX,B | AC,P5V | 94 | | | | | |
| Heine | 610VT2PRO | VT2P | AC,P2 | 91 | | | | | |
| Heine | 626STX | STX | AC,P5V | 94 | | | | | |
| Heine | 627VT3PRO | VT3P | AC,P2 | 95 | | | | | |
| Heine | 630VT2PRO | VT2P | AC,P2 | 96 | | | | | |
| King Seed | 4505GT | GT | CM,C2 | 93 | | | | | |
| Latham | LH4098VT3ProRIB | VT3P,B | AC,P2 | 90 | | | | | |
| Latham | LH4147VT2ProRIB | VT2P,B | AC,P5V | 91 | | | | | |
| Latham | LH4242VT2ProRIB | VT2P,B | AC,P2 | 92 | | | | | |
| Latham | LH4455VT3ProRIB | VT3P,B | AC,P2 | 94 | | | | | |
| Mustang | 3292GENVT2P | VT2P,B | AC,P2V | 92 | | | | | |
| Mustang | 3894GENSS | STX | AC,P5V | 94 | | | | | |
| Mustang | 4291GENVT2P | VT2P | AC,P2 | 91 | | | | | |
| Mustang | 4294GENVT2P | VT2P | AC,P2 | 94 | | | | | |
| Nuseed | 9001VP3220EZR | 3220,B | CM,C2 | 90 | | | | | |
| Nuseed | 9202VT2PRIB | VT2P,B | AC,P2 | 92 | | | | | |
| Nuseed | 9304SSRIB | STX,B | AC,P2 | 93 | | | | | |
| NuTech/G2 Gen | 5X-894^ | HXT,RR2 | MQ,P5V | 94 | | | | | |
| NuTech/G2 Gen | 5Y-9103^ | OIX | MQ,P1V | 91 | | | | | |
| Pfister | 53A1RA | STX,B | CM,C5,Vi,In | 93 | | | | | |
| Prairie Brand | 4284SX | STX | CM,C5,Vi,In | 92 | | | | | |
| Prairie Brand | x1533AG-3220 | 3220 | CM,C2,Vi | 93 | | | | | |
| ProSeed | 1191VT2PRIB | VT2P,B | AC,P2 | 91 | | | | | |
| ProSeed | 1392VT2PRIB | VT2P,B | AC,P2 | 92 | | | | | |
| ProSeed | 1393VT2PRIB | VT2P,B | AC,P2 | 93 | | | | | |
| ProSeed | 1492SSRIB | STX,B | AC,P5 | 92 | | | | | |
| REA | 3A922-RIB | STX,B | AC,P5V | 92 | | | | | |
| REA | 4B931-RIB | VT2P,B | AC,P5V | 93 | | | | | |
| REA | 4B953-RIB | VT2P,B | AC,P5V | 95 | | | | | |

2015 Corn Grain - South Dakota Northeast [SDNE]



Full-Season Test Products (48 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt | RM | Company/Brand | Product/Brand | Technol. | Seed Trt | RM |
|---------------|-----------------|----------|-------------|-----|---------------|---------------|----------|----------|-----|
| Croplan | 3899VT2PRIB GC | VT2P,B | AC,P2 | 96 | Titan Pro | TP 39-00 SS | STX,B | AC,P5V | 100 |
| Dairyland | DS9198 | STX | CM,C5,Vi,In | 98 | Titan Pro | TP 39-98 SS | STX,B | AC,P5V | 98 |
| Dairyland | DS9599 | 3000GT | CM,C5,Vi,In | 99 | Viking | D37-98RL | STX,B | AC,P5V | 98 |
| Dekalb | DKC48-12RIB CK | STX,B | AC,P5V | 98 | | | | | |
| Dekalb | DKC49-29RIB | STX,B | AC,P5V | 99 | | | | | |
| Dyna-Gro | D40SS27RIB | STX,B | AC,P5V | 100 | | | | | |
| Federal | 4640VT3PRIB | VT3P,B | AC,P2 | 96 | | | | | |
| Federal | 4760SSTAX | STX | AC,P2 | 97 | | | | | |
| Federal | 5050VT2PRIB | VT2P,B | AC,P2 | 100 | | | | | |
| Federal | 5140VT2PRIB | VT2P,B | AC,P2 | 101 | | | | | |
| Heine | 639STX | STX | AC,P5V | 99 | | | | | |
| Heine | 639VT2PRORIB | VT2P,B | AC,P2 | 99 | | | | | |
| Heine | 712VT2PRO | VT2P | AC,P2 | 100 | | | | | |
| Heine | 723VT2PRO | VT2P | AC,P2 | 100 | | | | | |
| Integra | 4652GSSRIB | STX,B | AC,P5V | 96 | | | | | |
| Integra | 9482VT3PRIB | VT3P,B | AC,P2 | 98 | | | | | |
| King Seed | 5800-3011A | 3011,A | CM,C2 | 98 | | | | | |
| Latham | LH4729SS | STX | AC,P5V | 97 | | | | | |
| Latham | LH4836-3122EZR | 3122,B | CM,C2 | 98 | | | | | |
| Latham | LH4859SSRIB | STX,B | AC,P5V | 98 | | | | | |
| Latham | LH4955VT2ProRIB | VT2P,B | AC,P2 | 99 | | | | | |
| Mustang | 4298GENSS | STX | AC,P5V | 98 | | | | | |
| NuTech/G2 Gen | 5F-196^ | AM,B | MQ,P5V | 96 | | | | | |
| NuTech/G2 Gen | 5F-198^ | AM,B | MQ,P5V | 98 | | | | | |
| Pfister | 1740RA | STX,B | CM,C5,Vi,In | 98 | | | | | |
| Pfister | 56A1G3 | 3000GT | CM,C5,Vi,In | 96 | | | | | |
| Pfister | 57A1 | HXT,RR2 | AC,P5V | 97 | | | | | |
| Pfister | 60B1 | HXT,RR2 | AC,P5V | 100 | | | | | |
| Pioneer | P9834AMX | AMX,B | MQ,C2 | 98 | | | | | |
| Prairie Brand | 4776SX | STX | AC,P5V | 97 | | | | | |
| Prairie Brand | 4895GT3 | 3000GT | CM,C5,Vi,In | 98 | | | | | |
| Prairie Brand | 4995RA | STX,B | CM,C5,Vi,In | 99 | | | | | |
| Proseed | 1399-3000GT | 3000GT | CM,C2 | 99 | | | | | |
| ProSeed | 1496SSRIB | STX,B | AC,P5 | 96 | | | | | |
| ProSeed | PX598SSRIB | STX,B | AC,P5 | 98 | | | | | |
| REA | 4A962-RIB | STX,B | AC,P5V | 96 | | | | | |
| REA | 4A972-RIB | STX,B | AC,P5V | 97 | | | | | |
| REA | 5A992-RIB | STX,B | AC,P5V | 99 | | | | | |
| Renk | RK596SSTX | STX,B | AC,P5V | 98 | | | | | |
| Renk | RK612SSTX | STX | AC,P5V | 100 | | | | | |
| Stine | R9424SS | STX,B | AC,P2 | 100 | | | | | |
| Thunder | 101-97SSRIB | STX,B | AC,C2 | 97 | | | | | |
| Thunder | 4600CONV | None | AC,C2 | 100 | | | | | |
| Thunder | 7396VT2PRIB | VT2P,B | AC,C2 | 96 | | | | | |
| Titan Pro | 1M96-3P | VT3P,B | AC,P2 | 96 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|--|
| ^ | G2® brand seed is distributed by NuTech Seed, LLC. Catalyst™ and Power Plus® brand seed is distributed by Burrus. Innotech™ brand seed is distributed by Rob-See-Co, LLC. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaxx® brand seed is distributed by AgVenture, Inc. XL® and Phoenix® brand seed is distributed by Beck's Superior Hybrids. Curry®, G2®, Power Plus®, RPM®, Supreme EX®, VPMaxx® and XL® are registered trademarks of DuPont Pioneer. Catalyst™, Innotech™ and Phoenix® are trademarks of Syngenta. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|----------|---|---------|---|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3010 | Agrisure® 3010 (CB,LL,GT) | HX,RR2 | Herculex® 1, Roundup Ready 2 Corn |
| 3010,A | Agrisure® Artesian® 3010 (CB,LL,GT) | HXRW | Herculex® Rootworm, contains LL |
| 3011,A | Agrisure® Artesian® (CB,RW,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | HXT,RR2 | Herculex® Xtra, Roundup Ready 2 Corn |
| 3110,A | Agrisure® Viptera® 3110 w/ Artesian® | LL | LibertyLink® |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | None | conventional corn |
| 3111,A | Agrisure® Viptera® 3111 w/ Artesian® | None,A | conventional corn w/ Artesian® |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | OI | Optimum® Intrasect®, YHR (YGCB,HX,LL,RR2) |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | OI,AQ | Optimum® Intrasect® w/ AQUAMax |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | OIX | Optimum® Intrasect® Xtra, YXR (YGCB,HXT,LL,RR2) |
| AM,AQ | Optimum® AcreMax® w/ AQUAMax | OIXT | Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AM1 | Optimum® AcreMax®1 (HXT,LL,RR2) | OT | Optimum® TRIsect® CHR (HX,RW,LL,RR2) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | RR2 | Roundup Ready® 2 Corn |
| AMX,AQ | Optimum® AcreMax® Xtra w/ AQUAMax | STX | SmartStax® (VT3P,HXT,RR2,LL) |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,RW,LL,RR2) | STX,DG | Genuity® DroughtGard® w/ SmartStax® |
| AMXT,AQ | Optimum® AcreMax® Xtreme w/ AQUAMax | VT2P | Genuity® VT Double PRO® |
| B | Blended seed (i.e. refuge blend) | VT2P,DG | Genuity® DroughtGard® w/ VT Double PRO® |
| GT | Agrisure® GT | VT3P | Genuity® VT Triple PRO® |
| GT,A | Agrisure® GT w/ Artesian | YGCB | YieldGard® Corn Borer |
| GT/CB/LL | Agrisure® GT/CB/LL | | |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information not provided | In | Intego™ Solo |
| A | Allegiance® | L | Lorsban® |
| AC | Acceleron® fungicide products | Lu | Lumivia™ |
| At | Actellic® | M | Maxim XL® |
| AVC | Avicta® Complete Corn | MQ | Maxim Quattro® |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | None | untreated |
| CE | Cruiser Extreme® | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| CM | CruiserMaxx® Corn | R | Raxil® (tebuconazole) |
| D | Dynasty® (azoxystrobin) | V | Votivo® |
| Es | Escalate® | Vi | Vibrance® |

** Seed treatments may include unspecified plant health promoting components.