

2017 Corn Grain Top 30 Harvest Report

Missouri North [MONO] GREENTOP
Terry Sevits, Schuyler County, MO 63546



PREV. CROP/HERB: Soybean / Vise, Roundup
SOIL DESCRIPTION: Belinda silt loam, moderately drained, non-irrigated
SOIL CONDITION: Minimum w/o fall till, very high P, high K, 6.5 pH, 2.6% OM, 15.1 CEC
PEST MANAGEMENT: Corvus, Force
FERTILITY - Applied N: 170 Spring
Applied N-P-K (units): 170-50-100
SEEDING - RATE - ROW: May 9 34,700 /A 30" spacing
HARVESTED - STAND: Oct 4 32,800 /A

Early-Season Test
107 - 112 Day CRM
B2017MONO04a

Top 30 of 45
For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|------------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Pfister | 71C1PCR | PC,B | 111 | 218.7 | 20.6 | 1 | 31.9 | 626 | 1 |
| Taylor | 8012VT2ProDGRIB | VT2P,DG,B | 112 | 209.0 | 20.2 | 1 | 32.7 | 602 | 4 |
| Renk | RK877DGV2P | VT2P,DG,B | 111 | 209.0 | 18.7 | 1 | 32.3 | 613 | 3 |
| Taylor | EXP C-112-14 | VT2P | 112 | 208.9 | 18.5 | 1 | 33.6 | 614 | 2 |
| Renk | RK842SSTX | STX | 112 | 204.5 | 18.8 | 1 | 31.9 | 598 | 5 |
| Pioneer | P1197AM GC | AM,B | 111 | 202.7 | 18.5 | 1 | 31.9 | 595 | 6 |
| Wyffels | W6946DGRIB | VT2P,DG,B | 111 | 201.8 | 18.7 | 1 | 32.7 | 591 | 7 |
| Renk | RK859DGV2P | VT2P,DG | 112 | 201.1 | 20.1 | 1 | 33.6 | 579 | 10 |
| AgriGold | A6499STXRIB | STX,B | 112 | 199.7 | 18.6 | 1 | 34.4 | 586 | 8 |
| Golden Harvest | G12W66-3000GT | 3000GT | 112 | 199.2 | 20.0 | 1 | 32.3 | 575 | 13 |
| ProHarvest | 8277Stax | STX | 112 | 198.0 | 19.1 | 1 | 34.4 | 577 | 12 |
| Champion | 62A18VT2PRO | VT2P | 112 | 197.6 | 20.0 | 1 | 32.7 | 570 | 16 |
| AgriGold | A641-78STX | STX | 111 | 197.0 | 19.1 | 1 | 34.0 | 575 | 14 |
| Pfister | 72C6SS | STX | 112 | 195.9 | 20.5 | 1 | 32.7 | 562 | 19 |
| FS InVISION | FS 62TV1DG RIB | VT2P,DG,B | 112 | 195.6 | 17.7 | 1 | 31.9 | 580 | 9 |
| NuTech | X5NN-1212 | 3000GT | 112 | 195.3 | 19.3 | 1 | 34.0 | 568 | 17 |
| NuTech/G2 Gen | X5FN-0909^ | OI | 109 | 194.6 | 17.5 | 1 | 34.4 | 578 | 11 |
| Stine | 9734-20 GC | 3110 | 111 | 193.9 | 18.7 | 7 | 32.3 | 568 | 18 |
| Dekalb | DKC60-88RIB GC | VT2P,B | 110 | 191.3 | 18.7 | 1 | 32.7 | 561 | 20 |
| Lewis | 11DPP768 | VT2P,B | 111 | 190.8 | 19.3 | 6 | 33.6 | 555 | 22 |
| FS InVISION | FS 59VL1 EZR | 3220,B | 109 | 190.0 | 18.9 | 1 | 31.9 | 556 | 21 |
| Golden Harvest | G10T63-3120-EZR | 3120,B | 110 | 189.7 | 19.1 | 1 | 31.9 | 553 | 25 |
| Wyffels | W6898 | STX | 112 | 189.6 | 19.4 | 1 | 34.0 | 551 | 26 |
| Lewis | 10DPP747 | VT2P,B | 110 | 188.5 | 18.3 | 1 | 33.6 | 555 | 23 |
| NuTech | 5N-410 | 3000GT | 110 | 187.4 | 17.9 | 2 | 34.0 | 554 | 24 |
| AgriGold | A642-59STX | STX | 112 | 187.3 | 19.0 | 1 | 31.9 | 547 | 27 |
| Lewis | R1409VT2P | VT2P,B | 109 | 186.3 | 18.9 | 2 | 32.3 | 545 | 28 |
| Lewis | RD1511VT2P | VT2P,DG,B | 111 | 183.0 | 18.5 | 2 | 32.3 | 537 | 30 |
| NuTech | 5VN-4707 | 3111 | 107 | 182.1 | 17.1 | 6 | 32.3 | 544 | 29 |
| LG Seeds | LG5590VT2P | VT2P | 110 | 181.1 | 17.9 | 5 | 33.6 | 536 | 31 |
| MorCorn | MC4319VT2PRIB CK | VT2P,B | 113 | 198.2 | 19.9 | 1 | 31.9 | 573 | 15 |

Averages = **186.5** **18.7** **2** **32.8** **546**

LSD (0.10) = 14.1 0.8 3

LSD (0.25) = 7.4 0.4 2

C.V. = 7.2 Prev. years average yield, 175.7 bu/a, 5 yrs

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.035 Prices: GMO = \$3.06; non-GMO = \$3.06

Test Comments: *This trial had very consistent and even plant emergence. Timely rains, especially at pollination, showed promise for a good crop. Mid-summer plot observations showed areas of stress in the early-season test where soil type was slightly different from the full-season test. Despite a cool August and reduced crop stress, the early test yields were consistent but much lower than the full-season test.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2017, all rights reserved by Elite Field Genetics, LLC

Report Date: 10/07/2017 Revised:

2017 Corn Grain Top 30 Harvest Report

Missouri North [MONO] GREENTOP
Terry Sevits, Schuyler County, MO 63546



PREV. CROP/HERB: Soybean / Vise, Roundup
SOIL DESCRIPTION: Belinda silt loam, moderately drained, non-irrigated
SOIL CONDITION: Minimum w/o fall till, very high P, high K, 6.5 pH, 2.6% OM, 15.1 CEC
PEST MANAGEMENT: Corvus, Force
FERTILITY - Applied N: 170 Spring
Applied N-P-K (units): 170-50-100
SEEDING - RATE - ROW: May 9 34,700 /A 30" spacing
HARVESTED - STAND: Oct 4 32,900 /A

Full-Season Test
113 - 116 Day CRM
B2017MONO04b

Top 30 of 45

For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|---------------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| FS InVISION | FS 64SV1 RIB | VT2P,B | 114 | 236.9 | 20.4 | 1 | 31.9 | 693 | 2 |
| AgriGold | A6652VT2RIB | VT2P,B | 116 | 235.2 | 20.0 | 2 | 33.1 | 690 | 3 |
| MorCorn | MCXP1716 | STX | 114 | 230.8 | 20.2 | 1 | 33.1 | 676 | 4 |
| Champion | 66A18VT2PRO | VT2P | 116 | 230.0 | 20.8 | 1 | 31.9 | 670 | 5 |
| Lewis | 16DP887 | VT2P,B | 116 | 228.4 | 21.2 | 1 | 32.3 | 664 | 6 |
| Champion | CSX64A15DGVT2PRORIB | VT2P,DG,B | 114 | 225.8 | 21.0 | 1 | 34.4 | 657 | 7 |
| FS InVISION | FS 66ZV1 RIB | VT2P,B | 116 | 223.3 | 21.0 | 1 | 31.9 | 650 | 9 |
| Lewis | 15DP878 | VT2P,B | 115 | 222.9 | 20.0 | 1 | 31.9 | 654 | 8 |
| Wyffels | W8646 | VT2P | 116 | 221.7 | 21.5 | 1 | 32.3 | 642 | 10 |
| NuTech/G2 Gen | X5FN-1512^ | OI | 115 | 221.3 | 21.4 | 1 | 32.7 | 642 | 11 |
| Dyna-Gro | D55VC45 | VT2P | 115 | 218.0 | 20.8 | 1 | 32.3 | 635 | 13 |
| Renk | RK965SSTX | STX | 116 | 218.0 | 21.7 | 1 | 34.4 | 631 | 14 |
| Renk | RK941SSTX | STX,B | 114 | 217.1 | 19.9 | 1 | 34.0 | 638 | 12 |
| Wyffels | W7696RIB | VT2P,B | 113 | 214.0 | 20.6 | 1 | 31.9 | 625 | 15 |
| FS InVISION | FS 64R44 | 3000GT | 114 | 212.3 | 21.7 | 1 | 33.1 | 614 | 21 |
| MorCorn | MC4377DGVT2PRIB | VT2P,DG,B | 113 | 212.2 | 21.2 | 1 | 34.0 | 616 | 20 |
| NuTech/G2 Gen | X5FN-1306^ | OI | 113 | 212.0 | 20.3 | 1 | 33.6 | 621 | 17 |
| Taylor | T5515 | STX | 115 | 211.9 | 20.8 | 1 | 32.3 | 618 | 19 |
| Champion | CSX63A17DGVT2PRO | VT2P,DG | 113 | 211.8 | 19.8 | 1 | 33.6 | 623 | 16 |
| Lewis | RD1613VT2P | VT2P,DG,B | 113 | 210.9 | 20.0 | 1 | 34.0 | 619 | 18 |
| NuTech/G2 Gen | 5FB-9016^ | AM,B | 116 | 210.9 | 21.3 | 1 | 33.6 | 612 | 22 |
| Taylor | 8835VT2Pro | VT2P | 114 | 209.3 | 20.7 | 1 | 31.4 | 611 | 23 |
| AgriGold | A6572VT2RIB | VT2P,B | 114 | 208.2 | 20.2 | 1 | 32.3 | 610 | 24 |
| Wyffels | W7456RIB | VT2P,B | 112 | 206.8 | 19.9 | 1 | 31.9 | 607 | 25 |
| Golden Harvest | G14R38-3120-EZR | 3120,B | 114 | 206.0 | 21.8 | 1 | 32.7 | 595 | 29 |
| Pfister | 2874SSR | STX,B | 113 | 205.8 | 20.3 | 1 | 33.6 | 602 | 26 |
| Taylor | EXP F-115-14 | VT2P | 115 | 203.7 | 20.3 | 6 | 31.9 | 596 | 28 |
| Epley | E2305RR | RR2 | 113 | 202.9 | 18.8 | 2 | 32.3 | 602 | 27 |
| AgriGold | A6544VT2RIB | VT2P,B | 113 | 202.1 | 20.5 | 2 | 34.0 | 591 | 30 |
| LG Seeds | LG5643VT2PRIB | VT2P,B | 114 | 200.9 | 20.0 | 1 | 33.6 | 590 | 31 |
| MorCorn | MC4319VT2PRIB CK | VT2P,B | 113 | 242.5 | 20.8 | 1 | 32.7 | 707 | 1 |

Averages = **209.7** **20.5** **1** **32.9** **613**

LSD (0.10) = 17.2 0.9 ns

LSD (0.25) = 9.0 0.5 ns

C.V. = 7.8 Prev. years average yield, 175.7 bu/a, 5 yrs

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.035 Prices: GMO = \$3.06; non-GMO = \$3.06

Test Comments: *This trial had very consistent and even plant emergence. Timely rains, especially at pollination, showed promise for a good crop. Mid-summer plot observations showed areas of stress in the early-season test where soil type was slightly different from the full-season test. Despite a cool August and reduced crop stress, the early test yields were consistent but much lower than the full-season test.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2017, all rights reserved by Elite Field Genetics, LLC

Report Date: 10/07/2017 Revised:

2017 Corn Grain - Missouri North [MONO]



Early-Season Test Products (45 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|-------------------|-----------|-------------|-----|---------------|---------------|----------|-----------|----|
| AgriGold | A641-78STX | STX | AC,P5V | 111 | | | | | |
| AgriGold | A642-59STX | STX | AC,P5V | 112 | | | | | |
| AgriGold | A6499STXRIB | STX,B | AC,P5V | 112 | | | | | |
| Champion | 62A18VT2PRO | VT2P | AC,P5V | 112 | | | | | |
| Champion | CSX57A16VT2PRORIB | VT2P,B | AC,P2 | 107 | | | | | |
| Dekalb | DKC60-88RIB GC | VT2P,B | AC,P5V | 110 | | | | | |
| FS InVISION | FS 59VL1 EZR | 3220,B | CM,C2,Vi | 109 | | | | | |
| FS InVISION | FS 60QV1 RIB | VT2P,B | AC,P2 | 110 | | | | | |
| FS InVISION | FS 61SV1 RIB | VT2P,B | AC,P2 | 111 | | | | | |
| FS InVISION | FS 62TV1DG RIB | VT2P,DG,B | AC,P2 | 112 | | | | | |
| Golden Harvest | G07F23-3111 | 3111 | AVC,C2,Vi | 107 | | | | | |
| Golden Harvest | G10T63-3120-EZR | 3120,B | AVC,C5,Vi | 110 | | | | | |
| Golden Harvest | G12W66-3000GT | 3000GT | AVC,C5,Vi | 112 | | | | | |
| Lewis | 10DP747 | VT2P,B | AC,P5V | 110 | | | | | |
| Lewis | 11DP768 | VT2P,B | AC,P5V | 111 | | | | | |
| Lewis | R1409VT2P | VT2P,B | AC,P5V | 109 | | | | | |
| Lewis | RD1511VT2P | VT2P,DG,B | AC,P5V | 111 | | | | | |
| LG Seeds | LG5590VT2P | VT2P | AC,P5V | 110 | | | | | |
| LG Seeds | LG5618STXRIB | STX,B | AC,P5V | 112 | | | | | |
| MorCorn | MC3966VT2PRIB | VT2P,B | AC,P2 | 109 | | | | | |
| MorCorn | MC4319VT2PRIB CK | VT2P,B | AC,P2 | 113 | | | | | |
| NuTech | 5N-410 | 3000GT | MQ,P5V,R | 110 | | | | | |
| NuTech | 5VN-4707 | 3111 | MQ,P1V,R | 107 | | | | | |
| NuTech | X5NN-1212 | 3000GT | MQ,P5V,R | 112 | | | | | |
| NuTech/G2 Gen | 5F-308^ | AM,B | MQ,P5V,R | 108 | | | | | |
| NuTech/G2 Gen | 5FB-1010^ | AM,B | MQ,P5V,R | 110 | | | | | |
| NuTech/G2 Gen | X5FN-0909^ | OI | MQ,P1V,R | 109 | | | | | |
| NuTech/G2 Gen | X5FN-1211^ | OI | MQ,P1V,R | 112 | | | | | |
| Pfister | 68A1RR | RR2 | CM,C2 | 108 | | | | | |
| Pfister | 70A1SSR | STX,B | CM,C5,Vi,ln | 110 | | | | | |
| Pfister | 71C1PCR | PC,B | CM,C5,Vi,ln | 111 | | | | | |
| Pfister | 72C6SS | STX | CM,C1,Vi,ln | 112 | | | | | |
| Pioneer | P1197AM GC | AM,B | MQ,C2,R | 111 | | | | | |
| ProHarvest | 8277Stax | STX | AC,P5V | 112 | | | | | |
| Renk | RK842SSTX | STX | AC,P5V | 112 | | | | | |
| Renk | RK859DGV2P | VT2P,DG | AC,P5V | 112 | | | | | |
| Renk | RK871VT2P | VT2P,B | AC,P2 | 111 | | | | | |
| Renk | RK877DGV2P | VT2P,DG,B | AC,P2 | 111 | | | | | |
| Stine | 9734-20 GC | 3110 | CM,C2 | 111 | | | | | |
| Taylor | 8012VT2ProDGRIB | VT2P,DG,B | AC,P2 | 112 | | | | | |
| Taylor | 8808VT2ProRIB | VT2P,B | AC,P2 | 108 | | | | | |
| Taylor | 8821VT2ProRIB | VT2P,B | AC,P2 | 110 | | | | | |
| Taylor | EXP C-112-14 | VT2P | AC,P2 | 112 | | | | | |
| Wyffels | W6898 | STX | AC,P5V | 112 | | | | | |
| Wyffels | W6946DGRIB | VT2P,DG,B | AC,P2 | 111 | | | | | |

2017 Corn Grain - Missouri North [MONO]



Full-Season Test Products (45 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|--------------------|-----------|-------------|-----|---------------|---------------|----------|-----------|----|
| AgriGold | A6544VT2RIB | VT2P,B | AC,P5V | 113 | | | | | |
| AgriGold | A6572VT2RIB | VT2P,B | AC,P5V | 114 | | | | | |
| AgriGold | A6652VT2RIB | VT2P,B | AC,P5V | 116 | | | | | |
| Champion | 66A18VT2PRO | VT2P | AC,P2 | 116 | | | | | |
| Champion | CSX63A17DGV2PRO | VT2P,DG | AC,P2 | 113 | | | | | |
| Champion | CSX64A15DGV2PRORIB | VT2P,DG,B | AC,P2 | 114 | | | | | |
| Champion | CSX65A17VT2PRO | VT2P | AC,P5V | 115 | | | | | |
| Dyna-Gro | D55VC45 | VT2P | AC,P5V | 115 | | | | | |
| Dyna-Gro | D58VC65 | VT2P | AC,P5V | 118 | | | | | |
| Epley | E2305RR | RR2 | MQ | 113 | | | | | |
| FS InVISION | FS 63ZV1 RIB | VT2P,B | AC,P2 | 113 | | | | | |
| FS InVISION | FS 64R44 | 3000GT | AVC,C5,Vi | 114 | | | | | |
| FS InVISION | FS 64SV1 RIB | VT2P,B | AC,P2 | 114 | | | | | |
| FS InVISION | FS 66ZV1 RIB | VT2P,B | AC,P2 | 116 | | | | | |
| Golden Harvest | G14R38-3120-EZR | 3120,B | AVC,C5,Vi | 114 | | | | | |
| Lewis | 15DP878 | VT2P,B | AC,P5V | 115 | | | | | |
| Lewis | 16DP887 | VT2P,B | AC,P5V | 116 | | | | | |
| Lewis | R1414VT2P | VT2P,B | AC,P5V | 114 | | | | | |
| Lewis | RD1613VT2P | VT2P,DG,B | AC,P5V | 113 | | | | | |
| LG Seeds | LG5643VT2PRIB | VT2P,B | AC,P5V | 114 | | | | | |
| LG Seeds | LG5650VT2PRIB | VT2P,B | AC,P5V | 115 | | | | | |
| MorCorn | MC4319VT2PRIB CK | VT2P,B | AC,P2 | 113 | | | | | |
| MorCorn | MC4377DGV2PRIB | VT2P,DG,B | AC,P2 | 113 | | | | | |
| MorCorn | MCXP1716 | STX | AC,P5V | 114 | | | | | |
| NuTech/G2 Gen | 5F-713^ | AM,B | MQ,P5V,R | 113 | | | | | |
| NuTech/G2 Gen | 5FB-9016^ | AM,B | MQ,P5V,R | 116 | | | | | |
| NuTech/G2 Gen | X5FN-1306^ | OI | MQ,P1V,R | 113 | | | | | |
| NuTech/G2 Gen | X5FN-1512^ | OI | MQ,P1V,R | 115 | | | | | |
| Pfister | 2874SSR | STX,B | CM,C5,Vi,In | 113 | | | | | |
| Pfister | 3488PCR | PC,B | CM,C5,Vi,In | 115 | | | | | |
| Pfister | 73A2SSR | STX,B | CM,C5,Vi,In | 113 | | | | | |
| Pfister | X157137VH | PC | CM,C1,Vi,In | 115 | | | | | |
| Pioneer | P1311AMXT GC | AMXT,B | MQ,C2 | 113 | | | | | |
| Renk | RK924DGV2P | VT2P,DG,B | AC,P2 | 114 | | | | | |
| Renk | RK941SSTX | STX,B | AC,P5V | 114 | | | | | |
| Renk | RK961VT2P | VT2P,B | AC,P2 | 116 | | | | | |
| Renk | RK965SSTX | STX | AC,P5V | 116 | | | | | |
| Stine | 9742-20 GC | 3110 | CM,C2 | 113 | | | | | |
| Taylor | 8835VT2Pro | VT2P | AC,P2 | 114 | | | | | |
| Taylor | EXP F-115-14 | VT2P | AC,P2 | 115 | | | | | |
| Taylor | T5515 | STX | AC,P5V | 115 | | | | | |
| Wyffels | W7456RIB | VT2P,B | AC,P2 | 112 | | | | | |
| Wyffels | W7696RIB | VT2P,B | AC,P2 | 113 | | | | | |
| Wyffels | W7976RIB | VT2P,B | AC,P2 | 113 | | | | | |
| Wyffels | W8646 | VT2P | AC,P5V | 116 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|---|
| ^ | G2 [®] brand seed is distributed by NuTech Seed, LLC. Catalyst [™] and Power Plus [®] brand seed is distributed by Burrus. HPT [®] brand seed is distributed by Hoegemeyer Hybrids, Innotech [™] brand seed is distributed by Rob-See-Co, LLC. RPM [®] brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX [®] brand seed is distributed by Seed Consultants, Inc. VPM [®] brand seed is distributed by AgVenture, Inc. XL [®] and Phoenix [®] brand seed is distributed by Beck's Superior Hybrids. Curry [®] , G2 [®] , HPT [®] , Power Plus [®] , RPM [®] , Supreme EX [®] , VPM [®] and XL [®] are registered trademarks of DuPont Pioneer. Catalyst [™] , Innotech [™] and Phoenix [®] are trademarks of Syngenta. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|--------|---|------|---|
| 3000GT | Agrisure [®] 3000GT (CB,RW,LL,GT) | GT | Agrisure [®] GT |
| 3010 | Agrisure [®] 3010 (CB,LL,GT) | HX | Herculex [®] 1, contains LL |
| 3011,A | Agrisure [®] Artesian [®] (CB,RW,LL,GT) | HXRW | Herculex [®] Rootworm, contains LL |
| 3110 | Agrisure [®] Viptera [®] 3110 (Vip, CB,LL,GT) | HXT | Herculex [®] Xtra (HX,HXRW,LL) |
| 3111 | Agrisure [®] Viptera [®] 3111 (Vip,CB,RW,LL,GT) | LL | LibertyLink [®] |
| 3120 | Agrisure [®] 3120 (CB,HX,LL,GT) | None | conventional corn |
| 3122 | Agrisure [®] 3122 (CB,HXX,RW,LL,GT) | OI | Optimum [®] Intrasect [®] , YHR (YGCB,HX,LL,RR2) |
| 3220 | Agrisure [®] Viptera [®] 3220 (Vip,CB,HX,LL,GT) | OIX | Optimum [®] Intrasect [®] Xtra, YXR (YGCB,HXT,LL,RR2) |
| A | Agrisure [®] Artesian [®] | OIXT | Optimum [®] Intrasect [®] Xtreme (YGCB,HXT,RW,LL,RR2) |
| AM | Optimum [®] AcreMax [®] (YGCB,HX,LL,RR2) | PC | PowerCore [™] (HX, VT2P) |
| AMT | Optimum [®] AcreMax [®] TRIsect (HX,RW,LL,RR2) | RR2 | Roundup Ready [®] 2 Corn |
| AMX | Optimum [®] AcreMax [®] Xtra (YGCB,HXT,LL,RR2) | RW | Agrisure [®] Rootworm |
| AMXT | Optimum [®] AcreMax [®] Xtreme (YGCB,HXT,RW,LL,RR2) | STX | SmartStax [®] (VT3P,HXT,RR2,LL) |
| AQ | Optimum [®] AQUAMax [®] | VT2P | Genuity [®] VT Double PRO [®] |
| B | Refuge Blend | VT3P | Genuity [®] VT Triple PRO [®] |
| CB | Agrisure [®] Corn Borer | YGCB | YieldGard [®] Corn Borer |
| DG | Genuity [®] DroughtGard [®] | | |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information unavailable | In | Intego [™] Solo |
| A | Allegiance [®] | L | Lorsban [®] |
| AC | Acceleron [®] fungicide products | Lu | Lumivia [™] |
| AL2500 | Alert 2500 [™] | M | Maxim XL [®] |
| At | Actellic [®] | MQ | Maxim Quattro [®] |
| AVC | Avicta [®] Complete Corn | None | untreated |
| C2, C5, C1 | Cruiser [®] at 0.25, 0.5 and 1.25 mg ai/seed, respectively | P2, P5, P1 | Poncho [®] at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| CE | Cruiser Extreme [®] | R | Raxil [®] |
| CM | CruiserMaxx [®] Corn | SC | SHIELDCoat [™] |
| D | Dynasty [®] | V | Votivo [®] |
| Es | Escalate [®] | Vi | Vibrance [®] |

** Seed treatments may include unspecified plant health promoting components.