

2017 Corn Grain Top 30 Harvest Report

South Dakota Southeast [SDSE] HOWARD
John Feller, Miner County, SD 57349



PREV. CROP/HERB: Corn / Roundup
SOIL DESCRIPTION: Clarno-Bonilla loam, well drained, non-irrigated
SOIL CONDITION: Conventional w/o fall till, very high P, very high K, 6 pH, 4.8% OM, 21.4 CEC
PEST MANAGEMENT: Force, Harness Xtra, Roundup, Callisto
FERTILITY - Applied N: 200 Spring
Applied N-P-K (units): 200-50-30
SEEDING - RATE - ROW: May 12 30,500 /A 30" spacing
HARVESTED - STAND: Nov 13 27,800 /A

Early-Season Test
98 - 102 Day CRM
B2017SDSE13a

Top 30 of 54

For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------|----------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| REA | 5A023-RIB | STX,B | 102 | 215.8 | 18.0 | 4 | 27.1 | 631 | 1 |
| Latham | LH5245VT2Pro | VT2P | 102 | 208.0 | 17.8 | 2 | 26.1 | 609 | 3 |
| Hefty | H4912VT2P | VT2P | 99 | 206.9 | 16.8 | 1 | 30.0 | 611 | 2 |
| Hefty | H5212VT2P | VT2P | 102 | 206.4 | 17.9 | 3 | 27.1 | 604 | 5 |
| LG Seeds | LG5494VT2P | VT2P | 99 | 206.2 | 17.0 | 1 | 25.7 | 608 | 4 |
| Dairyland | DS-9701RA | STX,B | 101 | 205.5 | 18.0 | 2 | 28.1 | 601 | 6 |
| LG Seeds | LG5465VT2P | VT2P | 97 | 204.4 | 17.5 | 2 | 27.6 | 600 | 7 |
| Dairyland | DS-9802RA | STX,B | 102 | 203.9 | 19.0 | 2 | 29.5 | 591 | 9 |
| Prairie Brand | 5148GT | GT | 101 | 202.4 | 18.8 | 2 | 30.0 | 588 | 11 |
| Heine | 740VT2PRO | VT2P | 102 | 201.3 | 18.4 | 5 | 29.0 | 587 | 13 |
| REA | 5A001 | STX,B | 100 | 201.2 | 17.9 | 3 | 27.6 | 589 | 10 |
| Pfister | 60B1SSR | STX,B | 100 | 200.4 | 17.6 | 3 | 24.7 | 588 | 12 |
| Federal | 4760VT2PRIB | VT2P,B | 97 | 200.2 | 16.4 | 2 | 28.1 | 594 | 8 |
| Mustang | 5700VT2PDGRIB | VT2P,DG,B | 100 | 200.1 | 17.9 | 5 | 26.1 | 586 | 14 |
| Titan Pro | TP 75-01 SS | STX | 101 | 198.9 | 17.3 | 4 | 27.1 | 585 | 15 |
| Federal | 4880VT2P | VT2P | 98 | 197.4 | 16.8 | 1 | 28.1 | 583 | 16 |
| NuTech | 5N-800 | 3011,A | 100 | 196.4 | 18.8 | 3 | 26.6 | 571 | 24 |
| Mustang | 7801SSRIB | STX,B | 101 | 196.2 | 17.0 | 3 | 27.6 | 579 | 17 |
| Mustang | 6800SSRIB | STX,B | 100 | 196.2 | 17.8 | 2 | 28.6 | 575 | 20 |
| Latham | LH4919SS | STX | 99 | 195.9 | 16.7 | 4 | 28.1 | 579 | 18 |
| REA | 5A981-RIB | STX,B | 98 | 195.8 | 18.0 | 2 | 31.0 | 573 | 21 |
| Renk | RK629VT3P | VT3P,B | 101 | 195.2 | 18.4 | 4 | 28.1 | 569 | 25 |
| Renk | RK595SSTX | STX,B | 99 | 195.0 | 16.8 | 2 | 26.1 | 576 | 19 |
| Hefty | H5003VT2PDGRIB | VT2P,DG,B | 100 | 193.7 | 18.0 | 4 | 27.6 | 567 | 27 |
| NuTech/G2 Gen | 5F-198^ | AM,B | 98 | 193.0 | 16.5 | 3 | 28.1 | 572 | 23 |
| Mustang | 5299VT2PRIB | VT2P,B | 99 | 192.8 | 16.9 | 1 | 30.0 | 569 | 26 |
| Thunder | 6798VT2PRIB | VT2P,B | 98 | 192.3 | 15.9 | 2 | 29.5 | 573 | 22 |
| Dyna-Gro | D39DC43 | VT2P,DG | 99 | 192.3 | 17.8 | 10 | 29.0 | 563 | 29 |
| REA | 5A982-RIB | STX,B | 98 | 191.9 | 17.0 | 4 | 28.1 | 566 | 28 |
| Renk | RK612SSTX | STX,B | 100 | 190.8 | 16.9 | 3 | 27.1 | 563 | 30 |
| Dekalb | DKC52-84RIB CK | STX,B | 102 | 183.3 | 17.2 | 2 | 25.2 | 540 | 45 |

Mark Tollefson
mark.tollefson@firstseedtests.com, (507) 456-2357

| | | | | | |
|--------------|--------------|-------------|----------|--|------------|
| Averages = | 192.5 | 17.7 | 3 | 27.8 | 564 |
| LSD (0.10) = | 14.5 | 0.4 | 3 | | |
| LSD (0.25) = | 7.6 | 0.2 | 2 | | |
| C.V. = | 7.2 | | | Prev. years average yield, 159.9 bu/a, 4 yrs | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Prices: GMO = \$3.00; non-GMO = \$3.00

Test Comments: We cut back the planted population to 30,500 at this corn on corn plot. Despite corn being short, around six feet tall, stalk lodging was common. Low ear placement and ears pointing downward forced the corn head as close to the ground as possible to gather all ears. Fortunately, snow had melted before we harvested to aid lodged corn stalk pickup without pulling snow into grain moisture samples.

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2017, all rights reserved by Elite Field Genetics, LLC

Report Date: 11/15/2017 Revised:

2017 Corn Grain Top 30 Harvest Report

South Dakota Southeast [SDSE] HOWARD
John Feller, Miner County, SD 57349



PREV. CROP/HERB: Corn / Roundup
SOIL DESCRIPTION: Clarno-Bonilla loam, well drained, non-irrigated
SOIL CONDITION: Conventional w/o fall till, very high P, very high K, 6 pH, 4.8% OM, 21.4 CEC
PEST MANAGEMENT: Force, Harness Xtra, Roundup, Callisto
FERTILITY - Applied N: 200 Spring
Applied N-P-K (units): 200-50-30
SEEDING - RATE - ROW: May 12 30,500 /A 30" spacing
HARVESTED - STAND: Nov 13 27,600 /A

Full-Season Test
103 - 107 Day CRM
B2017SDSE13b

Top 30 of 54

For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------|-----------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Latham | EX5725VT2Pro | VT2P | 107 | 214.8 | 19.8 | 2 | 28.1 | 619 | 1 |
| Dyna-Gro | D45SS65 | STX | 105 | 209.7 | 18.2 | 2 | 28.1 | 612 | 2 |
| REA | 6A034 | STX,B | 103 | 209.6 | 19.0 | 2 | 27.1 | 608 | 3 |
| Heine | 775STXRIB | STX,B | 107 | 207.1 | 19.0 | 2 | 28.1 | 601 | 5 |
| Mustang | 7803SSRIB | STX,B | 103 | 206.0 | 17.8 | 4 | 29.5 | 604 | 4 |
| Wyffels | W4796RIB | VT2P,B | 106 | 201.9 | 19.0 | 1 | 27.6 | 586 | 6 |
| Pfister | 66Y3PC | PC | 106 | 201.7 | 20.3 | 4 | 28.6 | 578 | 9 |
| Prairie Brand | 5398SX | STX | 103 | 200.8 | 19.5 | 2 | 27.6 | 580 | 8 |
| REA | 6B063 | VT2P,B | 106 | 200.5 | 21.5 | 1 | 27.6 | 569 | 15 |
| Heine | 752VT2PRO | VT2P | 105 | 199.8 | 19.3 | 2 | 27.6 | 578 | 10 |
| Hefty | HCEXP10412 | VT2P | 104 | 199.2 | 18.4 | 2 | 29.0 | 581 | 7 |
| LG Seeds | LG5554-3111 | 3111 | 108 | 198.5 | 19.3 | 1 | 30.5 | 574 | 12 |
| Latham | LH5742RR | RR2 | 107 | 198.3 | 21.1 | 4 | 28.1 | 565 | 19 |
| Hefty | H5502VT2PRIB | VT2P,B | 105 | 197.2 | 18.0 | 1 | 28.1 | 577 | 11 |
| Dyna-Gro | D44VC36 | VT2P | 104 | 196.7 | 18.5 | 2 | 29.0 | 573 | 13 |
| Dairyland | DS-6106 | RR2 | 106 | 196.3 | 19.7 | 1 | 28.1 | 566 | 17 |
| Latham | LH5635VT2Pro | VT2P | 106 | 195.7 | 19.4 | 1 | 26.1 | 566 | 18 |
| Wyffels | W3078RIB | STX,B | 106 | 195.6 | 18.2 | 1 | 29.5 | 571 | 14 |
| LG Seeds | LG5522VT2P | VT2P | 103 | 195.5 | 19.8 | 3 | 25.7 | 563 | 21 |
| LG Seeds | LG5520STXRIB | STX,B | 105 | 195.0 | 19.2 | 1 | 28.6 | 565 | 20 |
| Hefty | H5302VT2PRIB | VT2P,B | 103 | 194.6 | 18.5 | 2 | 28.1 | 567 | 16 |
| Titan Pro | TP 77-06 SS | STX | 106 | 193.3 | 18.5 | 1 | 24.7 | 563 | 22 |
| Renk | RK726SSTX | STX | 106 | 193.3 | 18.7 | 1 | 25.7 | 562 | 23 |
| Mustang | 8207VT2PRIB | VT2P,B | 107 | 192.4 | 18.9 | 1 | 28.6 | 558 | 27 |
| Channel | 203-01STXRIB GC | STX,B | 103 | 192.2 | 18.5 | 3 | 27.6 | 560 | 25 |
| Wyffels | W2618RIB | STX,B | 104 | 191.8 | 17.8 | 2 | 28.6 | 562 | 24 |
| NuTech/G2 Gen | X5FN-0306^ | OI | 103 | 191.1 | 19.0 | 5 | 26.6 | 554 | 29 |
| NuTech/G2 Gen | 5F-504^ | AM,B | 104 | 190.9 | 19.6 | 14 | 29.0 | 551 | 30 |
| Heine | 7410STX | STX | 104 | 190.8 | 17.6 | 2 | 26.6 | 560 | 26 |
| Thunder | 7603SSRIB GC | STX,B | 103 | 187.9 | 18.3 | 1 | 27.6 | 548 | 31 |
| Dekalb | DKC52-84RIB CK | STX,B | 102 | 189.6 | 17.2 | 2 | 26.6 | 558 | 28 |

Mark Tollefson
mark.tollefson@firstseedtests.com, (507) 456-2357

| | | | | | |
|--------------|--------------|--|----------|-------------|------------|
| Averages = | 190.0 | 19.2 | 3 | 27.6 | 550 |
| LSD (0.10) = | 13.2 | 0.6 | 3 | | |
| LSD (0.25) = | 6.9 | 0.3 | 1 | | |
| C.V. = | 6.6 | Prev. years average yield, 159.9 bu/a, 4 yrs | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Prices: GMO = \$3.00; non-GMO = \$3.00

Test Comments: *We cut back the planted population to 30,500 at this corn on corn plot. Despite corn being short, around six feet tall, stalk lodging was common. Low ear placement and ears pointing downward forced the corn head as close to the ground as possible to gather all ears. Fortunately, snow had melted before we harvested to aid lodged corn stalk pickup without pulling snow into grain moisture samples.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2017, all rights reserved by Elite Field Genetics, LLC

Report Date: 11/15/2017 Revised:

2017 Corn Grain - South Dakota Southeast [SDSE]



Early-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|-----------------|-----------|-------------|-----|---------------|---------------|-----------|-----------|-----|
| Dairyland | DS-9599 | 3000GT | CM,C5,Vi,In | 99 | Renk | RK595SSTX | STX,B | AC,P5V | 99 |
| Dairyland | DS-9701RA | STX,B | CM,C5,Vi,In | 101 | Renk | RK608DGVT2P | VT2P,DG,B | AC,P2 | 100 |
| Dairyland | DS-9802RA | STX,B | CM,C5,Vi,In | 102 | Renk | RK612SSTX | STX,B | AC,P5V | 100 |
| Dekalb | DKC52-84RIB CK | STX,B | AC,P5V | 102 | Renk | RK629VT3P | VT3P,B | AC,P2 | 101 |
| Dyna-Gro | D39DC43 | VT2P,DG | AC,P5V | 99 | Thunder | 4600RR | RR2 | AC,P2 | 100 |
| Federal | 4760VT2PRIB | VT2P,B | AC,P2 | 97 | Thunder | 6798VT2PRIB | VT2P,B | AC,P2 | 98 |
| Federal | 4770VT2PRIB | VT2P,B | AC,P2 | 97 | Titan Pro | TP 65-00 2P | VT2P,DG | AC,P2 | 100 |
| Federal | 4880VT2P | VT2P | AC,P5V | 98 | Titan Pro | TP 71-98 2P | VT2P | AC,P2 | 98 |
| Federal | 5060SSTAXRIB | STX,B | AC,P5V | 100 | Titan Pro | TP 75-01 SS | STX | AC,P5V | 101 |
| Golden Harvest | G01D24-3120-EZR | 3120,B | AVC,C2,Vi | 101 | | | | | |
| Golden Harvest | G02W74-3000GT | 3000GT | AVC,C2,Vi | 102 | | | | | |
| Golden Harvest | G98L17-3000GT | 3000GT | AVC,C2,Vi | 98 | | | | | |
| Hefty | H4812VT2P | VT2P | AC,P2,In | 98 | | | | | |
| Hefty | H4912VT2P | VT2P | AC,P2,In | 99 | | | | | |
| Hefty | H5003VT2PDGRIB | VT2P,DG,B | AC,P2,In | 100 | | | | | |
| Hefty | H5212VT2P | VT2P | AC,P2,In | 102 | | | | | |
| Heine | 637STX | STX | AC,P5V | 99 | | | | | |
| Heine | 712STXRIB | STX,B | AC,P5V | 100 | | | | | |
| Heine | 739VT2PRO | VT2P | AC,P5V | 102 | | | | | |
| Heine | 740VT2PRO | VT2P | AC,P5V | 102 | | | | | |
| Latham | LH4919SS | STX | AC,P5V | 99 | | | | | |
| Latham | LH5025VT2ProDG | VT2P,DG | AC,P5 | 100 | | | | | |
| Latham | LH5099SSRIB | STX,B | AC,P5V | 100 | | | | | |
| Latham | LH5245VT2Pro | VT2P | AC,P5V | 102 | | | | | |
| LG Seeds | LG5465VT2P | VT2P | AC,P5V | 97 | | | | | |
| LG Seeds | LG5494VT2P | VT2P | AC,P5V | 99 | | | | | |
| LG Seeds | LG5505STX | STX | AC,P5V | 102 | | | | | |
| Mustang | 5299VT2PRIB | VT2P,B | AC,P2 | 99 | | | | | |
| Mustang | 5700VT2PDGRIB | VT2P,DG,B | AC,P2 | 100 | | | | | |
| Mustang | 6800SSRIB | STX,B | AC,P2 | 100 | | | | | |
| Mustang | 7801SSRIB | STX,B | AC,P2 | 101 | | | | | |
| NuTech | 5N-800 | 3011,A | MQ,P5V,R | 100 | | | | | |
| NuTech/G2 Gen | 5F-198^ | AM,B | MQ,P5V,R | 98 | | | | | |
| NuTech/G2 Gen | 5F-601^ | AM,AQ,B | MQ,P5V,R | 101 | | | | | |
| NuTech/G2 Gen | 5F-702^ | AM,B | MQ,P5V,R | 102 | | | | | |
| NuTech/G2 Gen | 5FN-7099^ | OI | MQ,P1V,R | 99 | | | | | |
| Pfister | 1740RASS | STX,B | CM,C5,Vi,In | 98 | | | | | |
| Pfister | 1785GT3 | 3000GT | CM,C5,Vi,In | 98 | | | | | |
| Pfister | 60B1SSR | STX,B | CM,C5,Vi,In | 100 | | | | | |
| Pfister | 62A1SSR | STX,B | CM,C5,Vi,In | 102 | | | | | |
| Prairie Brand | 5148GT | GT | CM,C5,Vi,In | 101 | | | | | |
| REA | 5A001 | STX,B | AC,P5V | 100 | | | | | |
| REA | 5A023-RIB | STX,B | AC,P5V | 102 | | | | | |
| REA | 5A981-RIB | STX,B | AC,P5V | 98 | | | | | |
| REA | 5A982-RIB | STX,B | AC,P5V | 98 | | | | | |

2017 Corn Grain - South Dakota Southeast [SDSE]



Full-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|----------------------|----------|-------------|-----|---------------|---------------|----------|-----------|-----|
| Channel | 203-01STXRIB GC | STX,B | AC,P5V | 103 | Renk | RK717SSTX | STX,B | AC,P5V | 105 |
| Dairyland | DS-6106 | RR2 | CM,C5,Vi,In | 106 | Renk | RK726SSTX | STX | AC,P5V | 106 |
| Dairyland | DS-9804SSX | STX | CM,C5,Vi,In | 104 | Renk | RK776SSTX | STX,B | AC,P5V | 107 |
| Dekalb | DKC52-84RIB CK | STX,B | AC,P5V | 102 | Thunder | 7603SSRIB GC | STX,B | AC,P2 | 103 |
| Dekalb | DKC54-38RIB GC | STX,B | AC,P5V | 104 | Titan Pro | TP 53-03 2P | VT2P,B | AC,P5V | 103 |
| Dyna-Gro | D44VC36 | VT2P | AC,P5V | 104 | Titan Pro | TP 77-06 SS | STX | AC,P5V | 106 |
| Dyna-Gro | D45SS65 | STX | AC,P5V | 105 | Wyffels | W2618RIB | STX,B | AC,P5V | 104 |
| Golden Harvest | G03C84-3120-EZR | 3120,B | AVC,C2,Vi | 103 | Wyffels | W3078RIB | STX,B | AC,P5V | 106 |
| Golden Harvest | G07F23-3111 | 3111 | AVC,C2,Vi | 107 | Wyffels | W4796RIB | VT2P,B | AC,P2 | 106 |
| Golden Harvest | G07H81-3010A | 3010,A | AVC,C2,Vi | 107 | | | | | |
| Hefty | H5302VT2PRIB | VT2P,B | AC,P2,In | 103 | | | | | |
| Hefty | H5502VT2PRIB | VT2P,B | AC,P2,In | 105 | | | | | |
| Hefty | H5504SSRIB | STX,B | AC,P5V,In | 105 | | | | | |
| Hefty | HCEXP10412 | VT2P | AC,P2,In | 104 | | | | | |
| Heine | 7410STX | STX | AC,P5V | 104 | | | | | |
| Heine | 752VT2PRO | VT2P | AC,P5V | 105 | | | | | |
| Heine | 754STXRIB GC | STX,B | AC,P5V | 105 | | | | | |
| Heine | 775STXRIB | STX,B | AC,P5V | 107 | | | | | |
| Latham | EX5725VT2Pro | VT2P | AC,P5V | 107 | | | | | |
| Latham | LH5505VT2ProRIB | VT2P,B | AC,P2 | 105 | | | | | |
| Latham | LH5635VT2Pro | VT2P | AC,P5V | 106 | | | | | |
| Latham | LH5742RR | RR2 | AC,P5V | 107 | | | | | |
| LG Seeds | LG5520STXRIB | STX,B | AC,P5V | 105 | | | | | |
| LG Seeds | LG5522VT2P | VT2P | AC,P5V | 103 | | | | | |
| LG Seeds | LG5554-3111 | 3111 | AC,P5V | 108 | | | | | |
| Mustang | 7803SSRIB | STX,B | AC,P2 | 103 | | | | | |
| Mustang | 8207VT2PRIB | VT2P,B | AC,P2 | 107 | | | | | |
| Mustang | 8805SSRIB | STX,B | AC,P2 | 105 | | | | | |
| NorthStar | NS103-169GENSSRIB GC | STX,B | AC,P5V | 103 | | | | | |
| NorthStar | NS104-167GENSSRIB GC | STX,B | AC,P5V | 104 | | | | | |
| NuTech | 5VN-4707 | 3111 | MQ,P1V,R | 107 | | | | | |
| NuTech/G2 Gen | 5D-906^ | AMX,B | MQ,P5V,R | 106 | | | | | |
| NuTech/G2 Gen | 5F-503^ | AM,B | MQ,P5V,R | 103 | | | | | |
| NuTech/G2 Gen | 5F-504^ | AM,B | MQ,P5V,R | 104 | | | | | |
| NuTech/G2 Gen | X5FN-0306^ | OI | MQ,P1V,R | 103 | | | | | |
| Pfister | 2545RASS | STX,B | CM,C5,Vi,In | 107 | | | | | |
| Pfister | 63A3SS | STX | CM,C5,Vi,In | 103 | | | | | |
| Pfister | 65B1RR | RR2 | CM,C5,Vi,In | 105 | | | | | |
| Pfister | 66Y3PC | PC | CM,C5,Vi,In | 106 | | | | | |
| Prairie Brand | 5398SX | STX | CM,C5,Vi,In | 103 | | | | | |
| REA | 6A034 | STX,B | AC,P5V | 103 | | | | | |
| REA | 6A042 | STX,B | AC,P5V | 104 | | | | | |
| REA | 6B063 | VT2P,B | AC,P5V | 106 | | | | | |
| REA | 6B071-RIB | VT2P,B | AC,P5V | 107 | | | | | |
| Renk | RK680SSTX | STX,B | AC,P5V | 103 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|--|
| ^ | G2 [®] brand seed is distributed by NuTech Seed, LLC. Catalyst™ and Power Plus [®] brand seed is distributed by Burrus. HPT [®] brand seed is distributed by Hoegemeyer Hybrids, Innotech™ brand seed is distributed by Rob-See-Co, LLC. RPM [®] brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX [®] brand seed is distributed by Seed Consultants, Inc. VPMaxx [®] brand seed is distributed by AgVenture, Inc. XL [®] and Phoenix [®] brand seed is distributed by Beck's Superior Hybrids. Curry [®] , G2 [®] , HPT [®] , Power Plus [®] , RPM [®] , Supreme EX [®] , VPMaxx [®] and XL [®] are registered trademarks of DuPont Pioneer. Catalyst™, Innotech™ and Phoenix [®] are trademarks of Syngenta. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|--------|---|------|---|
| 3000GT | Agrisure [®] 3000GT (CB,RW,LL,GT) | GT | Agrisure [®] GT |
| 3010 | Agrisure [®] 3010 (CB,LL,GT) | HX | Herculex [®] 1, contains LL |
| 3011,A | Agrisure [®] Artesian [®] (CB,RW,LL,GT) | HXRW | Herculex [®] Rootworm, contains LL |
| 3110 | Agrisure [®] Viptera [®] 3110 (Vip, CB,LL,GT) | HXT | Herculex [®] Xtra (HX,HXRW,LL) |
| 3111 | Agrisure [®] Viptera [®] 3111 (Vip,CB,RW,LL,GT) | LL | LibertyLink [®] |
| 3120 | Agrisure [®] 3120 (CB,HX,LL,GT) | None | conventional corn |
| 3122 | Agrisure [®] 3122 (CB,HXX,RW,LL,GT) | OI | Optimum [®] Intrasect [®] , YHR (YGCB,HX,LL,RR2) |
| 3220 | Agrisure [®] Viptera [®] 3220 (Vip,CB,HX,LL,GT) | OIX | Optimum [®] Intrasect [®] Xtra, YXR (YGCB,HXT,LL,RR2) |
| A | Agrisure [®] Artesian [®] | OIXT | Optimum [®] Intrasect [®] Xtreme (YGCB,HXT,RW,LL,RR2) |
| AM | Optimum [®] AcreMax [®] (YGCB,HX,LL,RR2) | PC | PowerCore™ (HX, VT2P) |
| AMT | Optimum [®] AcreMax [®] TRIsect (HX,RW,LL,RR2) | RR2 | Roundup Ready [®] 2 Corn |
| AMX | Optimum [®] AcreMax [®] Xtra (YGCB,HXT,LL,RR2) | RW | Agrisure [®] Rootworm |
| AMXT | Optimum [®] AcreMax [®] Xtreme (YGCB,HXT,RW,LL,RR2) | STX | SmartStax [®] (VT3P,HXT,RR2,LL) |
| AQ | Optimum [®] AQUAMax [®] | VT2P | Genuity [®] VT Double PRO [®] |
| B | Refuge Blend | VT3P | Genuity [®] VT Triple PRO [®] |
| CB | Agrisure [®] Corn Borer | YGCB | YieldGard [®] Corn Borer |
| DG | Genuity [®] DroughtGard [®] | | |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information unavailable | In | Intego™ Solo |
| A | Allegiance [®] | L | Lorsban [®] |
| AC | Acceleron [®] fungicide products | Lu | Lumivia™ |
| AL2500 | Alert 2500™ | M | Maxim XL [®] |
| At | Actellic [®] | MQ | Maxim Quattro [®] |
| AVC | Avicta [®] Complete Corn | None | untreated |
| C2, C5, C1 | Cruiser [®] at 0.25, 0.5 and 1.25 mg ai/seed, respectively | P2, P5, P1 | Poncho [®] at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| CE | Cruiser Extreme [®] | R | Raxil [®] |
| CM | CruiserMaxx [®] Corn | SC | SHIELDCoat™ |
| D | Dynasty [®] | V | Votivo [®] |
| Es | Escalate [®] | Vi | Vibrance [®] |

** Seed treatments may include unspecified plant health promoting components.