

2018 Corn Grain Top 30 Harvest Report
Ohio Northwest [OHNW] ARCHBOLD
Rupp Seeds, John King, Fulton County, OH 43567



PREV. CROP/HERB: Soybean / Roundup
SOIL DESCRIPTION: Dixboro-Gilford sandy loam, moderately drained, non-irrigated
SOIL CONDITION: Conventional w/ fall till, high P, high K, 5 pH, 2.6% OM, 12.2 CEC
PEST MANAGEMENT: Force, Acuron, Roundup
FERTILITY - Applied N: 8 Planter, 180 Sidedress
Applied N-P-K (units): 188-28-125
SEDED - RATE - ROW: May 24 32,500 /A 30" spacing
HARVESTED - STAND: Oct 24 32,000 /A

Early-Season Test
103 - 108 Day CRM
B2018OHNW16a

Top 30 of 36
For Gross Income (Sorted by Yield)
Average of (4) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|------------------|---------------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Seed Consultants | SCS 1087YHR | OI | 108 | 277.9 | 16.3 | 1 | 32.6 | 825 | 1 |
| Ebberts | 6138VT2PRIB | VT2P,B | 108 | 273.9 | 17.2 | 1 | 32.6 | 807 | 3 |
| Golden Harvest | G08M20-3010 | 3010 | 108 | 272.4 | 16.0 | 1 | 31.9 | 810 | 2 |
| Becks | 5866AM GC | AM,B | 108 | 266.6 | 16.3 | 1 | 32.2 | 791 | 4 |
| NuTech/G2 Gen | 5FN-2204 | OI | 104 | 264.8 | 15.9 | 1 | 32.2 | 788 | 5 |
| Rupp | xrD07-72 | VT2P,B | 107 | 263.7 | 15.8 | 1 | 31.6 | 786 | 7 |
| FS InVISION | FS 58R49 | 3111 | 108 | 261.1 | 16.7 | 1 | 31.9 | 772 | 11 |
| NK Brand | NK0886-3010 | 3010 | 108 | 261.0 | 15.7 | 1 | 32.6 | 778 | 8 |
| Dairyland | DS-6008 | RR2 | 108 | 260.7 | 16.4 | 1 | 32.6 | 773 | 9 |
| NuTech/G2 Gen | 5FN-8808 | OI | 108 | 260.1 | 16.1 | 1 | 32.2 | 773 | 10 |
| LG Seeds | LG58C7VT2PRO | VT2P | 108 | 260.0 | 16.2 | 3 | 32.2 | 772 | 12 |
| FS InVISION | FS 55RL1 EZR | 3220,B | 105 | 258.5 | 15.7 | 1 | 31.9 | 771 | 13 |
| Dairyland | DS-7106PE | PC,E | 106 | 256.8 | 16.6 | 1 | 30.9 | 760 | 16 |
| FS InVISION | FS 57ZX1 RIB | STX,B | 107 | 255.7 | 15.6 | 1 | 32.6 | 763 | 14 |
| Buckeye Hybrids | RR8802VT2P | VT2P,B | 108 | 255.5 | 16.4 | 1 | 31.6 | 758 | 17 |
| Seed Consultants | SCS 10HR43 | HX,RR2 | 104 | 255.1 | 16.5 | 1 | 31.9 | 756 | 18 |
| Ebberts | 6899VT2PRIB | VT2P,B | 109 | 254.7 | 17.9 | 1 | 31.9 | 746 | 23 |
| NK Brand | NK0624-3220-EZR | 3220,B | 106 | 254.5 | 15.2 | 1 | 32.2 | 762 | 15 |
| NuTech/G2 Gen | 5F-308 | AM,B | 108 | 254.1 | 16.9 | 2 | 31.9 | 750 | 19 |
| Seed Consultants | SC 10AGVT96 | 3111 | 109 | 252.6 | 16.2 | 1 | 31.6 | 750 | 20 |
| Augusta | A4858GT3010 | 3010 | 108 | 252.2 | 16.2 | 1 | 31.9 | 749 | 21 |
| Rupp | xrA08-78 | 3110 | 108 | 251.7 | 16.2 | 1 | 31.9 | 748 | 22 |
| LG Seeds | LG5525VT2RIB | VT2P,B | 105 | 251.2 | 16.4 | 1 | 31.9 | 745 | 25 |
| Golden Harvest | G07F23-3111 | 3111 | 107 | 250.2 | 15.7 | 1 | 32.6 | 746 | 24 |
| NuTech/G2 Gen | 5H-806 | HX,RR2 | 106 | 249.8 | 16.8 | 1 | 31.9 | 738 | 27 |
| Golden Harvest | G06Q68-3220-EZR | 3220,B | 106 | 248.6 | 15.9 | 2 | 32.6 | 740 | 26 |
| Ebberts | 9356SSXRIB | STX,B | 106 | 244.3 | 16.2 | 1 | 31.6 | 726 | 28 |
| Dairyland | DS-9508RA | STX,B | 108 | 243.4 | 17.1 | 1 | 32.6 | 717 | 30 |
| Seed Consultants | SCS 1086YHR | OI | 108 | 243.2 | 17.4 | 1 | 31.6 | 715 | 31 |
| NK Brand | NK0821-3120A-EZR GC | 3120,A,B | 108 | 242.0 | 16.3 | 1 | 31.6 | 718 | 29 |
| Pioneer | P0825AM CK | AM,B | 108 | 266.6 | 17.0 | 1 | 32.2 | 786 | 6 |

Matt Turner
mattturner1979@yahoo.com, (317) 606-9040

| | | | | | |
|--------------|--------------|---|----------|-------------|------------|
| Averages = | 253.6 | 16.2 | 1 | 32.0 | 753 |
| LSD (0.10) = | 9.1 | 0.4 | 1 | | |
| LSD (0.25) = | 4.8 | 0.2 | 0 | | |
| C.V. = | 3.9 | Prev. years average yield, 243.6 bu/a, 1 yr | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Prices: GMO = \$3.00; non-GMO = \$3.00

Test Comments: *Planting was delayed due to an unusually wet spring. Tests went in under excellent conditions and came up perfectly with the good heat and moisture. Good moisture late into pollination, gave large ears filled to the tip. Good fertility and drainage helped achieve uniform big yields. At harvest, plants were tall and retained many leaves. Lodging was not an issue due to excellent stalk health.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2018, all rights reserved by Elite Field Genetics, LLC

Report Date: 10/26/2018 Revised:

2018 Corn Grain Top 30 Harvest Report
Ohio Northwest [OHNW] ARCHBOLD
Rupp Seeds, John King, Fulton County, OH 43567



PREV. CROP/HERB: Soybean / Roundup
SOIL DESCRIPTION: Dixboro-Gilford sandy loam, moderately drained, non-irrigated
SOIL CONDITION: Conventional w/ fall till, high P, high K, 5 pH, 2.6% OM, 12.2 CEC
PEST MANAGEMENT: Force, Acuron, Roundup
FERTILITY - Applied N: 8 Planter, 180 Sidedress
Applied N-P-K (units): 188-28-125
SEDED - RATE - ROW: May 24 32,500 /A 30" spacing
HARVESTED - STAND: Oct 24 32,100 /A

Full-Season Test
109 - 112 Day CRM
B2018OHNW16b

Top 30 of 36
For Gross Income (Sorted by Yield)
Average of (4) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|------------------|------------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Augusta | A4463VT2Pro | VT2P | 112 | 272.1 | 17.8 | 1 | 32.2 | 797 | 1 |
| Rupp | xrD12-49 | VT2P,B | 112 | 270.6 | 18.9 | 1 | 32.6 | 785 | 2 |
| Ebberts | 6121VT2PRIB | VT2P,B | 111 | 269.0 | 19.4 | 1 | 31.9 | 777 | 7 |
| FS InVISION | FS 60UX1 RIB | STX,B | 110 | 268.4 | 18.3 | 1 | 31.9 | 783 | 4 |
| Ebberts | 6552VT2PRIB | VT2P,B | 112 | 266.0 | 17.8 | 1 | 32.2 | 779 | 6 |
| LG Seeds | LG5590VT2RIB | VT2P,B | 110 | 264.9 | 18.1 | 1 | 32.6 | 774 | 8 |
| LG Seeds | LG5606STXRIB | STX,B | 111 | 264.8 | 19.2 | 2 | 32.2 | 767 | 13 |
| NuTech/G2 Gen | 5FB-9909 | AM,B | 109 | 264.7 | 16.8 | 1 | 32.6 | 782 | 5 |
| FS InVISION | FS 62ZX1 RIB | STX,B | 112 | 263.2 | 19.2 | 1 | 32.2 | 762 | 14 |
| NuTech/G2 Gen | 5FN-3310 | OI | 110 | 262.1 | 18.8 | 1 | 31.6 | 761 | 15 |
| NK Brand | NK0962-3220A-EZR | 3220,A,B | 109 | 262.0 | 17.5 | 1 | 31.9 | 770 | 9 |
| LG Seeds | LG62C02VT2PRO | VT2P | 112 | 262.0 | 17.8 | 3 | 32.6 | 768 | 10 |
| Rupp | xrD10-16 | VT2P,B | 110 | 261.3 | 17.4 | 1 | 32.6 | 768 | 11 |
| Buckeye Hybrids | RR9194VT2P | VT2P,B | 111 | 260.5 | 19.4 | 1 | 31.9 | 753 | 16 |
| Seed Consultants | SCS 1105AM | AM,B | 110 | 260.3 | 17.0 | 1 | 32.2 | 768 | 12 |
| Dairyland | DS-7909PE | PC,E | 109 | 256.7 | 17.9 | 1 | 31.9 | 751 | 17 |
| Seed Consultants | SCS 1098YHR | OI | 109 | 256.5 | 18.1 | 2 | 31.2 | 750 | 18 |
| Golden Harvest | G12W66-3000GT | 3000GT | 112 | 256.3 | 18.6 | 1 | 31.2 | 746 | 20 |
| LG Seeds | LG59C66VT2PRO | VT2P | 109 | 255.9 | 17.7 | 1 | 32.6 | 750 | 19 |
| Dairyland | DS-9510RA | STX,B | 110 | 254.1 | 18.3 | 1 | 31.9 | 741 | 23 |
| Golden Harvest | G09Y24-3220A-EZR | 3220,A,B | 109 | 253.9 | 17.7 | 1 | 31.6 | 745 | 22 |
| Seed Consultants | SC 11AQ17 | 3000GT | 111 | 253.8 | 18.2 | 1 | 31.9 | 741 | 24 |
| Buckeye Hybrids | RR9080VT2P | VT2P,B | 110 | 252.9 | 17.8 | 1 | 32.2 | 741 | 25 |
| NuTech | 5NN-8812 | 3000GT | 112 | 252.5 | 18.4 | 1 | 30.9 | 736 | 27 |
| FS InVISION | FS 60QV1 RIB | VT2P,B | 110 | 252.2 | 16.7 | 1 | 32.2 | 746 | 21 |
| Ebberts | 9292SSXRIB | STX,B | 112 | 251.6 | 19.0 | 1 | 32.6 | 730 | 30 |
| Rupp | xrD11-57 | VT2P,B | 111 | 251.1 | 17.0 | 1 | 32.2 | 741 | 26 |
| Golden Harvest | G10T63-3120-EZR | 3120,B | 110 | 250.3 | 17.5 | 5 | 32.6 | 735 | 28 |
| NK Brand | NK1066-3120-EZR | 3120,B | 110 | 249.9 | 17.6 | 4 | 32.2 | 733 | 29 |
| FS InVISION | FS 59VL1 EZR | 3220,B | 109 | 247.0 | 17.0 | 1 | 32.6 | 729 | 31 |
| Pioneer | P0825AM CK | AM,B | 108 | 267.4 | 17.5 | 1 | 32.2 | 785 | 3 |

Matt Turner
mattturner1979@yahoo.com, (317) 606-9040

| | | | | | |
|--------------|--------------|---|----------|-------------|------------|
| Averages = | 256.4 | 18.1 | 1 | 32.1 | 750 |
| LSD (0.10) = | 8.1 | 0.3 | 1 | | |
| LSD (0.25) = | 4.2 | 0.2 | 1 | | |
| C.V. = | 3.5 | Prev. years average yield, 243.6 bu/a, 1 yr | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.025 Prices: GMO = \$3.00; non-GMO = \$3.00

Test Comments: *Planting was delayed due to an unusually wet spring. Tests went in under excellent conditions and came up perfectly with the good heat and moisture. Good moisture late into pollination, gave large ears filled to the tip. Good fertility and drainage helped achieve uniform big yields. At harvest, plants were tall and retained many leaves. Lodging was not an issue due to excellent stalk health.*

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2018, all rights reserved by Elite Field Genetics, LLC

Report Date: 10/26/2018 Revised:

2018 Corn Grain - Ohio Northwest [OHNW]



Early-Season Test Products (36 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------------|---------------------|----------|-------------|-----|---------------|---------------|----------|-----------|----|
| Augusta | A4858GT3010 | 3010 | CM,C2 | 108 | | | | | |
| Becks | 5866AM GC | AM,B | Es | 108 | | | | | |
| Buckeye Hybrids | RR8802VT2P | VT2P,B | AC,P2 | 108 | | | | | |
| Dairyland | DS-6008 | RR2 | CM,C5,Vi,In | 108 | | | | | |
| Dairyland | DS-7106PE | PC,E | CM,C5,Vi,In | 106 | | | | | |
| Dairyland | DS-9508RA | STX,B | CM,C5,Vi,In | 108 | | | | | |
| Ebberts | 6138VT2PRIB | VT2P,B | AC,P2 | 108 | | | | | |
| Ebberts | 6899VT2PRIB | VT2P,B | AC,P2 | 109 | | | | | |
| Ebberts | 9356SSXRIB | STX,B | AC,P5V | 106 | | | | | |
| FS InVISION | FS 53ZX1 RIB | STX,B | AC,P5V | 103 | | | | | |
| FS InVISION | FS 55RL1 EZR | 3220,B | CM,C2,Vi | 105 | | | | | |
| FS InVISION | FS 57ZX1 RIB | STX,B | AC,P5V | 107 | | | | | |
| FS InVISION | FS 58R49 | 3111 | AVC,C5 | 108 | | | | | |
| Golden Harvest | G04S19-3010 | 3010 | AVC,C2,Vi | 104 | | | | | |
| Golden Harvest | G06Q68-3220-EZR | 3220,B | AVC,C2,Vi | 106 | | | | | |
| Golden Harvest | G07F23-3111 | 3111 | AVC,C2,Vi | 107 | | | | | |
| Golden Harvest | G08M20-3010 | 3010 | AVC,C5,Vi | 108 | | | | | |
| LG Seeds | LG5525VT2RIB | VT2P,B | AC,P5V | 105 | | | | | |
| LG Seeds | LG57C28VT2PRO | VT2P | AC,P5V | 107 | | | | | |
| LG Seeds | LG58C77VT2PRO | VT2P | AC,P5V | 108 | | | | | |
| NK Brand | NK0330-3120-EZR | 3120,B | AVC,C2,Vi | 103 | | | | | |
| NK Brand | NK0624-3220-EZR | 3220,B | AVC,C2,Vi | 106 | | | | | |
| NK Brand | NK0821-3120A-EZR GC | 3120,A,B | AVC,C5,Vi | 108 | | | | | |
| NK Brand | NK0886-3010 | 3010 | AVC,C5,Vi | 108 | | | | | |
| NuTech/G2 Gen | 5F-308 | AM,B | MQ,P5V,R | 108 | | | | | |
| NuTech/G2 Gen | 5FN-2204 | OI | MQ,P5V,R | 104 | | | | | |
| NuTech/G2 Gen | 5FN-8808 | OI | MQ,P1V,R | 108 | | | | | |
| NuTech/G2 Gen | 5H-806 | HX,RR2 | MQ,P5V,R | 106 | | | | | |
| Pioneer | P0825AM CK | AM,B | MQ,C5,R,Lu | 108 | | | | | |
| Rupp | xrA08-78 | 3110 | CM,C2 | 108 | | | | | |
| Rupp | xrD06-70 | VT2P,B | AC,P2 | 106 | | | | | |
| Rupp | xrD07-72 | VT2P,B | AC,P2 | 107 | | | | | |
| Seed Consultants SC | 10AGVT96 | 3111 | MQ,P5V,R | 109 | | | | | |
| Seed Consultants SCS | 1086YHR | OI | MQ,P1V | 108 | | | | | |
| Seed Consultants SCS | 1087YHR | OI | MQ,P1V,R | 108 | | | | | |
| Seed Consultants SCS | 10HR43 | HX,RR2 | MQ,P1V,R | 104 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

2018 Corn Grain - Ohio Northwest [OHNW]



Full-Season Test Products (36 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|------------------|------------------|----------|--------------|-----|---------------|---------------|----------|-----------|----|
| Augusta | A4463VT2Pro | VT2P | AC,P5V | 112 | | | | | |
| Buckeye Hybrids | RR9080VT2P | VT2P,B | AC,P2 | 110 | | | | | |
| Buckeye Hybrids | RR9194VT2P | VT2P,B | AC,P2 | 111 | | | | | |
| Dairyland | DS-7909PE | PC,E | CM,C5,Vi,In | 109 | | | | | |
| Dairyland | DS-9412SSX | STX | CM,C1,Vi,In | 112 | | | | | |
| Dairyland | DS-9510RA | STX,B | CM,C5,Vi,In | 110 | | | | | |
| Ebberts | 6121VT2PRIB | VT2P,B | AC,P2 | 111 | | | | | |
| Ebberts | 6552VT2PRIB | VT2P,B | AC,P2 | 112 | | | | | |
| Ebberts | 9292SSXRIB | STX,B | AC,P5V | 112 | | | | | |
| FS InVISION | FS 59VL1 EZR | 3220,B | CM,C2,Vi | 109 | | | | | |
| FS InVISION | FS 60QV1 RIB | VT2P,B | AC,P2 | 110 | | | | | |
| FS InVISION | FS 60UX1 RIB | STX,B | AC,P5V | 110 | | | | | |
| FS InVISION | FS 62ZX1 RIB | STX,B | AC,P5V | 112 | | | | | |
| Golden Harvest | G09A86-3000GT | 3000GT | AVC,C5,Vi | 109 | | | | | |
| Golden Harvest | G09Y24-3220A-EZR | 3220,A,B | AVC,C5,Vi | 109 | | | | | |
| Golden Harvest | G10T63-3120-EZR | 3120,B | AVC,C5,Vi | 110 | | | | | |
| Golden Harvest | G12W66-3000GT | 3000GT | AVC,C5,Vi | 112 | | | | | |
| LG Seeds | LG5590VT2RIB | VT2P,B | AC,P5V | 110 | | | | | |
| LG Seeds | LG5606STXRIB | STX,B | AC,P5V | 111 | | | | | |
| LG Seeds | LG59C66VT2PRO | VT2P | AC,P5V | 109 | | | | | |
| LG Seeds | LG62C02VT2PRO | VT2P | AC,P5V | 112 | | | | | |
| NK Brand | NK0962-3220A-EZR | 3220,A,B | AVC,C5,Vi | 109 | | | | | |
| NK Brand | NK1066-3120-EZR | 3120,B | AVC,C5,Vi | 110 | | | | | |
| NK Brand | NK1284-3220-EZR | 3220,B | AVC,C5,Vi | 112 | | | | | |
| NuTech | 5NN-8812 | 3000GT | CM,C2,R,Lu,I | 112 | | | | | |
| NuTech/G2 Gen | 5FB-1010 | AM,B | MQ,P5V,R | 110 | | | | | |
| NuTech/G2 Gen | 5FB-9909 | AM,B | CM,C2,R,Lu | 109 | | | | | |
| NuTech/G2 Gen | 5FN-3310 | OI | MQ,P5V,R | 110 | | | | | |
| Pioneer | P0825AM CK | AM,B | MQ,C5,R,Lu | 108 | | | | | |
| Rupp | xrD10-16 | VT2P,B | AC,P2 | 110 | | | | | |
| Rupp | xrD11-57 | VT2P,B | AC,P2 | 111 | | | | | |
| Rupp | xrD12-49 | VT2P,B | AC,P2 | 112 | | | | | |
| Seed Consultants | SC 11AQ17 | 3000GT | MQ,P1V,R,In | 111 | | | | | |
| Seed Consultants | SCS 1098YHR | OI | MQ,P1V,R | 109 | | | | | |
| Seed Consultants | SCS 1105AM | AM,B | MQ,P5V,R | 110 | | | | | |
| Seed Consultants | SCS 1125YHR | OI | MQ,P1V | 112 | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|--|
| ^ | Innotech™ brand seed is distributed by Rob-See-Co, LLC. Phoenix® brand seed is distributed by Advanta Seeds. Power Plus® brand seed is distributed by Burrus. Innotech™ and Phoenix® are trademarks of Syngenta. Power Plus® is a registered trademark of Corteva Agriscience. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|--------|---|------|--|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | E | Enlist™ (2,4-D, glyphosate, fop herbicide tolerance) |
| 3010 | Agrisure® 3010 (CB,LL,GT) | GT | Agrisure® GT |
| 3011,A | Agrisure® Artesian® (CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | HXRW | Herculex® Rootworm, contains LL |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 3120 | Agrisure® 3120 (CB,HX,LL,GT) | LL | LibertyLink® |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | None | conventional corn |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | OI | Optimum® Intrasect®, YHR (YGCB,HX,LL,RR2) |
| A | Agrisure® Artesian® | OIX | Optimum® Intrasect® Xtra, YXR (YGCB,HXT,LL,RR2) |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | OIXT | Optimum® Intrasect® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AMT | Optimum® AcreMax® TRIsect (HX,RW,LL,RR2) | PC | PowerCore™ (HX, VT2P) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | RR2 | Roundup Ready® 2 Corn |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,RW,LL,RR2) | RW | Agrisure® Rootworm |
| AQ | Optimum® AQUAMax® | STX | SmartStax® (VT3P,HXT,RR2,LL) |
| B | Refuge blend product | VT2P | Genuity® VT Double PRO® |
| CB | Agrisure® Corn Borer | VT3P | Genuity® VT Triple PRO® |
| DG | Genuity® DroughtGard® | YGCB | YieldGard® Corn Borer |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| ? | information not provided | Lu | Lumivia™ |
| A | Allegiance® | M | Maxim XL® |
| AC | Acceleron® fungicide products | MQ | Maxim Quattro® |
| AL2500 | Alert 2500 | None | untreated |
| At | Actellic® | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| AVC | Avicta® Complete Corn | R | Raxil® |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | Sa | Sativa™ |
| CE | Cruiser Extreme® | Se | Sebring™ |
| CM | CruiserMaxx® Corn | Sn | Senator™ |
| D | Dynasty® | Sp | Spirato™ |
| Es | Escalate® | SC | SHIELDCoat™ |
| HC | Hefty Complete | V | Votivo® |
| In | Intego™ Solo | Vi | Vibrance® |
| L | Lorsban® | | |

** Seed treatments may include unspecified plant health promoting components.