

2016 Corn Grain Top 30 Harvest Report

Wisconsin South [WISO] DODGEVILLE
Brad Walter, Iowa County, WI 53533



Test by: F.I.R.S.T. NCB, Inc., Lanark, IL

PREV. CROP/HERB: Soybean / Extreme, Roundup
SOIL DESCRIPTION: Tama/Dodgeville silt loam, well drained, non-irrigated
SOIL CONDITION: Minimum w/o fall till, moderate P, mod. high K, 6 pH, 4.1% OM
PEST MANAGEMENT: Acuron, Durango, Impact, atrazine, Force
FERTILITY - Applied N: 17 Fall, 100 Planter, 100 Sidedress
Applied N-P-K (units): 217-78-120
SEEDING - RATE - ROW: Apr 26 32,400 /A 30" spacing
HARVESTED - STAND: Oct 21 32,400 /A

Early-Season Test

99 - 104 Day CRM

B2016WISO06a

Top 30 of 63

For Gross Income (Sorted by Yield)

Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|------------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Burrus | Power Plus 2Y06^ | OI | 104 | 236.9 | 18.8 | 1 | 35.3 | 731 | 1 |
| Burrus | Power Plus 1G48^ | OIXT | 102 | 233.5 | 19.2 | 2 | 30.7 | 718 | 5 |
| NuTech/G2 Gen | 5Z-601^ | OI,AQ | 101 | 232.7 | 17.8 | 3 | 35.3 | 725 | 2 |
| Curry | XC-1501YHR | OI | 101 | 232.7 | 18.7 | 3 | 32.5 | 719 | 4 |
| Cornelius | C324SS | STX | 101 | 232.2 | 18.6 | 2 | 30.7 | 718 | 6 |
| Wyffels | W3076 | VT2P | 102 | 232.0 | 17.6 | 3 | 31.6 | 724 | 3 |
| NuTech/G2 Gen | 5F-504^ | AM,B | 104 | 231.7 | 19.0 | 2 | 27.9 | 714 | 8 |
| Burrus | Power Plus 2R63^ | RR2 | 104 | 231.7 | 19.4 | 3 | 30.7 | 711 | 10 |
| Golden Harvest | G03C84-3010 | 3010 | 103 | 231.5 | 18.6 | 2 | 31.6 | 716 | 7 |
| Cornelius | C338DGDP | VT2P,DG | 103 | 227.1 | 17.2 | 2 | 34.4 | 712 | 9 |
| NuTech/G2 Gen | 5K-702^ | OIXT | 102 | 226.6 | 18.8 | 5 | 33.5 | 699 | 14 |
| Integra | 4902GSS | STX | 99 | 226.5 | 18.5 | 2 | 33.5 | 701 | 12 |
| NuTech/G2 Gen | 5Z-503^ | OI | 103 | 226.1 | 18.5 | 3 | 27.9 | 700 | 13 |
| LG Seeds | LG5499STXRIB | STX,B | 100 | 226.0 | 18.1 | 4 | 35.3 | 702 | 11 |
| Golden Harvest | G03A50-3010 | 3010 | 103 | 224.9 | 19.4 | 5 | 36.2 | 690 | 20 |
| Jung | 52SS507RIB | STX,B | 102 | 224.7 | 18.7 | 4 | 34.4 | 694 | 17 |
| Latham | LH5215VT2ProRIB | VT2P,B | 102 | 224.6 | 18.4 | 3 | 35.3 | 696 | 16 |
| Titan Pro | TP 53-03 2P | VT2P,B | 103 | 223.8 | 18.6 | 3 | 33.5 | 692 | 18 |
| Titan Pro | TP 65-00 2P | VT2P,DG | 100 | 222.4 | 17.0 | 3 | 32.5 | 698 | 15 |
| Dyna-Gro | D43SS50 | STX | 103 | 222.4 | 18.9 | 10 | 32.5 | 686 | 22 |
| Latham | LH5099SS | STX | 100 | 220.7 | 18.5 | 2 | 30.7 | 683 | 23 |
| Jung | 7S522RIB | STX,B | 102 | 220.1 | 17.0 | 4 | 33.5 | 691 | 19 |
| Wyffels | W1968 | STX | 101 | 220.1 | 18.3 | 3 | 34.4 | 683 | 24 |
| Dairyland | DS-9403 | STX | 103 | 217.9 | 18.7 | 6 | 33.5 | 673 | 27 |
| LG Seeds | LG5501VT2PRIB | VT2P,B | 100 | 217.6 | 16.4 | 6 | 33.5 | 687 | 21 |
| NuTech | X5V-9901 | 3111,A | 99 | 215.8 | 17.4 | 2 | 26.0 | 675 | 26 |
| Integra | 5243GSSRIB | STX,B | 102 | 215.2 | 18.0 | 4 | 33.5 | 669 | 29 |
| AgriGold | A6267STXRIB | STX,B | 102 | 215.2 | 18.4 | 1 | 35.3 | 667 | 30 |
| Pfister | 61C1VX | HXT,RR2 | 101 | 214.8 | 18.2 | 1 | 32.5 | 667 | 31 |
| Titan Pro | TP 67-02 SS | STX | 102 | 214.0 | 17.2 | 4 | 33.5 | 671 | 28 |
| Pioneer | P0496AMX CK | AMX,AQ,B | 104 | 221.1 | 18.8 | 5 | 32.5 | 682 | 25 |

Jason Beyers

beyers@frontiernet.net, (815) 985-7369

Averages = **217.2** **18.3** **4** **32.4** **673**

LSD (0.10) = 11.4 0.7 4

LSD (0.25) = 8.0 0.5 3

C.V. = 3.9 Prev. years average yield, 201.3 bu/a, 1 yr

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.030 Prices: GMO = \$3.20; non-GMO = \$3.20

Test Comments: From a uniformity standpoint, this location stood out all year. Planting conditions were ideal. Corn seedlings emerged almost perfectly. The early part of the growing season was very conducive for corn growth. Pollination went well. Most ears filled out nearly to the tip. Any lodging that was noted, was due to stalk lodging. There was evidence that stalk rot was starting to affect some hybrids.

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2016, all rights reserved by Agronomic Seed Consulting, Inc.

Report Date: 10/22/2016 Revised:

2016 Corn Grain Top 30 Harvest Report

Wisconsin South [WISO] DODGEVILLE
Brad Walter, Iowa County, WI 53533



Test by: F.I.R.S.T. NCB, Inc., Lanark, IL

PREV. CROP/HERB: Soybean / Extreme, Roundup
SOIL DESCRIPTION: Tama/Dodgeville silt loam, well drained, non-irrigated
SOIL CONDITION: Minimum w/o fall till, moderate P, mod. high K, 6 pH, 4.1% OM
PEST MANAGEMENT: Acuron, Durango, Impact, atrazine, Force
FERTILITY - Applied N: 17 Fall, 100 Planter, 100 Sidedress
Applied N-P-K (units): 217-78-120
SEEDING - RATE - ROW: Apr 26 32,400 /A 30" spacing
HARVESTED - STAND: Oct 21 32,700 /A

Full-Season Test
105 - 108 Day CRM
B2016WISO06b

Top 30 of 54

For Gross Income (Sorted by Yield)
Average of (3) Replications

| Company/Brand | Product/Brand† | Technol.† | RM | Yield Bu/A | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|----------------|------------------|-----------|-----|---------------|---------------|--------------|-------------------|-------------------------|------|
| Cornelius | C574DP | VT2P | 107 | 245.3 | 19.9 | 3 | 33.5 | 749 | 1 |
| NuTech/G2 Gen | 5F-906^ | AM,B | 106 | 239.5 | 20.5 | 4 | 33.5 | 727 | 2 |
| NuTech/G2 Gen | 5F-308^ | AM,B | 108 | 237.4 | 20.9 | 1 | 35.3 | 718 | 5 |
| Dyna-Gro | D48VC76 | VT2P | 108 | 237.3 | 19.7 | 6 | 33.5 | 726 | 3 |
| Pioneer | P0825AMXT GC | AMXT,B | 108 | 236.1 | 20.8 | 2 | 34.4 | 714 | 6 |
| AgriGold | A6441STXRIB | STX,B | 109 | 234.3 | 20.5 | 3 | 35.3 | 711 | 9 |
| Integra | 5562GSSRIB | STX | 105 | 233.6 | 19.1 | 8 | 34.4 | 719 | 4 |
| NuTech/G2 Gen | 5H-806^ | HX,RR2 | 106 | 232.6 | 19.5 | 2 | 28.8 | 713 | 7 |
| LG Seeds | LG5548STXRIB | STX,B | 108 | 232.3 | 21.4 | 6 | 30.7 | 699 | 14 |
| Curry | 826-64AMX | AMX,B | 106 | 231.3 | 20.1 | 4 | 35.3 | 705 | 11 |
| Dekalb | DKC54-38RIB GC | STX,B | 104 | 230.9 | 18.7 | 2 | 27.9 | 713 | 8 |
| Burrus | Power Plus 2B77^ | OIXT | 105 | 230.1 | 19.7 | 3 | 32.5 | 704 | 12 |
| Wyffels | W4796RIB | VT2P,B | 106 | 229.1 | 18.9 | 6 | 27.9 | 706 | 10 |
| Curry | 830-39AMX | AMX,AQ,B | 110 | 229.0 | 21.5 | 3 | 33.5 | 688 | 19 |
| Renk | RK717SSTX | STX | 105 | 228.6 | 19.1 | 9 | 35.3 | 703 | 13 |
| Jung | 58SS537RIB | STX,B | 108 | 227.9 | 21.4 | 3 | 32.5 | 686 | 20 |
| Latham | LH5885VT2ProRIB | VT2P,B | 108 | 226.8 | 20.1 | 9 | 35.3 | 691 | 16 |
| Jung | 7S671RIB | STX,B | 107 | 226.5 | 20.1 | 5 | 32.5 | 690 | 17 |
| Dairyland | DS-9106 | STX | 106 | 225.9 | 19.9 | 1 | 34.4 | 690 | 18 |
| Dekalb | DKC55-20RIB GC | STX,B | 105 | 223.1 | 18.3 | 7 | 32.5 | 692 | 15 |
| LG Seeds | LG5565STXRIB | STX,B | 108 | 222.8 | 20.4 | 2 | 34.4 | 677 | 24 |
| Latham | LH5659SSRIB | STX,B | 106 | 222.7 | 19.8 | 6 | 33.5 | 681 | 21 |
| Wyffels | W6198 | STX | 109 | 221.9 | 20.8 | 5 | 32.5 | 671 | 30 |
| Pfister | 65B1VX | HXT,RR2 | 105 | 221.1 | 19.8 | 1 | 34.4 | 676 | 25 |
| Dyna-Gro | D46SS62 | STX | 106 | 221.0 | 20.7 | 7 | 33.5 | 669 | 31 |
| Titan Pro | TP 56-06 3110 | 3110 | 106 | 220.7 | 19.1 | 2 | 33.5 | 679 | 22 |
| AgriGold | A6424GT3VIP | 3111 | 108 | 220.3 | 19.7 | 2 | 30.7 | 674 | 27 |
| Curry | XC-1605YHR | OI | 105 | 220.1 | 19.8 | 2 | 32.5 | 673 | 29 |
| Golden Harvest | G07F23-3111 | 3111 | 107 | 220.0 | 19.2 | 6 | 34.4 | 676 | 26 |
| Jung | 7S605RIB | STX,B | 105 | 219.8 | 19.4 | 2 | 31.6 | 674 | 28 |
| Pioneer | P0496AMX CK | AMX,AQ,B | 104 | 220.1 | 18.9 | 3 | 32.5 | 679 | 23 |

Jason Beyers
beyers@frontiernet.net, (815) 985-7369

| | | | | | |
|--------------|--------------|---|----------|-------------|------------|
| Averages = | 222.5 | 20.1 | 4 | 32.7 | 678 |
| LSD (0.10) = | 11.5 | 0.6 | 3 | | |
| LSD (0.25) = | 8.0 | 0.4 | 2 | | |
| C.V. = | 3.8 | Prev. years average yield, 201.3 bu/a, 1 yr | | | |

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.030 Prices: GMO = \$3.20; non-GMO = \$3.20

Test Comments: From a uniformity standpoint, this location stood out all year. Planting conditions were ideal. Corn seedlings emerged almost perfectly. The early part of the growing season was very conducive for corn growth. Pollination went well. Most ears filled out nearly to the tip. Any lodging that was noted, was due to stalk lodging. There was evidence that stalk rot was starting to affect some hybrids.

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different

Additional reports available at www.firstseedtests.com

©2016, all rights reserved by Agronomic Seed Consulting, Inc.

Report Date: 10/22/2016 Revised:

2016 Corn Grain - Wisconsin South [WISO]



Early-Season Test Products (63 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|-------------------|----------|-------------|-----|---------------|---------------|-----------|-------------|-----|
| AgriGold | A6267STXRIB | STX,B | AC,P5V | 102 | Pfister | 2385RASS | STX,B | CM,C5,Vi,In | 104 |
| AgriGold | A6346STX | STX | AC,P5V | 104 | Pfister | 60B1SSR | STX,B | CM,C5,Vi,In | 100 |
| AgriGold | A6355STXRIB | STX,B | AC,P5V | 105 | Pfister | 61C1VX | HXT,RR2 | CM,C5,Vi,In | 101 |
| Burrus | Power Plus 1G48^ | OIXT | MQ,P1V,R | 102 | Pfister | 62A1VX | HXT,RR2 | CM,C5,Vi,In | 102 |
| Burrus | Power Plus 2F91^ | AMXT,B | MQ,P5V | 103 | Pioneer | P0496AMX CK | AMX,AQ,B | MQ,P1V | 104 |
| Burrus | Power Plus 2R63^ | RR2 | MQ,P5V | 104 | Pioneer | P9929AMXT | AMXT,B | MQ,C2,Lu | 99 |
| Burrus | Power Plus 2Y06^ | OI | MQ,P1V,R | 104 | Renk | RK629VT3P | VT3P,B | AC,P2 | 101 |
| Cornelius | C324SS | STX | AC,P5V | 101 | Renk | RK666SSTX | STX,B | AC,P5V | 102 |
| Cornelius | C338DGDP | VT2P,DG | CM,C2 | 103 | Renk | RK675DGVT2P | VT2P,DG,B | AC,P2 | 103 |
| Curry | XC-1501YHR | OI | MQ,P1V,R | 101 | Renk | RK680SSTX | STX,B | AC,P5V | 103 |
| Dairyland | DS-9204 | STX | CM,C5,Vi,In | 104 | Titan Pro | TP 53-03 2P | VT2P,B | AC,P2 | 103 |
| Dairyland | DS-9403 | STX | CM,C5,Vi,In | 103 | Titan Pro | TP 58-01 2P | VT2P,B | AC,P2 | 101 |
| Dairyland | DS-9701RA | STX,B | CM,C2 | 101 | Titan Pro | TP 65-00 2P | VT2P,DG | AC,P2 | 100 |
| Dairyland | DS-9802 | STX | CM,C5,Vi,In | 102 | Titan Pro | TP 67-02 SS | STX | AC,P2 | 102 |
| Dyna-Gro | D43SS50 | STX | AC,P5V | 103 | Wyffels | W1968 | STX | AC,P5V | 101 |
| FS InVISION | FS 50VX1 RIB | STX,B | AC,P5V | 100 | Wyffels | W2198 | STX | AC,P5V | 100 |
| FS InVISION | FS 52ZX1 RIB | STX,B | AC,P5V | 102 | Wyffels | W3076 | VT2P | AC,P5V | 102 |
| FS InVISION | FS 53UX1 | STX | AC,P5V | 103 | Wyffels | W3228RIB | STX,B | AC,P5V | 103 |
| FS InVISION | FS 54ZX1 RIB | STX,B | AC,P5V | 104 | | | | | |
| Golden Harvest | G01P52-3122A | 3122,A,B | AVC,C2,Vi | 101 | | | | | |
| Golden Harvest | G03A50-3010 | 3010 | AVC,C2,Vi | 103 | | | | | |
| Golden Harvest | G03C84-3010 | 3010 | AVC,C2,Vi | 103 | | | | | |
| Golden Harvest | G03H42-3000GT | 3000GT | AVC,C2,Vi | 103 | | | | | |
| Integra | 4902GSS | STX | AC,P5V | 99 | | | | | |
| Integra | 5243GSSRIB | STX,B | AC,P2 | 102 | | | | | |
| Jung | 49SS437RIB | STX,B | AC,P5V | 99 | | | | | |
| Jung | 52SS507RIB | STX,B | AC,P5V | 102 | | | | | |
| Jung | 53SS517RIB | STX,B | AC,P5V | 103 | | | | | |
| Jung | 7S522RIB | STX,B | AC,P5V | 102 | | | | | |
| Latham | LH5099SS | STX | AC,P5V | 100 | | | | | |
| Latham | LH5109SSRIB | STX,B | AC,P5V | 101 | | | | | |
| Latham | LH5215VT2ProRIB | VT2P,B | AC,P2 | 102 | | | | | |
| Latham | LH5402RR | RR2 | AC,P2 | 104 | | | | | |
| LG Seeds | LG5499STXRIB | STX,B | AC,P5V | 100 | | | | | |
| LG Seeds | LG5501VT2PRIB | VT2P,B | AC,P5V | 100 | | | | | |
| LG Seeds | LG5507STXRIB | STX,B | AC,P5V | 103 | | | | | |
| NorthStar | NS100-464GENSSRIB | STX,B | AC,P5V | 100 | | | | | |
| NorthStar | NS101-314GTA | GT,A | CM,C2 | 101 | | | | | |
| NorthStar | NS102-168DGVT2P | VT2P,DG | AC,P2 | 102 | | | | | |
| NuTech | 5N-800 | 3011,A | MQ,P5V,R | 100 | | | | | |
| NuTech | X5V-9901 | 3111,A | AVC,C2,Vi | 99 | | | | | |
| NuTech/G2 Gen | 5F-504^ | AM,B | MQ,P5V,R | 104 | | | | | |
| NuTech/G2 Gen | 5K-702^ | OIXT | MQ,P1V,R | 102 | | | | | |
| NuTech/G2 Gen | 5Z-503^ | OI | MQ,P1V,R | 103 | | | | | |
| NuTech/G2 Gen | 5Z-601^ | OI,AQ | MQ,P1V,R | 101 | | | | | |

2016 Corn Grain - Wisconsin South [WISO]



Full-Season Test Products (54 Total)

| Company/Brand | Product/Brand | Technol. | Seed Trt. | RM | Company/Brand | Product/Brand | Technol. | Seed Trt. | RM |
|----------------|------------------|----------|-------------|-----|---------------|---------------|-----------|-----------|-----|
| AgriGold | A6413STXRIB | STX,B | AC,P5V | 107 | Renk | RK776SSTX | STX,B | AC,P5V | 107 |
| AgriGold | A6424GT3VIP | 3111 | AVC,C5,Vi | 108 | Renk | RK792SSTX | STX | AC,P5V | 108 |
| AgriGold | A6441STXRIB | STX,B | AC,P5V | 109 | Renk | RK794DGV2P | VT2P,DG,B | AC,P2 | 108 |
| Burrus | Power Plus 2B77^ | OIXT | MQ,P1V,R | 105 | Titan Pro | TP 56-06 3110 | 3110 | CM,C2 | 106 |
| Cornelius | C449DP | VT2P | CM,C2 | 105 | Titan Pro | TP 59-08 SS | STX,B | AC,P5V | 108 |
| Cornelius | C457SS | STX | AC,P5V | 105 | Wyffels | W4796RIB | VT2P,B | AC,P2 | 106 |
| Cornelius | C574DP | VT2P | CM,C2 | 107 | Wyffels | W4968RIB | STX,B | AC,P5V | 107 |
| Curry | 826-64AMX | AMX,B | MQ,P5V,R | 106 | Wyffels | W5448RIB | STX,B | AC,P5V | 108 |
| Curry | 830-39AMX | AMX,AQ,B | MQ,P5V,R | 110 | Wyffels | W6198 | STX | AC,P5V | 109 |
| Curry | XC-1605YHR | OI | MQ,P1V,R | 105 | | | | | |
| Dairyland | DS-9106 | STX | CM,C5,Vi,In | 106 | | | | | |
| Dairyland | DS-9508RA | STX,B | CM,C2 | 108 | | | | | |
| Dekalb | DKC54-38RIB GC | STX,B | ACHD,P5V | 104 | | | | | |
| Dekalb | DKC55-20RIB GC | STX,B | ACHD,P5V | 105 | | | | | |
| Dyna-Gro | D46SS62 | STX | AC,P5V | 106 | | | | | |
| Dyna-Gro | D48VC76 | VT2P | AC,P5V | 108 | | | | | |
| FS InVISION | FS 57TX1 | STX | AC,P5V | 107 | | | | | |
| FS InVISION | FS 58QX1 RIB | STX,B | AC,P5V | 108 | | | | | |
| Golden Harvest | G07F23-3111 | 3111 | AVC,C2,Vi | 107 | | | | | |
| Integra | 5562GSSRIB | STX | AC,P5V | 105 | | | | | |
| Integra | 5776GSSRIB | STX,B | AC,P5V | 107 | | | | | |
| Jung | 58SS537RIB | STX,B | AC,P5V | 108 | | | | | |
| Jung | 7S605RIB | STX,B | AC,P5V | 105 | | | | | |
| Jung | 7S671RIB | STX,B | AC,P5V | 107 | | | | | |
| Latham | LH5509SSRIB | STX,B | AC,P5V | 105 | | | | | |
| Latham | LH5659SSRIB | STX,B | AC,P5V | 106 | | | | | |
| Latham | LH5715VT2ProRIB | VT2P,B | AC,P2 | 107 | | | | | |
| Latham | LH5885VT2ProRIB | VT2P,B | AC,P2 | 108 | | | | | |
| LG Seeds | LG5520STX | STX | AC,P5V | 105 | | | | | |
| LG Seeds | LG5548STXRIB | STX,B | AC,P5V | 108 | | | | | |
| LG Seeds | LG5554-3111 GC | 3111 | AVC,C5,Vi | 108 | | | | | |
| LG Seeds | LG5565STXRIB | STX,B | AC,P5V | 108 | | | | | |
| NorthStar | D91-06RL | STX,B | AC,P5V | 106 | | | | | |
| NuTech | 5N-607 | 3000GT | MQ,P5V,R | 107 | | | | | |
| NuTech | X5V-0707 | 3111 | AVC,C2,Vi | 107 | | | | | |
| NuTech/G2 Gen | 5F-308^ | AM,B | MQ,P5V,R | 108 | | | | | |
| NuTech/G2 Gen | 5F-906^ | AM,B | MQ,P5V,R | 106 | | | | | |
| NuTech/G2 Gen | 5H-806^ | HX,RR2 | MQ,P5V,R | 106 | | | | | |
| NuTech/G2 Gen | X5Z-0606^ | OI | MQ,P1V,R | 106 | | | | | |
| Pfister | 2545RASS | STX,B | CM,C5,Vi,In | 107 | | | | | |
| Pfister | 65B1VX | HXT,RR2 | CM,C5,Vi,In | 105 | | | | | |
| Pioneer | P0496AMX CK | AMX,AQ,B | MQ,P1V | 104 | | | | | |
| Pioneer | P0636AMX GC | AMX,AQ,B | MQ,P1V | 106 | | | | | |
| Pioneer | P0825AMXT GC | AMXT,B | MQ,P1V | 108 | | | | | |
| Renk | RK717SSTX | STX | AC,P5V | 105 | | | | | |

Footnotes and Abbreviation Descriptions

Brand Footnotes

| | |
|----|--|
| ^ | G2® brand seed is distributed by NuTech Seed, LLC. Catalyst™ and Power Plus® brand seed is distributed by Burrus. HPT® brand seed is distributed by Hoegemeyer Hybrids, Innotech™ brand seed is distributed by Rob-See-Co, LLC. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaxx® brand seed is distributed by AgVenture, Inc. XL® and Phoenix® brand seed is distributed by Beck's Superior Hybrids. Curry®, G2®, HPT®, Power Plus®, RPM®, Supreme EX®, VPMaxx® and XL® are registered trademarks of DuPont Pioneer. Catalyst™, Innotech™ and Phoenix® are trademarks of Syngenta. |
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |

Corn Technologies*

| | | | |
|----------|---|---------|---|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) | HX | Herculex® 1, contains LL |
| 3010 | Agrisure® 3010 (CB,LL,GT) | HX,RR2 | Herculex® 1, Roundup Ready 2 Corn |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) | HXRW | Herculex® Rootworm, contains LL |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) | HXT | Herculex® Xtra (HX,HXRW,LL) |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) | HXT,RR2 | Herculex® Xtra, Roundup Ready 2 Corn |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) | LL | LibertyLink® |
| A | Agrisure® Artesian® | None | conventional corn |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) | OI | Optimum® Intrasect®, YHR (YGCB,HX,LL,RR2) |
| AMT | Optimum® AcreMax® TRIsect (HX,RW,LL,RR2) | OIX | Optimum® Intrasect® Xtra, YXR (YGCB,HXT,LL,RR2) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) | OIXT | Optimum® Intrasect® Xtreme, CYXR (YGCB,HXT,RW,LL,RR2) |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,RW,LL,RR2) | RR2 | Roundup Ready® 2 Corn |
| AQ | Optimum® AQUAMax® | RW | Agrisure® Rootworm |
| B | Refuge Blend | STX | SmartStax® (VT3P,HXT,RR2,LL) |
| CB | Agrisure® Corn Boreer | VT2P | Genuity® VT Double PRO® |
| DG | Genuity® DroughtGard® | VT3P | Genuity® VT Triple PRO® |
| GT | Agrisure® GT | YGCB | YieldGard® Corn Borer |
| GT/CB/LL | Agrisure® GT/CB/LL | | |

* The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments**

| | | | |
|------------|---|------------|--|
| n/a | information not provided | In | Intego™ Solo |
| A | Allegiance® | L | Lorsban® |
| AC | Accelaron® fungicide products | Lu | Lumivia™ |
| AChD | Accelaron® fungicide products | M | Maxim XL® |
| At | Actellic® | MQ | Maxim Quattro® |
| AVC | Avicta® Complete Corn | None | untreated |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively | P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| CE | Cruiser Extreme® | R | Raxil® |
| CM | CruiserMaxx® Corn | V | Votivo® |
| D | Dynasty® | Vi | Vibrance® |
| Es | Escalate® | | |

** Seed treatments may include unspecified plant health promoting components.