

Pennsylvania Central [PACE] Corn Silage Farmer Members

Centre Hall, PA




Wade & Abbey Wolfe

Martinsburg, PA



Terry Heeter & Gerald Smith



Mifflintown, PA



David Graybill

New Bloomfield, PA



Steve Adams



PACE Corn Silage Entries - 2015

| Company/Brand | Product/Brand* | Technology* | Refuge Blend* | Seed Trt.* | Mat. |
|---------------|----------------|-------------|---------------|------------|------|
| Augusta | A2956GT3111 | 3111 | No | CM,C2 | 106 |
| | A4363VT2Pro | VT2P | No | CE,C2 | 113 |
| | A5262GTCBLL | GT/CB/LL | No | CE,C2 | 112 |
| | A5462GT3000 | 3000GT | No | CM,C2 | 112 |
| | A7664AVT3Pro | VT3P | No | AC,P2 | 114 |
| Channel | 210-95STXRIB | STX | Yes | AC,P5V | 110 |
| | 215-83STXRIB | STX | Yes | AC,P5V | 115 |
| Chemgro | 6859V3 | 3111 | No | AVC,C5 | 108 |
| | 7348G3 | 3000GT | No | CM,C2 | 113 |
| Doebblers | RPM 5125AM^ | AM | Yes | CM,C2 | 111 |
| | RPM 604HRQ^ | HXT,RR2 | No | CM,C2 | 108 |
| Dyna-Gro | D50VC43 | VT2P | No | AC,P5V | 110 |
| | D53VC47 | VT2P | No | AC,P5V | 113 |
| Mid-Atlantic | MA8111VT3P | VT3P | No | AC,P2 | 111 |
| Seedway | SW5554GT GC | GT | No | CM,C2 | 106 |
| TA Seeds | TA112-00 | None | No | AVC,C5 | 112 |
| | TA566-31 | 3111 | No | AVC,C5 | 106 |
| | TA583-28RIB | STX | Yes | AVC,C5 | 108 |

*** Brand Identifiers:**

^ G2® brand seed is distributed by NuTech Seed, LLC. Catalyst™ and Power Plus® brand seed is distributed by Burrus. Innotech™ brand seed is distributed by Rob-See-Co, LLC. RPM® brand seed is distributed by Doebler's PA Hybrids, Inc. Supreme EX® brand seed is distributed by Seed Consultants, Inc. VPMaXX® brand seed is distributed by AgVenture, Inc. XL® and Phoenix® brand seed is distributed by Beck's Superior Hybrids. Curry®, G2®, Power Plus®, RPM®, Supreme EX®, VPMaXX® and XL® are registered trademarks of DuPont Pioneer. Catalyst™, Innotech™ and Phoenix® are trademarks of Syngenta.

CK = Identifies a check hybrid included in early and full season tests

GC = grower comparison product, FIRST entered when space permits

Technology Abbreviations

| | |
|----------|---|
| 3000GT | Agrisure® 3000GT (CB,RW,LL,GT) |
| 3010 | Agrisure® 3010 (CB,LL,GT) |
| 3010,A | Agrisure® Artesian® 3010 (CB,LL,GT) |
| 3011,A | Agrisure® Artesian® (CB,RW,LL,GT) |
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) |
| 3110,A | Agrisure® Viptera® 3110 w/ Artesian® |
| 3111 | Agrisure® Viptera® 3111 (Vip,CB,RW,LL,GT) |
| 3111,A | Agrisure® Viptera® 3111 w/ Artesian® |
| 3122 | Agrisure® 3122 (CB,HXX,RW,LL,GT) |
| 3220 | Agrisure® Viptera® 3220 (Vip,CB,HX,LL,GT) |
| AM | Optimum® AcreMax® (YGCB,HX,LL,RR2) |
| AM,AQ | Optimum® AcreMax® w/ AQUAMax |
| AM1 | Optimum® AcreMax®1 (HXT,LL,RR2) |
| AMX | Optimum® AcreMax® Xtra (YGCB,HXT,LL,RR2) |
| AMX,AQ | Optimum® AcreMax® Xtra w/ AQUAMax |
| AMXT | Optimum® AcreMax® Xtreme (YGCB,HXT,RW,LL,RR2) |
| AMXT,AQ | Optimum® AcreMax® Xtreme w/ AQUAMax |
| GT | Agrisure® GT |
| GT,A | Agrisure® GT w/ Artesian |
| GT/CB/LL | Agrisure® GT/CB/LL |
| HX | Herculex® 1, contains LL |
| HX,RR2 | Herculex® 1, Roundup Ready 2 Corn |
| HXRW | Herculex® Rootworm, contains LL |
| HXT | Herculex® Xtra (HX,HXRW,LL) |
| HXT,RR2 | Herculex® Xtra, Roundup Ready 2 Corn |
| LL | LibertyLink® |
| None | conventional corn |
| None,A | conventional corn w/ Artesian® |
| OI | Optimum® Intrasect®, YHR (YGCB,HX,LL,RR2) |
| OI,AQ | Optimum® Intrasect® w/ AQUAMax |
| OIX | Optimum® Intrasect® Xtra, YXR (YGCB,HXT,LL,RR2) |
| OIXT | Optimum® Intrasect® Xtreme, CYXR (YGCB,HXT,RW,LL,RR2) |
| OT | Optimum® TRIsect® CHR (HX,RW,LL,RR2) |
| RR2 | Roundup Ready® 2 Corn |
| STX | SmartStax® (VT3P,HXT,RR2,LL) |
| STX,DG | Genuity® DroughtGard® w/ SmartStax® |
| VT2P | Genuity® VT Double PRO® |
| VT2P,DG | Genuity® DroughtGard® w/ VT Double PRO® |
| VT3P | Genuity® VT Triple PRO® |
| YGCB | YieldGard® Corn Borer |

Refuge Blend (in bag)

| | |
|---|-----|
| N | No |
| Y | Yes |

Seed Treatment Abbeviations

| | |
|------------|---|
| ? | information not provided |
| A | Allegiance® |
| AC | Acceleron® fungicide products |
| At | Actellic® |
| AVC | Avicta® Complete Corn |
| C2, C5, C1 | Cruiser® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| CE | Cruiser Extreme® |
| CM | CruiserMaxx® Corn |
| D | Dynasty® (azoxystrobin) |
| Es | Escalate® |
| In | Intego™ Solo |
| L | Lorsban® |
| Lu | Lumivia™ |
| M | Maxim XL® |
| MQ | Maxim Quattro® |
| None | untreated |
| P2, P5, P1 | Poncho® at 0.25, 0.5 and 1.25 mg ai/seed, respectively |
| R | Raxil® (tebuconazole) |
| V | Votivo® |
| Vi | Vibrance® |

* Seed treatments may include unspecified plant health promoting components.

Region Test Identifiers

Region code followed by:
 "a" - early-season test
 "b" - full-season test
 "u" - ultra-early season test
 " " - all-season test