

Test by: Apex Custom Research Enterprises (ACRE)
Clearwater, NE

2025 Corn Grain Top 30 Harvest Report

Iowa Northwest [IANW] MOORLAND, IA

Jeff Loehr, Webster County, IA 50566

Ultra Early-Season Test 95 - 100 Day CRM
B2025IANW01u

Top 18 of 18 For Gross Income
(Sorted by Yield)
Average of (3) Replications

PREV. CROP/HERB: Soybeans / Perpetuo, Hero

SOIL DESCRIPTION: Canisteo clay loam, poorly
drained, non-irrigated

SOIL CONDITION: Minimum W/O Fall Till, 5.57 pH,
4.18% OM, 18.32 CEC, medium
P, medium K, low S, mod. B,
mod. Zn

PEST MANAGEMENT: Maverick, Capreno, Atrazine

FERTILITY - Applied N: 196 Spring, Maneuver
(Biological Foliar)

Applied N-P-K (units): 196-39-46

SEEDED - RATE - ROW: May 7 32.0 /A 30" spacing

HARVESTED - STAND: Oct 3 27.5 /A

PEST & DISEASE RISK: Rootworm, Diplodia Ear Rot,
Maize White Spot*

TEST COMMENTS:

This field started out with uniform emergence. Prior to pollination, plants were looking very strong and healthy. Adequate amounts of precipitation throughout the remainder of the season followed. With good plant health at pollination and other considerations, no fungicide was applied here. Much to the surprise of the area farmers, yields did not top out near 2024 levels, attributed to the onset of southern rust and other fungal pathogens. This was evident in the drier moisture content of the grain at harvest. Stalk quality remained acceptable, and standability ratings were negligible. The overall average yield of this plot matched the yield of the surrounding field.

Report Date: 10/03/2025

Additional reports available at www.firstseedtests.com

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Jacobsen	JS9762 VT2P ↗	VT2P	96	222.9	13.1	0	27.9	869	1
Wyffels	W1996RIB ↗	VT2P	98	217.2	11.0	0	28.9	847	2
Wyffels	W2386RIB ↗	VT2P	100	216.7	11.9	0	28.2	845	3
Jacobsen	JS0114 ↗	VT2P	100	216.5	12.2	0	28.2	844	4
Jacobsen	JS0034SS ↗	STX	100	215.7	13.4	0	26.9	841	5
Augusta	A3048-AA-EZ ↗	AA	98	211.7	12.2	0	27.9	826	6
Wyffels	W1869RIB ↗	STXP	97	208.7	11.3	0	27.9	814	7
Hoegemeyer	6653V ↗	VE	96	208.3	11.3	0	26.6	812	8
Viking Blue River	73-97 ↗	CONV	97	207.3	11.8	0	26.9	808	9
Hoegemeyer	6965V ↗	VE	99	204.5	10.7	0	26.6	798	10
Augusta	A2246-CONV ↗	CONV	96	200.8	11.4	0	27.6	783	11
Jacobsen	JS9704 ↗	PCE	97	199.9	11.0	0	27.9	780	12
Renk	RK579DGV2P ↗	VT2PDG	99	198.8	11.5	0	26.9	775	13
Renk	RK586VT4PRO ↗	VT4P	99	198.0	11.6	0	27.2	772	14
Renk	RK583PCE ↗	PCE	99	190.1	12.4	0	26.9	741	15
Jacobsen	JS0083VT2P ↗	VT2P	100	188.8	11.4	0	27.9	736	16
Pioneer	P9955Q GC ↗	QR	99	188.0	11.3	0	27.6	733	17
Titan Pro	48-99 PCE ↗	PCE	99	176.9	10.9	0	26.9	690	18
				Averages = 203.9	11.7		27.5	795	
				LSD (0.10) = 9.3	0.3	ns			
				LSD (0.25) = 4.8	0.2	ns			
				C.V. = 4.3	Historic yield: 215.37 bu/a, 13 yr(s)				

Nick Hoffman

Nick Hoffman

nick.hoffman@firstseedtests.com, (308) 730-7503

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.3

Drying = \$0.042

Prices: GMO = \$3.90

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Apex Custom Research Enterprises (ACRE)
Clearwater, NE

2025 Corn Grain Top 30 Harvest Report

Iowa Northwest [IANW] MOORLAND, IA

Jeff Loehr, Webster County, IA 50566

Early-Season Test 101 - 106 Day CRM
B2025IANW01a

Top 30 of 45 For Gross Income
(Sorted by Yield)
Average of (3) Replications

PREV. CROP/HERB: Soybeans / Perpetuo, Hero

SOIL DESCRIPTION: Canisteo clay loam, poorly
drained, non-irrigated

SOIL CONDITION: Minimum W/O Fall Till, 5.57 pH,
4.18% OM, 18.32 CEC, medium
P, medium K, low S, mod. B,
mod. Zn

PEST MANAGEMENT: Maverick, Capreno, Atrazine

FERTILITY - Applied N: 196 Spring, Maneuver
(Biological Foliar)

Applied N-P-K (units): 196-39-46

SEEDED - RATE - ROW: May 7 32.0 /A 30" spacing

HARVESTED - STAND: Oct 3 27.5 /A

PEST & DISEASE RISK: Rootworm, Diplodia Ear Rot,
Maize White Spot*

TEST COMMENTS:

This field started out with uniform emergence. Prior to pollination, plants were looking very strong and healthy. Adequate amounts of precipitation throughout the remainder of the season followed. With good plant health at pollination and other considerations, no fungicide was applied here. Much to the surprise of the area farmers, yields did not top out near 2024 levels, attributed to the onset of southern rust and other fungal pathogens. This was evident in the drier moisture content of the grain at harvest. Stalk quality remained acceptable, and standability ratings were negligible. The overall average yield of this plot matched the yield of the surrounding field.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
DeKalb	DKC106-98RIB GC ↗	VT4P	106	241.9	16.4	0	27.9	930	1
Jacobsen	JS0203TRE ↗	TRE	102	233.4	13.9	0	28.2	910	2
Cornelius	C6409TRE ↗	TRE	104	221.2	13.7	0	28.2	863	3
Prairie Hybrids	4556 ↗	CONV	106	220.0	13.2	0	27.6	858	4
Augusta	A3152-PWE ↗	PCE	102	218.7	11.3	0	28.6	853	5
Hoegemeyer	7485PCE ↗	PCE	104	216.2	10.8	0	27.6	843	6
Renk	RK630TRE ↗	TRE	102	214.8	12.5	0	26.6	838	7
Prairie Hybrids	2311 ↗	CONV	103	214.0	12.5	0	27.2	835	8
Prairie Hybrids	4470 ↗	CONV	106	213.6	11.7	0	27.6	833	9
Augusta	A3255-D-EZ ↗	D	105	212.5	14.9	0	26.9	829	10
Epley	E1540 ↗	CONV	105	211.7	11.2	0	28.2	826	11
FS InVision	FS 5552F RIB ↗	VT4P	105	211.3	11.5	0	27.9	824	12
FS InVision	FS 5158V RIB ↗	VT2P	101	210.3	12.3	0	27.2	820	13
FS InVision	FS 5159PC RA ↗	PCE	101	209.5	11.2	0	27.9	817	14
Hoegemeyer	7156PCE ↗	PCE	101	209.2	11.9	0	26.9	816	15
Wyffels	W4487 ↗	VT4P	106	208.3	11.9	0	27.6	812	16
Augusta	A2252-D ↗	D	102	207.3	12.4	0	26.2	808	17
Wyffels	W3654 ↗	PCE	104	207.2	12.1	0	27.6	808	18
Jacobsen	JS0593PCE ↗	PCE	105	206.6	12.2	0	27.6	806	19
Epley	E1450 ↗	CONV	104	203.4	12.1	0	26.9	793	20
Titan Pro	46-03 PCE ↗	PCE	103	202.8	11.2	0	26.6	791	21
Titan Pro	44-06 PCE ↗	PCE	106	202.7	11.8	0	27.9	791	22
Augusta	A2356-CONV ↗	CONV	106	201.4	12.0	0	27.9	785	23
DeKalb	DKC103-63RIB GC ↗	STXP	103	200.7	12.2	0	27.9	783	24
Viking Blue River	72-06 ↗	CONV	106	200.6	12.6	0	28.2	782	25
FS InVision	FS 5555P RIB ↗	STXP	105	197.3	12.0	0	27.6	769	26
Augusta	A2355-CONV ↗	CONV	105	196.7	11.1	0	27.2	767	27
Jacobsen	JS0414PCE ↗	PCE	104	196.3	11.8	0	27.2	766	28
Miller Hybrids	M06-96 ↗	CONV	106	196.0	12.4	0	27.2	764	29
Miller Hybrids	M06-46 ↗	CONV	106	195.5	11.8	0	26.9	762	30
DEKALB	DKC101-33RIB CK	STXP	101	183.2	10.8	0	27.2	714	40
				Averages =	201.3	11.9	27.5	785	
				LSD (0.10) =	9.2	0.4	ns		
				LSD (0.25) =	4.8	0.2	ns		
				C.V. =	4.3				
				Historic yield: 215.37 bu/a, 13 yr(s)					

Nick Hoffman

nick.hoffman@firstseedtests.com, (308) 730-7503

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.3

Drying = \$0.042

Prices: GMO = \$3.90

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Apex Custom Research Enterprises (ACRE)
Clearwater, NE

2025 Corn Grain Top 30 Harvest Report

Iowa Northwest [IANW] MOORLAND, IA

Jeff Loehr, Webster County, IA 50566

Full-Season Test	107 - 111 Day CRM B2025IANW01b
Top 30 of 42	For Gross Income (Sorted by Yield) Average of (3) Replications
PREV. CROP/HERB:	Soybeans / Perpetuo, Hero
SOIL DESCRIPTION:	Canisteo clay loam, poorly drained, non-irrigated
SOIL CONDITION:	Minimum W/O Fall Till, 5.57 pH, 4.18% OM, 18.32 CEC, medium P, medium K, low S, mod. B, mod. Zn
PEST MANAGEMENT:	Maverick, Capreno, Atrazine
FERTILITY - Applied N:	196 Spring, Maneuver (Biological Foliar)
Applied N-P-K (units):	196-39-46
SEEDED - RATE - ROW:	May 7 32.0 /A 30" spacing
HARVESTED - STAND:	Oct 3 27.5 /A
PEST & DISEASE RISK:	Rootworm, Diplodia Ear Rot, Maize White Spot*

TEST COMMENTS:

This field started out with uniform emergence. Prior to pollination, plants were looking very strong and healthy. Adequate amounts of precipitation throughout the remainder of the season followed. With good plant health at pollination and other considerations, no fungicide was applied here. Much to the surprise of the area farmers, yields did not top out near 2024 levels, attributed to the onset of southern rust and other fungal pathogens. This was evident in the drier moisture content of the grain at harvest. Stalk quality remained acceptable, and standability ratings were negligible. The overall average yield of this plot matched the yield of the surrounding field.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income \$/Acre	Rank
Wyffels	W6505RIB ↗	TRE	110	250.3	15.6	0	26.6	970	1
DeKalb	DKC107-69RIB GC ↗	TRE	107	239.2	15.1	0	27.2	932	2
Integra	5775 VT2PRIB ↗	VT2P	107	235.1	14.6	0	27.6	917	3
FS InVision	FS 5947T RIB ↗	TRE	109	233.6	16.2	0	27.6	899	4
Titan Pro	53-09 SSP ↗	STXP	109	222.5	14.0	0	27.6	868	5
Augusta	A2357-V ↗	V	107	221.3	14.7	0	26.6	863	6
DeKalb	DKC110-10RIB GC ↗	STX	110	221.1	14.5	0	27.6	862	7
Cornelius	C6900 ↗	CONV	109	220.5	15.9	0	27.9	852	10
Jacobsen	JS0905PCE ↗	PCE	109	219.1	13.1	0	27.6	854	8
Prairie Hybrids	6436 ↗	CONV	111	218.6	12.8	0	27.6	853	9
Prairie Hybrids	6251 ↗	CONV	109	218.1	13.7	0	27.9	851	11
Integra	5802 VT2PRIB ↗	VT2P	108	215.0	12.6	0	28.2	838	12
Cornelius	C7164 ↗	CONV	111	214.6	13.4	0	27.2	837	13
Miller Hybrids	M09-63 ↗	CONV	109	211.5	12.6	0	28.2	825	14
Hoegemeyer	7700PCE ↗	PCE	107	211.4	11.6	0	28.6	824	15
Pioneer	P0953AM GC ↗	AM	109	210.8	14.7	0	27.9	822	16
Wyffels	W5129 ↗	STXP	108	210.5	11.7	0	27.2	821	17
Cornelius	C7130SSP ↗	STXP	111	210.4	13.4	0	27.6	821	18
Prairie Hybrids	6755 ↗	CONV	110	210.3	12.7	0	27.6	820	19
FS InVision	FS 6042F RIB ↗	VT4P	110	207.6	12.6	0	28.9	810	20
Cornelius	C7120TRE ↗	TRE	111	207.4	13.6	0	27.2	809	21
Jacobsen	JS1274PCE ↗	PCE	111	205.8	16.1	0	26.9	793	25
Wyffels	W6479RIB ↗	STXP	110	204.5	13.6	0	27.6	798	22
FS InVision	FS 6133VDG RIB ↗	VT2PDG	111	203.8	14.6	0	26.2	795	23
Jacobsen	JS0815TRE ↗	TRE	108	203.6	13.5	0	28.2	794	24
Titan Pro	59-08 PCE ↗	PCE	108	202.7	12.6	0	28.9	791	26
FS InVision	FS 6157T RIB ↗	TRE	111	202.6	13.7	0	27.2	790	27
Jacobsen	JS1025TRE ↗	TRE	110	201.8	14.7	0	27.9	787	29
Hoegemeyer	8039V ↗	VE	110	201.1	12.7	0	27.2	784	30
Viking Blue River	76-11 ↗	CONV	111	200.3	12.1	0	27.6	781	31
PIONEER	P1185AM CK	AM	111	202.3	15.1	0	27.2	788	28
				Averages = 208.3	13.4		27.5	811	
				LSD (0.10) = 9.9	0.5	ns			
				LSD (0.25) = 5.2	0.3	ns			
				C.V. = 4.5					
				Historic yield: 215.37 bu/a, 13 yr(s)					

Nick Hoffman

nick.hoffman@firstseedtests.com, (308) 730-7503

Yield & Income Factors:

Base Moisture = 15.0%

Shrink = 1.3

Drying = \$0.042

Prices: GMO = \$3.90

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. Earthoptics used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at www.firstseedtests.com.

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.


Report Date: 10/03/2025

Additional reports available at www.firstseedtests.com

2025 Corn - Iowa Northwest [IANW]

Weather Conditions Summary at MOORLAND, IA


Weather Data Retrieved: 10/03/2025




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


Macronutrients



Micronutrients




Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

2025 Corn - Iowa Northwest [IANW]

Ultra Early-Season Test Products (18 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2246-CONV	CONV	N	96	CM,C5
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Hoegemeyer	6653V	VE	Y	96	Lum, L1
Hoegemeyer	6965V	VE	Y	99	Lum, L1
Jacobsen	JS0034SS	STX	Y	100	F,I
Jacobsen	JS0083VT2P	VT2P	Y	100	F,I
Jacobsen	JS0114	VT2P	Y	100	F,I
Jacobsen	JS9704	PCE	Y	97	F,I
Jacobsen	JS9762 VT2P	VT2P	Y	96	F,I
Pioneer	P9955Q	QR	Y	99	Lum, L1
Renk	RK579DGV2P	VT2PDG	Y	99	AC,P2
Renk	RK583PCE	PCE	Y	99	Lum
Renk	RK586VT4PRO	VT4P	N	99	AC,P5V,EDC-EL
Titan Pro	48-99 PCE	PCE	Y	99	CM,C2,Vi,Va
Viking Blue River	73-97	CONV	N	97	CM,C2
Wyffels	W1869RIB	STXP	Y*	97	CM,C2,Vi,Va
Wyffels	W1996RIB	VT2P	Y*	98	CM,C2,Vi,Va
Wyffels	W2386RIB	VT2P	Y*	100	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2025 Corn - Iowa Northwest [IANW]

Early-Season Test Products (45 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2252-D	D	Y*	102	CM,C2
Augusta	A2355-CONV	CONV	N	105	CM,C5
Augusta	A2356-CONV	CONV	N	106	CM,C5
Augusta	A3152-PWE	PCE	N	102	CM,C5
Augusta	A3255-D-EZ	D	Y	105	CM,C5
Cornelius	C6204	CONV	N	102	CM,C2,Vi,Va
Cornelius	C6262PCE	PCE	N	102	AC,P5V,Va
Cornelius	C6322	CONV	N	103	F,I
Cornelius	C6409TRE	TRE	N	104	AC,P5V,EDC-EL
Cornelius	C6618PCE	PCE	N	106	CM,C2,Vi,Va
DeKalb	DKC101-33RIB	STXP	Y	101	AC,P5V,EDC-EL
DeKalb	DKC103-63RIB	STXP	Y	103	AC,P5V,EDC-EL
DeKalb	DKC106-98RIB	VT4P	Y	106	AC,P1V,EDC-EL
Epley	E1340	CONV	N	103	Vi5
Epley	E1450	CONV	N	104	Vi5
Epley	E1540	CONV	N	105	Vi5
FS InVision	FS 5158V RIB	VT2P	Y	101	AC,P5V,EDC-EL
FS InVision	FS 5159PC RA	PCE	Y	101	CM,C2,Vi,Va
FS InVision	FS 5335P RIB	STXP	Y	103	P5V
FS InVision	FS 5552F RIB	VT4P	Y	105	AC,P5V,EDC-EL
FS InVision	FS 5555P RIB	STXP	Y	105	AC,P5V,EDC-EL
Hoegemeyer	7156PCE	PCE	Y	101	Lum, L1
Hoegemeyer	7485PCE	PCE	Y	104	Lum, L1
Jacobsen	JS0203TRE	TRE	N	102	F,I
Jacobsen	JS0375PCE	PCE	N	103	F,I
Jacobsen	JS0414PCE	PCE	Y	104	F,I
Jacobsen	JS0593PCE	PCE	Y	105	F,I
Jacobsen	JS0655PCE	PCE	N	106	F,I
Miller Hybrids	M04-22	CONV	N	104	CM,CRM
Miller Hybrids	M06-46	CONV	N	106	CM,Vi,Va,CRM
Miller Hybrids	M06-96	CONV	N	106	CM,Va,CRM
Prairie Hybrids	2311	CONV	N	103	AC,P5V,EDC-B
Prairie Hybrids	4470	CONV	N	106	LumPro P2
Prairie Hybrids	4556	CONV	N	106	LumPro P2
Renk	RK630TRE	TRE	N	102	AC,P2
Renk	RK6545PCE	PCE	N	102	Lum

Company/Brand	Brand/Product	Technology	RIB	RM	Seed Treat.
Renk	RK7577TRE	TRE	N	104	AC,P2
Titan Pro	44-06 PCE	PCE	Y	106	CM,C2,Vi,Va
Titan Pro	46-03 PCE	PCE	Y	103	CM,C2,Vi,Va
Viking Blue River	49-05	CONV	U	105	CM,C2
Viking Blue River	72-06	CONV	N	106	CM,C2
Wyffels	W3309RIB	STXP	Y*	103	CM,C2,Vi,Va
Wyffels	W3654	PCE	N	104	CM,C2,Vi,Va
Wyffels	W4487	VT4P	N	106	CM,C2,Vi,Va
Wyffels	W4514	PCE	N	106	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2025 Corn - Iowa Northwest [IANW]

Full-Season Test Products (42 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
AgriGold	A641-26V	V	N	111	AGM
Augusta	A2357-V	V	N	107	CM,C2
Cornelius	C6900	CONV	N	109	CM,C2,Vi,Va
Cornelius	C7120TRE	TRE	N	111	AC,P5V,EDC-EL
Cornelius	C7130SSP	STXP	N	111	AC,P5V,EDC-EL
Cornelius	C7164	CONV	N	111	AC,P5V,Va
DeKalb	DKC107-69RIB	TRE	Y	107	AC,P5V,EDC-EL
DeKalb	DKC108-64RIB	STXP	Y	108	AC,P5V,EDC-EL
DeKalb	DKC110-10RIB	STX	Y	110	AC,P5V,EDC-EL
FS InVision	FS 5947T RIB	TRE	Y	109	AC,P5V,Va
FS InVision	FS 5949PC RA	PCE	Y	109	AC,P5V,Va
FS InVision	FS 6042F RIB	VT4P	Y	110	AC,P5V,Va
FS InVision	FS 6133VDG RIB	VT2PDG	Y	111	AC,P5V
FS InVision	FS 6157T RIB	TRE	Y	111	AC,P2
Hoegemeyer	7700PCE	PCE	Y	107	Lum, L1
Hoegemeyer	8039V	VE	Y	110	Lum, L1
Integra	5775 VT2PRIB	VT2P	Y	107	AC,P5V,SU
Integra	5802 VT2PRIB	VT2P	Y	108	AC,P5V,SU
Integra	5935 PCE	PCE	Y	109	AC,P5V,SU
Jacobsen	JS0815TRE	TRE	N	108	F,I
Jacobsen	JS0905PCE	PCE	N	109	F,I
Jacobsen	JS1025TRE	TRE	N	110	F,I
Jacobsen	JS1074PCE	PCE	N	110	F,I
Jacobsen	JS1274PCE	PCE	Y	111	F,I
Miller Hybrids	M08-87	CONV	N	108	CM,Va,CRM
Miller Hybrids	M09-63	CONV	N	109	CM,Va,CRM
Miller Hybrids	M11-66	CONV	N	111	Lum,CRM
Pioneer	P0953AM	AM	Y	109	Lum, L1
Pioneer	P1185AM	AM	Y	111	Lum, L1
Prairie Hybrids	6251	CONV	N	109	LumPro P2
Prairie Hybrids	6436	CONV	N	111	LumPro P2
Prairie Hybrids	6755	CONV	N	110	LumPro P2
Renk	RK7590SSPRO	STXP	N	109	AC,P5V,EDC-EL
Renk	RK785PCE	PCE	N	109	Lum
Titan Pro	53-09 SSP	STXP	Y	109	CM,C2,Vi,Va
Titan Pro	59-08 PCE	PCE	Y	108	CM,C2,Vi,Va

Company/Brand	Brand/Product	Technology	RIB	RM	Seed Treat.
Viking Blue River	75-07	CONV	N	107	CM,C2
Viking Blue River	76-11	CONV	N	111	CM,C2
Wyffels	W5129	STXP	N	108	P5V
Wyffels	W5684	PCE	N	108	CM,C2,Vi,Va
Wyffels	W6479RIB	STXP	Y*	110	CM,C2,Vi,Va
Wyffels	W6505RIB	TRE	Y*	110	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

[^] Innotech™ brand seed is distributed by Rob-See-Co, LLC. Power Plus® brand seed is distributed by Burrus. Innotech™ is a trademark of Syngenta. Power Plus® is a registered trademark of Corteva Agriscience.

CK Identifies a check product included in early- and full-season tests.

GC Grower Comparison product included by FIRST when space permits.

Corn Technologies

AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
AM	Optimum® AcreMax®
CONV	Conventional
D	Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122
PCE	PowerCore® Enlist®
QR	Qrome®
STX	SmartStax®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT2P	VT Double PRO®
VT2PDG	DroughtGard® with VT Double PRO®
VT4P	VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

NA	Not Available
AC,P1V,EDC-EL	Acceleron® ELITE Poncho 1250/Votivo with Enhanced Disease Control
AC,P2	Acceleron® 250
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-B	Acceleron® BASIC Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,SU	Acceleron® Poncho 500/Votivo, StepUp
AC,P5V,Va	Acceleron® Poncho 500/Votivo, Vayantis®
AGM	AgriShield Max
CM,C2	CruiserMaxx® 250
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
CM,CRM	Cruiser,CeraMax - I,B
CM,Va,CRM	Cruiser,Vayantis,CeraMax-F,I,B
CM,Vi,Va,CRM	Cruiser Vibrance, Vayantis,CeraMax - F,I,B
F,I	Fungicide, Insecticide
Lum	LumiGEN™ (Corteva Agriscience)
Lum,CRM	Lumiscend Pro,Lumialza,R1,CeraMax-F,I,B
Lum, L1	LumiGEN, Lumisure 1250
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematocide
P5V	Poncho 500/Votivo
Vi5	Vibrance® Cinco

* Seed treatments may include unspecified plant health promoting components.