

Test by: Apex Custom Research Enterprises (ACRE)  
Clearwater, NE

## 2025 Corn Grain Top 30 Harvest Report

Iowa Northwest [IANW] ALBERT CITY, IA  
Colleen Miller, Buena Vista County, IA

|                                 |                                                                                                      |
|---------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Ultra Early-Season Test</b>  | <b>95 - 100 Day CRM</b><br>B2025IANW03u                                                              |
| <b>Top 18 of 18</b>             | For Gross Income<br>(Sorted by Yield)<br>Average of (3) Replications                                 |
| <b>PREV. CROP/HERB:</b>         | Soybeans / Zidua, 2-4d,<br>Roundup, Outlook, Interline,<br>Enlist, Glyphex                           |
| <b>SOIL DESCRIPTION:</b>        | Nicollet clay loam, mod. poorly<br>drained, non-irrigated                                            |
| <b>SOIL CONDITION:</b>          | Conventional W/ Fall Till, 6.4 pH,<br>6.33% OM, 21.78 CEC, high P,<br>high K, low S, high B, high Zn |
| <b>PEST MANAGEMENT:</b>         | Volley Atz Lite, Bellum, Atrazine<br>4l, Laudis, Veltyma                                             |
| <b>FERTILITY - Applied N:</b>   | 31 Fall, 211 Spring, 23<br>Sidedress                                                                 |
| <b>Applied N-P-K (units):</b>   | 265-228-126                                                                                          |
| <b>SEEDED - RATE - ROW:</b>     | May 9 32.0 /A 30" spacing                                                                            |
| <b>HARVESTED - STAND:</b>       | Oct 17 28.1 /A                                                                                       |
| <b>PEST &amp; DISEASE RISK:</b> | Pythium*                                                                                             |

### TEST COMMENTS:

*With good fertility, crop protection, and adequate precipitation, this year Colleen's farm came close to achieving the yields observed in last year's trial. Given the pressure from southern rust and black tar spot, the timely application of an aerial fungicide did its work, enabling the plants to finish out strong with good standability, full ears, and nice yields.*

Report Date: 10/18/2025

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

| Company/Brand       | Product/Brand | Technol.† | RM  | Yield<br>Bu/A ↓                       | Moisture<br>% | Lodging<br>% | Stand<br>(x 1000) | Gross Income<br>\$/Acre | Rank |
|---------------------|---------------|-----------|-----|---------------------------------------|---------------|--------------|-------------------|-------------------------|------|
| Jacobsen            | JS0034SS ↗    | STX       | 100 | <b>234.4</b>                          | 15.7          | 0            | 28.2              | 907                     | 2    |
| Augusta             | A3048-AA-EZ ↗ | AA        | 98  | <b>234.1</b>                          | 14.6          | 0            | 28.2              | 913                     | 1    |
| Hoegemeyer          | 6965V ↗       | VE        | 99  | <b>231.8</b>                          | 13.7          | 0            | 28.2              | 904                     | 3    |
| Jacobsen            | JS0114 ↗      | VT2P      | 100 | <b>228.6</b>                          | 14.2          | 0            | 27.9              | 892                     | 4    |
| Wyffels             | W2386RIB ↗    | VT2P      | 100 | <b>228.3</b>                          | 14.2          | 0            | 27.9              | 890                     | 5    |
| Wyffels             | W1996RIB ↗    | VT2P      | 98  | 225.0                                 | 13.8          | 0            | 28.2              | 878                     | 6    |
| Renk                | RK579DGV2P ↗  | VT2PDG    | 99  | 223.1                                 | 14.3          | 0            | 28.6              | 870                     | 7    |
| Jacobsen            | JS9762 VT2P ↗ | VT2P      | 96  | 222.6                                 | 14.9          | 0            | 27.9              | 868                     | 8    |
| Hoegemeyer          | 6653V ↗       | VE        | 96  | 216.9                                 | 14.1          | 0            | 27.9              | 846                     | 9    |
| Wyffels             | W1869RIB ↗    | STXP      | 97  | 214.0                                 | 14.4          | 0            | 28.2              | 835                     | 10   |
| Renk                | RK583PCE ↗    | PCE       | 99  | 209.9                                 | 14.4          | 0            | 27.9              | 819                     | 11   |
| Jacobsen            | JS0083VT2P ↗  | VT2P      | 100 | 209.2                                 | 13.9          | 0            | 28.6              | 816                     | 12   |
| Jacobsen            | JS9704 ↗      | PCE       | 97  | 208.4                                 | 13.8          | 0            | 27.9              | 813                     | 13   |
| Titan Pro           | 48-99 PCE ↗   | PCE       | 99  | 208.2                                 | 14.7          | 0            | 28.2              | 812                     | 14   |
| Renk                | RK586VT4PRO ↗ | VT4P      | 99  | 207.1                                 | 14.6          | 0            | 28.2              | 808                     | 15   |
| Pioneer             | P9955Q GC ↗   | QR        | 99  | 202.9                                 | 15.0          | 0            | 28.2              | 791                     | 16   |
| Viking   Blue River | 73-97 ↗       | CONV      | 97  | 191.1                                 | 13.8          | 0            | 27.9              | 745                     | 17   |
| Augusta             | A2246-CONV ↗  | CONV      | 96  | 176.8                                 | 13.7          | 0            | 27.9              | 690                     | 18   |
|                     |               |           |     | <b>Averages = 215.1</b>               | <b>14.3</b>   |              | <b>28.1</b>       | <b>839</b>              |      |
|                     |               |           |     | <b>LSD (0.10) =</b>                   | 12.7          | 0.4          | ns                |                         |      |
|                     |               |           |     | <b>LSD (0.25) =</b>                   | 6.6           | 0.2          | ns                |                         |      |
|                     |               |           |     | <b>C.V. =</b>                         | 5.5           |              |                   |                         |      |
|                     |               |           |     | Historic yield: 222.89 bu/a, 10 yr(s) |               |              |                   |                         |      |

Nick Hoffman

[nick.hoffman@firstseedtests.com](mailto:nick.hoffman@firstseedtests.com), (308) 730-7503

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.042 Prices: GMO = \$3.90

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. \*[Earthoptics](http://Earthoptics.com) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com).

Test by: Apex Custom Research Enterprises (ACRE)  
Clearwater, NE

## 2025 Corn Grain Top 30 Harvest Report

Iowa Northwest [IANW] ALBERT CITY, IA  
Colleen Miller, Buena Vista County, IA

|                                 |                                                                                                      |
|---------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Early-Season Test</b>        | <b>101 - 106</b> Day CRM<br>B2025IANW03a                                                             |
| <b>Top 30 of 45</b>             | For Gross Income<br>(Sorted by Yield)<br>Average of (3) Replications                                 |
| <b>PREV. CROP/HERB:</b>         | Soybeans / Zidua, 2-4d,<br>Roundup, Outlook, Interline,<br>Enlist, Glyphex                           |
| <b>SOIL DESCRIPTION:</b>        | Nicollet clay loam, mod. poorly<br>drained, non-irrigated                                            |
| <b>SOIL CONDITION:</b>          | Conventional W/ Fall Till, 6.4 pH,<br>6.33% OM, 21.78 CEC, high P,<br>high K, low S, high B, high Zn |
| <b>PEST MANAGEMENT:</b>         | Volley Atz Lite, Bellum, Atrazine<br>4l, Laudis, Veltyma                                             |
| <b>FERTILITY - Applied N:</b>   | 31 Fall, 211 Spring, 23<br>Sidedress                                                                 |
| <b>Applied N-P-K (units):</b>   | 265-228-126                                                                                          |
| <b>SEEDED - RATE - ROW:</b>     | May 9 32.0 /A 30" spacing                                                                            |
| <b>HARVESTED - STAND:</b>       | Oct 17 28.1 /A                                                                                       |
| <b>PEST &amp; DISEASE RISK:</b> | Pythium*                                                                                             |

### TEST COMMENTS:

With good fertility, crop protection, and adequate precipitation, this year Colleen's farm came close to achieving the yields observed in last year's trial. Given the pressure from southern rust and black tar spot, the timely application of an aerial fungicide did its work, enabling the plants to finish out strong with good standability, full ears, and nice yields.

| Company/Brand       | Product/Brand     | Technol.† | RM  | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------------|-------------------|-----------|-----|--------------|------------|-----------|----------------|----------------------|------|
| Wyffels             | W4487 ↗           | VT4P      | 106 | <b>247.8</b> | 15.5       | 0         | 28.6           | 962                  | 1    |
| Prairie Hybrids     | 4470 ↗            | CONV      | 106 | <b>246.3</b> | 17.1       | 0         | 28.2           | 939                  | 5    |
| FS InVision         | FS 5552F RIB ↗    | VT4P      | 105 | <b>245.6</b> | 15.5       | 0         | 27.9           | 953                  | 2    |
| Titan Pro           | 46-03 PCE ↗       | PCE       | 103 | <b>241.6</b> | 14.8       | 0         | 27.9           | 942                  | 3    |
| Augusta             | A3152-PWE ↗       | PCE       | 102 | <b>241.3</b> | 14.8       | 0         | 28.2           | 941                  | 4    |
| Jacobsen            | JS0593PCE ↗       | PCE       | 105 | <b>240.1</b> | 17.0       | 0         | 27.9           | 916                  | 8    |
| Jacobsen            | JS0203TRE ↗       | TRE       | 102 | <b>238.5</b> | 16.5       | 0         | 27.9           | 915                  | 9    |
| FS InVision         | FS 5335P RIB ↗    | STXP      | 103 | 236.3        | 14.3       | 0         | 27.9           | 922                  | 6    |
| Hoegemeyer          | 7156PCE ↗         | PCE       | 101 | 236.1        | 14.9       | 0         | 28.2           | 921                  | 7    |
| DeKalb              | DKC103-63RIB GC ↗ | STXP      | 103 | 235.5        | 17.2       | 0         | 28.2           | 897                  | 16   |
| Renk                | RK630TRE ↗        | TRE       | 102 | 235.5        | 15.7       | 0         | 27.9           | 912                  | 10   |
| Viking   Blue River | 72-06 ↗           | CONV      | 106 | 235.2        | 17.1       | 0         | 27.9           | 897                  | 17   |
| Cornelius           | C6409TRE ↗        | TRE       | 104 | 234.3        | 16.4       | 0         | 28.6           | 900                  | 14   |
| Jacobsen            | JS0655PCE ↗       | PCE       | 106 | 234.3        | 15.6       | 0         | 27.9           | 908                  | 11   |
| Prairie Hybrids     | 4556 ↗            | CONV      | 106 | 232.3        | 16.5       | 0         | 28.2           | 892                  | 18   |
| Wyffels             | W4514 ↗           | PCE       | 106 | 232.1        | 15.6       | 0         | 27.9           | 900                  | 15   |
| Hoegemeyer          | 7485PCE ↗         | PCE       | 104 | 232.1        | 15.3       | 0         | 27.9           | 902                  | 12   |
| Wyffels             | W3309RIB ↗        | STXP      | 103 | 231.3        | 14.1       | 0         | 28.2           | 902                  | 13   |
| Miller Hybrids      | M06-46 ↗          | CONV      | 106 | 230.6        | 16.2       | 0         | 27.9           | 888                  | 20   |
| Cornelius           | C6618PCE ↗        | PCE       | 106 | 230.3        | 16.0       | 0         | 27.9           | 888                  | 21   |
| Augusta             | A2355-CONV ↗      | CONV      | 105 | 229.3        | 16.5       | 0         | 27.9           | 880                  | 26   |
| Augusta             | A2252-D ↗         | D         | 102 | 228.7        | 15.9       | 0         | 27.9           | 884                  | 23   |
| FS InVision         | FS 5158V RIB ↗    | VT2P      | 101 | 227.8        | 14.5       | 0         | 27.9           | 888                  | 22   |
| Augusta             | A2356-CONV ↗      | CONV      | 106 | 227.6        | 15.8       | 0         | 28.2           | 880                  | 27   |
| Cornelius           | C6322 ↗           | CONV      | 103 | 226.7        | 14.4       | 0         | 27.9           | 884                  | 24   |
| Epley               | E1450 ↗           | CONV      | 104 | 225.8        | 15.0       | 0         | 27.9           | 881                  | 25   |
| FS InVision         | FS 5159PC RA ↗    | PCE       | 101 | 225.5        | 14.8       | 0         | 27.9           | 879                  | 28   |
| Augusta             | A3255-D-EZ ↗      | D         | 105 | 224.2        | 15.6       | 0         | 27.9           | 869                  | 31   |
| Wyffels             | W3654 ↗           | PCE       | 104 | 223.9        | 14.9       | 0         | 27.9           | 873                  | 29   |
| Epley               | E1340 ↗           | CONV      | 103 | 223.6        | 14.1       | 0         | 28.2           | 872                  | 30   |
| DEKALB              | DKC101-33RIB CK   | STXP      | 101 | 228.5        | 14.0       | 0         | 27.9           | 891                  | 19   |



Nick Hoffman

nick.hoffman@firstseedtests.com, (308) 730-7503

Averages = **228.4** **15.4** **28.1** **884**

LSD (0.10) = 9.4 0.6 ns

LSD (0.25) = 4.9 0.3 ns

C.V. = 3.9

Historic yield: 222.89 bu/a, 10 yr(s)

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.042 Prices: GMO = \$3.90

Report Date: 10/18/2025

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. \*[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com).

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Test by: Apex Custom Research Enterprises (ACRE)  
Clearwater, NE

## 2025 Corn Grain Top 30 Harvest Report

Iowa Northwest [IANW] ALBERT CITY, IA  
Colleen Miller, Buena Vista County, IA

|                                 |                                                                                                      |
|---------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Full-Season Test</b>         | <b>107 - 111</b> Day CRM<br>B2025IANW03b                                                             |
| <b>Top 30 of 42</b>             | For Gross Income<br>(Sorted by Yield)<br>Average of <b>(3)</b> Replications                          |
| <b>PREV. CROP/HERB:</b>         | Soybeans / Zidua, 2-4d,<br>Roundup, Outlook, Interline,<br>Enlist, Glyphex                           |
| <b>SOIL DESCRIPTION:</b>        | Nicollet clay loam, mod. poorly<br>drained, non-irrigated                                            |
| <b>SOIL CONDITION:</b>          | Conventional W/ Fall Till, 6.4 pH,<br>6.33% OM, 21.78 CEC, high P,<br>high K, low S, high B, high Zn |
| <b>PEST MANAGEMENT:</b>         | Volley Atz Lite, Bellum, Atrazine<br>4l, Laudis, Veltyma                                             |
| <b>FERTILITY - Applied N:</b>   | 31 Fall, 211 Spring, 23<br>Sidedress                                                                 |
| <b>Applied N-P-K (units):</b>   | 265-228-126                                                                                          |
| <b>SEEDED - RATE - ROW:</b>     | May 9 32.0 /A 30" spacing                                                                            |
| <b>HARVESTED - STAND:</b>       | Oct 17 28.1 /A                                                                                       |
| <b>PEST &amp; DISEASE RISK:</b> | Pythium*                                                                                             |

### TEST COMMENTS:

*With good fertility, crop protection, and adequate precipitation, this year Colleen's farm came close to achieving the yields observed in last year's trial. Given the pressure from southern rust and black tar spot, the timely application of an aerial fungicide did its work, enabling the plants to finish out strong with good standability, full ears, and nice yields.*

| Company/Brand       | Product/Brand     | Technol.† | RM  | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income \$/Acre | Rank |
|---------------------|-------------------|-----------|-----|--------------|------------|-----------|----------------|----------------------|------|
| Wyffels             | W5129 ↗           | STXP      | 108 | <b>255.8</b> | 16.6       | 0         | 27.9           | 980                  | 1    |
| Hoegemeyer          | 7700PCE ↗         | PCE       | 107 | <b>244.6</b> | 15.3       | 0         | 28.2           | 951                  | 2    |
| FS InVision         | FS 6133VDG RIB ↗  | VT2PDG    | 111 | <b>243.5</b> | 16.8       | 0         | 28.2           | 931                  | 3    |
| Wyffels             | W6505RIB ↗        | TRE       | 110 | 238.2        | 17.3       | 0         | 28.2           | 906                  | 7    |
| Pioneer             | P0953AM GC ↗      | AM        | 109 | 238.1        | 17.4       | 0         | 27.9           | 905                  | 8    |
| FS InVision         | FS 5949PC RA ↗    | PCE       | 109 | 237.9        | 15.9       | 0         | 28.6           | 919                  | 4    |
| Cornelius           | C6900 ↗           | CONV      | 109 | 237.6        | 17.2       | 0         | 27.9           | 904                  | 9    |
| FS InVision         | FS 5947T RIB ↗    | TRE       | 109 | 237.3        | 18.0       | 0         | 28.6           | 896                  | 13   |
| Prairie Hybrids     | 6436 ↗            | CONV      | 111 | 237.2        | 16.2       | 0         | 28.2           | 913                  | 5    |
| Jacobsen            | JS1274PCE ↗       | PCE       | 111 | 236.8        | 17.3       | 0         | 27.9           | 901                  | 11   |
| Augusta             | A2357-V ↗         | V         | 107 | 235.8        | 17.8       | 0         | 27.9           | 892                  | 15   |
| Titan Pro           | 59-08 PCE ↗       | PCE       | 108 | 234.9        | 16.2       | 0         | 27.9           | 904                  | 10   |
| Hoegemeyer          | 8039V ↗           | VE        | 110 | 233.9        | 15.4       | 0         | 28.2           | 909                  | 6    |
| Prairie Hybrids     | 6251 ↗            | CONV      | 109 | 232.5        | 16.6       | 0         | 27.9           | 891                  | 16   |
| Jacobsen            | JS0905PCE ↗       | PCE       | 109 | 232.3        | 15.8       | 0         | 27.9           | 898                  | 12   |
| FS InVision         | FS 6042F RIB ↗    | VT4P      | 110 | 231.5        | 16.4       | 0         | 28.6           | 889                  | 17   |
| DeKalb              | DKC110-10RIB GC ↗ | STX       | 110 | 231.4        | 17.7       | 0         | 27.9           | 876                  | 19   |
| Renk                | RK7590SSPRO ↗     | STXP      | 109 | 230.1        | 15.3       | 0         | 27.9           | 895                  | 14   |
| Integra             | 5775 VT2PRIB ↗    | VT2P      | 107 | 228.3        | 17.0       | 0         | 28.2           | 872                  | 22   |
| Jacobsen            | JS1074PCE ↗       | PCE       | 110 | 226.6        | 16.1       | 0         | 27.9           | 874                  | 20   |
| Miller Hybrids      | M11-66 ↗          | CONV      | 111 | 226.1        | 15.9       | 0         | 28.2           | 873                  | 21   |
| Integra             | 5935 PCE ↗        | PCE       | 109 | 225.9        | 16.3       | 0         | 28.2           | 869                  | 24   |
| Miller Hybrids      | M09-63 ↗          | CONV      | 109 | 225.8        | 16.0       | 0         | 27.9           | 871                  | 23   |
| Wyffels             | W6479RIB ↗        | STXP      | 110 | 224.2        | 17.5       | 0         | 27.9           | 851                  | 29   |
| Jacobsen            | JS0815TRE ↗       | TRE       | 108 | 224.1        | 17.3       | 0         | 27.9           | 853                  | 27   |
| Titan Pro           | 53-09 SSP ↗       | STXP      | 109 | 223.5        | 16.6       | 0         | 27.9           | 856                  | 25   |
| Viking   Blue River | 76-11 ↗           | CONV      | 111 | 223.0        | 17.0       | 0         | 27.9           | 851                  | 30   |
| Renk                | RK785PCE ↗        | PCE       | 109 | 221.7        | 16.3       | 0         | 27.9           | 853                  | 28   |
| Integra             | 5802 VT2PRIB ↗    | VT2P      | 108 | 221.6        | 16.1       | 0         | 27.9           | 854                  | 26   |
| Cornelius           | C7164 ↗           | CONV      | 111 | 219.7        | 16.2       | 0         | 28.6           | 845                  | 31   |
| PIONEER             | P1185AM CK        | AM        | 111 | 230.5        | 17.1       | 0         | 27.9           | 878                  | 18   |



Nick Hoffman

nick.hoffman@firstseedtests.com, (308) 730-7503

Averages = **226.4** **16.6** **28.1** **867**

LSD (0.10) = 13.2 0.7 ns

LSD (0.25) = 6.9 0.4 ns

C.V. = 5.5

Historic yield: 222.89 bu/a, 10 yr(s)

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.3 Drying = \$0.042 Prices: GMO = \$3.90

Report Date: 10/18/2025

Additional reports available at [www.firstseedtests.com](http://www.firstseedtests.com)


† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). **Italicized** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. \*[Earthoptics](#) used for soil conditions and soil-borne disease & pest risks. ↗ Links to full product yield results at [www.firstseedtests.com](http://www.firstseedtests.com).

©2025, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2025 Corn - Iowa Northwest [ IANW ]

Weather Conditions Summary at ALBERT CITY, IA


Weather Data Retrieved: 10/18/2025




\* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes. For information purposes only.


### Macronutrients




### Micronutrients



### Biofertility Analytics



### Below Ground Pest & Disease - Corn



### Above Ground Pest & Disease - Corn



### More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- [Reported Analytics Descriptions](#)
- [Soil Nutrients & Fertility](#)
- [Analytics & Insights](#)
- [EarthOptics](#)

## 2025 Corn - Iowa Northwest [ IANW ]

### Ultra Early-Season Test Products (18 Total)

| Company/Brand       | Product/Brand | Technology | RIB | RM  | Seed Treat.   |
|---------------------|---------------|------------|-----|-----|---------------|
| Augusta             | A2246-CONV    | CONV       | N   | 96  | CM,C5         |
| Augusta             | A3048-AA-EZ   | AA         | Y   | 98  | CM,C5         |
| Hoegemeyer          | 6653V         | VE         | Y   | 96  | Lum, L1       |
| Hoegemeyer          | 6965V         | VE         | Y   | 99  | Lum, L1       |
| Jacobsen            | JS0034SS      | STX        | Y   | 100 | F,I           |
| Jacobsen            | JS0083VT2P    | VT2P       | Y   | 100 | F,I           |
| Jacobsen            | JS0114        | VT2P       | Y   | 100 | F,I           |
| Jacobsen            | JS9704        | PCE        | Y   | 97  | F,I           |
| Jacobsen            | JS9762 VT2P   | VT2P       | Y   | 96  | F,I           |
| Pioneer             | P9955Q        | QR         | Y   | 99  | Lum, L1       |
| Renk                | RK579DGV2P    | VT2PDG     | Y   | 99  | AC,P2         |
| Renk                | RK583PCE      | PCE        | Y   | 99  | Lum           |
| Renk                | RK586VT4PRO   | VT4P       | N   | 99  | AC,P5V,EDC-EL |
| Titan Pro           | 48-99 PCE     | PCE        | Y   | 99  | CM,C2,Vi,Va   |
| Viking   Blue River | 73-97         | CONV       | N   | 97  | CM,C2         |
| Wyffels             | W1869RIB      | STXP       | Y*  | 97  | CM,C2,Vi,Va   |
| Wyffels             | W1996RIB      | VT2P       | Y*  | 98  | CM,C2,Vi,Va   |
| Wyffels             | W2386RIB      | VT2P       | Y*  | 100 | CM,C2,Vi,Va   |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## 2025 Corn - Iowa Northwest [ IANW ]

### Early-Season Test Products (45 Total)

| Company/Brand   | Product/Brand | Technology | RIB | RM  | Seed Treat.   |
|-----------------|---------------|------------|-----|-----|---------------|
| Augusta         | A2252-D       | D          | Y*  | 102 | CM,C2         |
| Augusta         | A2355-CONV    | CONV       | N   | 105 | CM,C5         |
| Augusta         | A2356-CONV    | CONV       | N   | 106 | CM,C5         |
| Augusta         | A3152-PWE     | PCE        | N   | 102 | CM,C5         |
| Augusta         | A3255-D-EZ    | D          | Y   | 105 | CM,C5         |
| Cornelius       | C6204         | CONV       | N   | 102 | CM,C2,Vi,Va   |
| Cornelius       | C6262PCE      | PCE        | N   | 102 | AC,P5V,Va     |
| Cornelius       | C6322         | CONV       | N   | 103 | F,I           |
| Cornelius       | C6409TRE      | TRE        | N   | 104 | AC,P5V,EDC-EL |
| Cornelius       | C6618PCE      | PCE        | N   | 106 | CM,C2,Vi,Va   |
| DeKalb          | DKC101-33RIB  | STXP       | Y   | 101 | AC,P5V,EDC-EL |
| DeKalb          | DKC103-63RIB  | STXP       | Y   | 103 | AC,P5V,EDC-EL |
| DeKalb          | DKC106-98RIB  | VT4P       | Y   | 106 | AC,P1V,EDC-EL |
| Epley           | E1340         | CONV       | N   | 103 | Vi5           |
| Epley           | E1450         | CONV       | N   | 104 | Vi5           |
| Epley           | E1540         | CONV       | N   | 105 | Vi5           |
| FS InVision     | FS 5158V RIB  | VT2P       | Y   | 101 | AC,P5V,EDC-EL |
| FS InVision     | FS 5159PC RA  | PCE        | Y   | 101 | CM,C2,Vi,Va   |
| FS InVision     | FS 5335P RIB  | STXP       | Y   | 103 | P5V           |
| FS InVision     | FS 5552F RIB  | VT4P       | Y   | 105 | AC,P5V,EDC-EL |
| FS InVision     | FS 5555P RIB  | STXP       | Y   | 105 | AC,P5V,EDC-EL |
| Hoegemeyer      | 7156PCE       | PCE        | Y   | 101 | Lum, L1       |
| Hoegemeyer      | 7485PCE       | PCE        | Y   | 104 | Lum, L1       |
| Jacobsen        | JS0203TRE     | TRE        | N   | 102 | F,I           |
| Jacobsen        | JS0375PCE     | PCE        | N   | 103 | F,I           |
| Jacobsen        | JS0414PCE     | PCE        | Y   | 104 | F,I           |
| Jacobsen        | JS0593PCE     | PCE        | Y   | 105 | F,I           |
| Jacobsen        | JS0655PCE     | PCE        | N   | 106 | F,I           |
| Miller Hybrids  | M04-22        | CONV       | N   | 104 | CM,CRM        |
| Miller Hybrids  | M06-46        | CONV       | N   | 106 | CM,Vi,Va,CRM  |
| Miller Hybrids  | M06-96        | CONV       | N   | 106 | CM,Va,CRM     |
| Prairie Hybrids | 2311          | CONV       | N   | 103 | AC,P5V,EDC-B  |
| Prairie Hybrids | 4470          | CONV       | N   | 106 | LumPro P2     |
| Prairie Hybrids | 4556          | CONV       | N   | 106 | LumPro P2     |
| Renk            | RK630TRE      | TRE        | N   | 102 | AC,P2         |
| Renk            | RK6545PCE     | PCE        | N   | 102 | Lum           |

| Company/Brand       | Brand/Product | Technology | RIB | RM  | Seed Treat. |
|---------------------|---------------|------------|-----|-----|-------------|
| Renk                | RK7577TRE     | TRE        | N   | 104 | AC,P2       |
| Titan Pro           | 44-06 PCE     | PCE        | Y   | 106 | CM,C2,Vi,Va |
| Titan Pro           | 46-03 PCE     | PCE        | Y   | 103 | CM,C2,Vi,Va |
| Viking   Blue River | 49-05         | CONV       | U   | 105 | CM,C2       |
| Viking   Blue River | 72-06         | CONV       | N   | 106 | CM,C2       |
| Wyffels             | W3309RIB      | STXP       | Y*  | 103 | CM,C2,Vi,Va |
| Wyffels             | W3654         | PCE        | N   | 104 | CM,C2,Vi,Va |
| Wyffels             | W4487         | VT4P       | N   | 106 | CM,C2,Vi,Va |
| Wyffels             | W4514         | PCE        | N   | 106 | CM,C2,Vi,Va |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## 2025 Corn - Iowa Northwest [ IANW ]

### Full-Season Test Products (42 Total)

| Company/Brand   | Product/Brand  | Technology | RIB | RM  | Seed Treat.   |
|-----------------|----------------|------------|-----|-----|---------------|
| AgriGold        | A641-26V       | V          | N   | 111 | AGM           |
| Augusta         | A2357-V        | V          | N   | 107 | CM,C2         |
| Cornelius       | C6900          | CONV       | N   | 109 | CM,C2,Vi,Va   |
| Cornelius       | C7120TRE       | TRE        | N   | 111 | AC,P5V,EDC-EL |
| Cornelius       | C7130SSP       | STXP       | N   | 111 | AC,P5V,EDC-EL |
| Cornelius       | C7164          | CONV       | N   | 111 | AC,P5V,Va     |
| DeKalb          | DKC107-69RIB   | TRE        | Y   | 107 | AC,P5V,EDC-EL |
| DeKalb          | DKC108-64RIB   | STXP       | Y   | 108 | AC,P5V,EDC-EL |
| DeKalb          | DKC110-10RIB   | STX        | Y   | 110 | AC,P5V,EDC-EL |
| FS InVision     | FS 5947T RIB   | TRE        | Y   | 109 | AC,P5V,Va     |
| FS InVision     | FS 5949PC RA   | PCE        | Y   | 109 | AC,P5V,Va     |
| FS InVision     | FS 6042F RIB   | VT4P       | Y   | 110 | AC,P5V,Va     |
| FS InVision     | FS 6133VDG RIB | VT2PDG     | Y   | 111 | AC,P5V        |
| FS InVision     | FS 6157T RIB   | TRE        | Y   | 111 | AC,P2         |
| Hoegemeyer      | 7700PCE        | PCE        | Y   | 107 | Lum, L1       |
| Hoegemeyer      | 8039V          | VE         | Y   | 110 | Lum, L1       |
| Integra         | 5775 VT2PRIB   | VT2P       | Y   | 107 | AC,P5V,SU     |
| Integra         | 5802 VT2PRIB   | VT2P       | Y   | 108 | AC,P5V,SU     |
| Integra         | 5935 PCE       | PCE        | Y   | 109 | AC,P5V,SU     |
| Jacobsen        | JS0815TRE      | TRE        | N   | 108 | F,I           |
| Jacobsen        | JS0905PCE      | PCE        | N   | 109 | F,I           |
| Jacobsen        | JS1025TRE      | TRE        | N   | 110 | F,I           |
| Jacobsen        | JS1074PCE      | PCE        | N   | 110 | F,I           |
| Jacobsen        | JS1274PCE      | PCE        | Y   | 111 | F,I           |
| Miller Hybrids  | M08-87         | CONV       | N   | 108 | CM,Va,CRM     |
| Miller Hybrids  | M09-63         | CONV       | N   | 109 | CM,Va,CRM     |
| Miller Hybrids  | M11-66         | CONV       | N   | 111 | Lum,CRM       |
| Pioneer         | P0953AM        | AM         | Y   | 109 | Lum, L1       |
| Pioneer         | P1185AM        | AM         | Y   | 111 | Lum, L1       |
| Prairie Hybrids | 6251           | CONV       | N   | 109 | LumPro P2     |
| Prairie Hybrids | 6436           | CONV       | N   | 111 | LumPro P2     |
| Prairie Hybrids | 6755           | CONV       | N   | 110 | LumPro P2     |
| Renk            | RK7590SSPRO    | STXP       | N   | 109 | AC,P5V,EDC-EL |
| Renk            | RK785PCE       | PCE        | N   | 109 | Lum           |
| Titan Pro       | 53-09 SSP      | STXP       | Y   | 109 | CM,C2,Vi,Va   |
| Titan Pro       | 59-08 PCE      | PCE        | Y   | 108 | CM,C2,Vi,Va   |

| Company/Brand       | Brand/Product | Technology | RIB | RM  | Seed Treat. |
|---------------------|---------------|------------|-----|-----|-------------|
| Viking   Blue River | 75-07         | CONV       | N   | 107 | CM,C2       |
| Viking   Blue River | 76-11         | CONV       | N   | 111 | CM,C2       |
| Wyffels             | W5129         | STXP       | N   | 108 | P5V         |
| Wyffels             | W5684         | PCE        | N   | 108 | CM,C2,Vi,Va |
| Wyffels             | W6479RIB      | STXP       | Y*  | 110 | CM,C2,Vi,Va |
| Wyffels             | W6505RIB      | TRE        | Y*  | 110 | CM,C2,Vi,Va |

\* FIRST does not inspect products for refuge blend. N\* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## Footnotes and Abbreviations Descriptions

### Brand Footnotes

---

- CK Identifies a check product included in early- and full-season tests.
- GC Grower Comparison product included by FIRST when space permits.
- ^ Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

### Corn Technologies

---

|        |                                                                  |
|--------|------------------------------------------------------------------|
| AA     | Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120           |
| AM     | Optimum® AcreMax®                                                |
| CONV   | Conventional                                                     |
| D      | Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122 |
| PCE    | PowerCore® Enlist®                                               |
| QR     | Qrome®                                                           |
| STX    | SmartStax®                                                       |
| STXP   | SmartStax® Pro with RNAi Technology                              |
| TRE    | Trecepta®                                                        |
| V      | Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220      |
| VE     | Vorceed™ Enlist®                                                 |
| VT2P   | VT Double PRO®                                                   |
| VT2PDG | DroughtGard® with VT Double PRO®                                 |
| VT4P   | VT4Pro™ with RNAi Technology                                     |

---

NOTE: The refuge component genetics may vary in a refuge blend seed product.

## Corn Seed Treatments\*

---

|               |                                                                                                                    |
|---------------|--------------------------------------------------------------------------------------------------------------------|
| AC,P1V,EDC-EL | Acceleron® ELITE Poncho 1250/Votivo with Enhanced Disease Control                                                  |
| AC,P2         | Acceleron® 250                                                                                                     |
| AC,P5V        | Acceleron® Poncho 500/Votivo                                                                                       |
| AC,P5V,EDC-B  | Acceleron® BASIC Poncho 500/Votivo with Enhanced Disease Control                                                   |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control                                                   |
| AC,P5V,SU     | Acceleron® Poncho 500/Votivo, StepUp                                                                               |
| AC,P5V,Va     | Acceleron® Poncho 500/Votivo, Vayantis®                                                                            |
| AGM           | AgriShield Max                                                                                                     |
| CM,C2         | CruiserMaxx® 250                                                                                                   |
| CM,C2,Vi,Va   | CruiserMaxx® 250 with Vibrance, Vayantis®                                                                          |
| CM,C5         | Cruisermaxx® 500                                                                                                   |
| CM,CRM        | Cruiser,CeraMax - I,B                                                                                              |
| CM,Va,CRM     | Cruiser,Vayantis,CeraMax-F,I,B                                                                                     |
| CM,Vi,Va,CRM  | Cruiser Vibrance, Vayantis,CeraMax - F,I,B                                                                         |
| F,I           | Fungicide, Insecticide                                                                                             |
| Lum           | LumiGEN™ (Corteva Agriscience)                                                                                     |
| Lum,CRM       | Lumiscend Pro,Lumialza,R1,CeraMax-F,I,B                                                                            |
| Lum, L1       | LumiGEN, Lumisure 1250                                                                                             |
| LumPro P2     | Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematicide |
| P5V           | Poncho 500/Votivo                                                                                                  |
| Vi5           | Vibrance® Cinco                                                                                                    |

---

\* Seed treatments may include unspecified plant health promoting components.