first farmers' independent research of seed technologies

Test by: M&D Seed Research, LLC Van Buren, IN

# 2026 Corn Grain Top 30 Harvest Report

Indiana North [INNO] VALPARAISO, IN

Wyckoff Hybrids, Inc., Matt Goetz, Porter County, IN

| | |
|---|---|
| **Early-Season Test** | **103** - **108** Day CRM<br>B2026INNO03a |
| **Top 30 of 39** | For Gross Income<br>(Sorted by Yield)<br>Average of (**4**) Replications |
| **PREV. CROP/HERB:** | Soybeans / Glyphosate |
| **SOIL DESCRIPTION:** | Sebewa loam, mod. poorly drained, non-irrigated |
| **SOIL CONDITION:** | No-Till, 6.09 pH, 3.59% OM, 9.89 CEC, high P, high K, low S, mod. B, high Zn |
| **CROP PROTECTION:** | Keystone (H), Balance Flexx (H), Cover Xl (F), Province Ii (I) |
| **FERTILITY - Applied N:** | 60 Spring, 30 Planter, 130 Sidedress |
| **Applied N-P-K (units):** | 220-0-75 |
| **SEEDED - RATE - ROW:** | May 11 33.6 /A 30" spacing |
| **HARVESTED - STAND:** | Oct 31 33.4 /A |
| **PEST & DISEASE RISK:** | Fusarium, Diplodia Ear Rot, Maize White Spot* |

## TEST COMMENTS:

*This is a no-till site that is very uniform and well managed. The plants came up well, followed by a bit of dry weather, then a very wet mid-June sent them into a growth spurt. A wind event in July and another in August caused a bit of lodging that was more variety-specific than widespread. This location was very uniform in moisture and yields at harvest, with a strong average.*

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income $/Acre | Gross Income Rank |
|---|---|---|---|---|---|---|---|---|---|
| Renk | RK7577SSPRO ⇗ | STXP | 107 | **243.8** | 16.6 | 1 | 33.5 | 1048 | 1 |
| Wyckoff | 2582 VT2P RIB ⇗ | VT2P | 108 | **243.2** | 18.0 | 1 | 33.5 | 1029 | 3 |
| DeKalb | DKC107-69RIB GC ⇗ | TRE | 107 | **237.9** | 15.8 | 1 | 33.5 | 1033 | 2 |
| Wyckoff | 2535 TRE RIB ⇗ | TRE | 108 | **237.7** | 17.8 | 1 | 33.5 | 1008 | 5 |
| Integra | 5716 PCE ⇗ | PCE | 107 | 236.3 | 17.5 | 1 | 33.5 | 1005 | 6 |
| Wyffels | W4889 ⇗ | STXP | 107 | 236.0 | 16.4 | 1 | 33.2 | 1017 | 4 |
| Augusta | A4057-PWE ⇗ | PCE | 107 | 234.2 | 18.1 | 1 | 33.5 | 990 | 11 |
| FS InVision | FS 5767T RIB ⇗ | TRE | 107 | 233.0 | 17.0 | 1 | 33.5 | 998 | 8 |
| Wyckoff | 2525 PCE ⇗ | PCE | 107 | 232.6 | 17.5 | 1 | 33.5 | 989 | 13 |
| Wyckoff | 2606 PCE ⇗ | PCE | 108 | 232.6 | 18.0 | 1 | 33.5 | 984 | 16 |
| FS InVision | FS 5869PC RA ⇗ | PCE | 108 | 232.1 | 17.3 | 1 | 33.5 | 990 | 12 |
| Augusta | A2356-PCE ⇗ | PCE | 106 | 231.1 | 17.2 | 1 | 33.5 | 987 | 15 |
| Ebberts | 7335PC ⇗ | PCE | 105 | 231.0 | 16.3 | 1 | 33.5 | 997 | 9 |
| Wyffels | W5129RIB ⇗ | STXP | 108 | 230.5 | 16.9 | 1 | 33.2 | 988 | 14 |
| Renk | RK6640TRE ⇗ | TRE | 103 | 230.4 | 15.5 | 1 | 33.5 | 1004 | 7 |
| Ebberts | 7818PC ⇗ | PCE | 108 | 229.2 | 17.1 | 1 | 33.5 | 980 | 18 |
| Integra | 5802 VT2PRIB ⇗ | VT2P | 108 | 227.9 | 17.3 | 1 | 33.5 | 972 | 21 |
| FS InVision | FS 5367T RIB ⇗ | TRE | 103 | 227.5 | 16.1 | 1 | 33.5 | 984 | 17 |
| Wyffels | W5684RIB ⇗ | PCE | 108 | 227.3 | 16.5 | 1 | 33.5 | 979 | 20 |
| Integra | 5537 TRERIB ⇗ | TRE | 105 | 226.3 | 17.1 | 1 | 33.5 | 968 | 22 |
| Wyckoff | 2545 PCE ⇗ | PCE | 108 | 225.7 | 17.5 | 1 | 33.5 | 960 | 25 |
| Pioneer | P0529Q GC ⇗ | QR | 105 | 225.2 | 16.6 | 1 | 33.5 | 968 | 23 |
| Renk | RK6671SSPRO ⇗ | STXP | 104 | 224.9 | 15.4 | 1 | 33.5 | 980 | 19 |
| Wyffels | W4514RIB ⇗ | PCE | 106 | 224.2 | 16.4 | 1 | 33.5 | 966 | 24 |
| Ebberts | 7557PC ⇗ | PCE | 107 | 221.9 | 17.0 | 1 | 33.5 | 949 | 28 |
| Augusta | A2254-PWE ⇗ | PCE | 104 | 221.8 | 16.4 | 1 | 31.8 | 957 | 26 |
| Ebberts | 7133PC ⇗ | PCE | 103 | 220.9 | 16.6 | 1 | 33.5 | 950 | 27 |
| Purple Ribbon | 26P08 ⇗ | PCE | 108 | 220.9 | 17.4 | 1 | 33.5 | 941 | 31 |
| Seed Genetics Direct | AGI-C 6106PWE ⇗ | PCE | 106 | 220.8 | 16.9 | 1 | 33.5 | 946 | 30 |
| FS InVision | FS 5559PC RA ⇗ | PCE | 105 | 220.2 | 16.4 | 1 | 33.2 | 949 | 29 |
| Pioneer | P0859AM CK | AM | 108 | 231.9 | 16.7 | 1 | 33.5 | 996 | 10 |
| | | | Averages = | **226.7** | **16.9** | **1** | **33.4** | **971** | |
| | | | LSD (0.10) = | 10.9 | 0.5 | ns | | | |
| | | | LSD (0.25) = | 5.7 | 0.3 | ns | | | |
| | | | C.V. = | 5.3 | | | | | |

Matt Turner
mattturner1979@yahoo.com, (317) 606-9040

Historic yield: 226.23 bu/a, 8 yr(s)

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.38

Report Date: 11/01/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

*©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.*

first farmers' independent research of seed technologies

Test by: M&D Seed Research, LLC Van Buren, IN

## 2026 Corn Grain Top 30 Harvest Report

Indiana North [INNO] VALPARAISO, IN

Wyckoff Hybrids, Inc., Matt Goetz, Porter County, IN

| | |
|---|---|
| **Full-Season Test** | **109** - **113** Day CRM<br>B2026INNO03b |
| **Top 30 of 47** | For Gross Income<br>(Sorted by Yield)<br>Average of (**4**) Replications |
| **PREV. CROP/HERB:** | Soybeans / Glyphosate |
| **SOIL DESCRIPTION:** | Sebewa loam, mod. poorly drained, non-irrigated |
| **SOIL CONDITION:** | No-Till, 6.09 pH, 3.59% OM, 9.89 CEC, high P, high K, low S, mod. B, high Zn |
| **CROP PROTECTION:** | Keystone (H), Balance Flexx (H), Cover Xl (F), Province Ii (I) |
| **FERTILITY - Applied N:** | 60 Spring, 30 Planter, 130 Sidedress |
| **Applied N-P-K (units):** | 220-0-75 |
| **SEEDED - RATE - ROW:** | May 11 33.6 /A 30" spacing |
| **HARVESTED - STAND:** | Oct 31 33.4 /A |
| **PEST & DISEASE RISK:** | Fusarium, Diplodia Ear Rot, Maize White Spot* |

### TEST COMMENTS:

*This is a no-till site that is very uniform and well managed. The plants came up well, followed by a bit of dry weather, then a very wet mid-June sent them into a growth spurt. A wind event in July and another in August caused a bit of lodging that was more variety-specific than widespread. This location was very uniform in moisture and yields at harvest, with a strong average.*

| Company/Brand | Product/Brand | Technol.† | RM | Yield Bu/A ↓ | Moisture % | Lodging % | Stand (x 1000) | Gross Income $/Acre | Gross Income Rank |
|---|---|---|---|---|---|---|---|---|---|
| Hoegemeyer | 8161PCE ⇗ | PCE | 111 | **251.2** | 16.5 | 1 | 33.5 | 1081 | 1 |
| Channel | 213-87VT2PRIB ⇗ | VT2P | 113 | **248.2** | 18.3 | 1 | 33.5 | 1046 | 2 |
| Wyckoff | 2676 TRE RIB ⇗ | TRE | 112 | **246.4** | 18.2 | 1 | 33.5 | 1040 | 3 |
| Integra | 6076 VT4PRIB ⇗ | VT4P | 110 | **244.6** | 19.3 | 1 | 33.5 | 1019 | 7 |
| ProHarvest | 80P81 STAXPRO ⇗ | STXP | 110 | **244.3** | 17.5 | 1 | 33.5 | 1039 | 4 |
| Wyckoff | 2685 TRE RIB ⇗ | TRE | 112 | 240.9 | 20.0 | 1 | 33.5 | 995 | 14 |
| Great Heart | HT-7210TRERIB ⇗ | TRE | 112 | 240.6 | 20.3 | 1 | 32.8 | 990 | 17 |
| Wyffels | W7819 ⇗ | STXP | 113 | 239.7 | 19.1 | 1 | 33.5 | 1001 | 9 |
| ProHarvest | 81P19 VT4P ⇗ | VT4P | 111 | 238.8 | 19.1 | 1 | 33.5 | 997 | 13 |
| FS InVision | FS 6262F RIB ⇗ | VT4P | 112 | 238.2 | 18.7 | 1 | 33.5 | 999 | 11 |
| Hoegemeyer | 7925V ⇗ | VE | 109 | 238.2 | 16.8 | 1 | 33.5 | 1021 | 5 |
| Ebberts | 7511PC ⇗ | PCE | 111 | 237.8 | 17.4 | 1 | 33.5 | 1014 | 8 |
| FS InVision | FS 5947T RIB ⇗ | TRE | 109 | 237.7 | 16.7 | 1 | 33.5 | 1021 | 6 |
| Channel | 209-70TRERIB ⇗ | TRE | 109 | 237.2 | 18.3 | 1 | 33.5 | 1000 | 10 |
| Ebberts | 7660PC ⇗ | PCE | 110 | 234.5 | 17.8 | 1 | 33.5 | 994 | 15 |
| Wyffels | W6644 ⇗ | PCE | 110 | 234.2 | 17.3 | 1 | 33.5 | 999 | 12 |
| Wyckoff | 2688 PCE ⇗ | PCE | 112 | 233.6 | 18.0 | 1 | 33.5 | 989 | 18 |
| Wyffels | W7544 ⇗ | PCE | 112 | 233.3 | 18.3 | 1 | 33.5 | 983 | 20 |
| DeKalb | DKC111-35RIB GC ⇗ | VT2P | 111 | 233.2 | 17.6 | 1 | 33.5 | 991 | 16 |
| Purple Ribbon | 25P12 ⇗ | PCE | 112 | 233.0 | 18.1 | 1 | 33.5 | 984 | 19 |
| Ebberts | 7883PC ⇗ | PCE | 113 | 232.9 | 19.4 | 1 | 33.5 | 969 | 27 |
| Augusta | A4862-PWE ⇗ | PCE | 112 | 231.8 | 18.3 | 1 | 33.0 | 977 | 23 |
| Wyffels | W7229 ⇗ | STXP | 112 | 231.4 | 18.0 | 1 | 33.5 | 979 | 21 |
| Seed Genetics Direct | AGI-C 4111PWE ⇗ | PCE | 110 | 230.5 | 17.7 | 1 | 33.5 | 979 | 22 |
| Seed Genetics Direct | AGI-C 6111PWE ⇗ | PCE | 111 | 228.8 | 17.8 | 1 | 33.2 | 970 | 26 |
| Great Heart | HT-7195TRE ⇗ | TRE | 111 | 227.5 | 17.2 | 1 | 33.5 | 972 | 25 |
| Seed Genetics Direct | DIRECT 3111-3110 ⇗ | 3110 | 111 | 225.5 | 18.2 | 1 | 33.5 | 952 | 28 |
| Pioneer | P13777PCE GC ⇗ | PCE | 113 | 224.7 | 18.2 | 1 | 33.5 | 948 | 30 |
| Pioneer | P10796PCE GC ⇗ | PCE | 110 | 223.3 | 17.9 | 1 | 33.5 | 946 | 31 |
| Purple Ribbon | 27P09 ⇗ | PCE | 109 | 223.1 | 17.5 | 1 | 33.5 | 949 | 29 |
| Pioneer | P0859AM CK | AM | 108 | 226.6 | 16.6 | 1 | 32.8 | 974 | 24 |
| | | | Averages = | **228.9** | **18.2** | **1** | **33.4** | **967** | |
| | | | LSD (0.10) = | 13.4 | 0.6 | ns | | | |
| | | | LSD (0.25) = | 7.0 | 0.3 | ns | | | |
| | | | C.V. = | 6.4 | | | | | |

Matt Turner
mattturner1979@yahoo.com, (317) 606-9040

Historic yield: 226.23 bu/a, 8 yr(s)

**Yield & Income Factors:** Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.38

Report Date: 11/01/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

*©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.*

## 2026 Corn - Indiana North [ INNO ]

### Weather Conditions Summary at VALPARAISO, IN

Weather Data Retrieved: 11/01/2026

| Monthly Total | Apr* | May | Jun | Jul | Aug | Sep | Oct* | Total |
|---|---|---|---|---|---|---|---|---|
| Precip (in) \| (Diff) | 0.9 \| 0.9 (0.0) | 1.7 \| 3.6 (-1.9) | 9.8 \| 3.0 (+6.8) | 3.1 \| 3.5 (-0.4) | 5.5 \| 3.3 (+2.2) | 4.5 \| 2.4 (+2.1) | 2.1 \| 3.7 (-1.6) | 27.7 \| 20.4 (+7.3) |
| GDU \| Avg (Diff) | 20 \| 17 (+2) | 311 \| 340 (-29) | 550 \| 622 (-72) | 713 \| 715 (-2) | 629 \| 644 (-15) | 538 \| 481 (+56) | 330 \| 204 (+125) | 3091 \| 3025 |




* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes.
For information purposes only.

## Macronutrients




## Micronutrients




## Biofertility Analytics




## Below Ground Pest & Disease - Corn




## Above Ground Pest & Disease - Corn




## More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- Reported Analytics Descriptions
- Soil Nutrients & Fertility
- Analytics & Insights
- EarthOptics

# 2026 Corn - Indiana North [ INNO ]

## Early-Season Test Products (39 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|---|---|---|---|---|---|
| Augusta | A2254-PWE | PCE | N | 104 | CM,C2 |
| Augusta | A2356-PCE | PCE | Y | 106 | CM,C5 |
| Augusta | A3458-DV | DV | N | 108 | CM,C5 |
| Augusta | A4057-PWE | PCE | N | 107 | CM,C2 |
| DeKalb | DKC107-69RIB | TRE | Y | 107 | AC,P5V,EDC-EL |
| Ebberts | 7133PC | PCE | Y | 103 | Ebberts |
| Ebberts | 7335PC | PCE | Y | 105 | Ebberts |
| Ebberts | 7557PC | PCE | Y | 107 | Ebberts |
| Ebberts | 7818PC | PCE | Y | 108 | Ebberts |
| Ebberts | 9779SSX RIB | STX | Y | 108 | Ebberts |
| FS InVision | FS 5367T RIB | TRE | Y | 103 | G,B,F4,AL,L4,P5,N,C |
| FS InVision | FS 5559PC RA | PCE | Y | 105 | G,B,H,F,AL,L,P5 |
| FS InVision | FS 5767T RIB | TRE | Y | 107 | G,B,F4,AL,L4,P5,N,C |
| FS InVision | FS 5869PC RA | PCE | Y | 108 | CM,C2,Vi |
| Integra | 5447 PCE | PC | Y | 104 | AC,P5,N314,SU |
| Integra | 5537 TRERIB | TRE | Y | 105 | AC,P5,N314 |
| Integra | 5716 PCE | PCE | Y | 107 | AC,P5,N314,SU |
| Integra | 5802 VT2PRIB | VT2P | Y | 108 | AC,P5V,SU |
| Pioneer | P0529Q | QR | Y | 105 | Lum, L1 |
| Pioneer | P0859AM | AM | Y | 108 | Lum, L1 |
| Purple Ribbon | 26P08 | PCE | Y | 108 | CM,C2,Vi5 |
| Renk | RK6640TRE | TRE | N | 103 | AC,P5 |
| Renk | RK6671SSPRO | STXP | N | 104 | AC,P5 |
| Renk | RK6690PCE | PC | N | 105 | CM,C2,Vi |
| Renk | RK7577SSPRO | STXP | N | 107 | AC,P5 |
| Seed Genetics Direct | AGI-C 5105PWE | PCE | N | 105 | SGD Pro Tec + C4 |
| Seed Genetics Direct | AGI-C 6104PWE | PCE | N | 105 | SGD Pro Tec + C4 |
| Seed Genetics Direct | AGI-C 6106PWE | PCE | N | 106 | SGD Pro Tec + C4 |
| Seed Genetics Direct | DIRECT 5107-V | V | Y | 107 | SGD Pro Tec + C4 |
| Wyckoff | 2525 PCE | PCE | Y | 107 | CM,C2,Vi,Va |
| Wyckoff | 2535 TRE RIB | TRE | Y | 108 | AC,P5 |
| Wyckoff | 2545 PCE | PCE | Y | 108 | CM,C2,Vi,Va |
| Wyckoff | 2582 VT2P RIB | VT2P | Y | 108 | AC,P5 |
| Wyckoff | 2606 PCE | PCE | Y | 108 | CM,C2,Vi,Va |
| Wyffels | W4514RIB | PCE | Y* | 106 | CM,C2,Vi,Va |
| Wyffels | W4545 | TRE | N | 106 | AC,P5V |

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|---|---|---|---|---|---|
| Wyffels | W4889 | STXP | N | 107 | AC,P5V |
| Wyffels | W5129RIB | STXP | Y* | 108 | CM,C2,Vi,Va |
| Wyffels | W5684RIB | PCE | Y* | 108 | CM,C2,Vi,Va |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

# 2026 Corn - Indiana North [ INNO ]

## Full-Season Test Products (47 Total)

| Company/Brand | Product/Brand | Technology | RIB | RM | Seed Treat. |
|---|---|---|---|---|---|
| Augusta | A2162-AA | AA | Y* | 112 | CM,C2 |
| Augusta | A4163-AA | AA | Y | 113 | CM,C5 |
| Augusta | A4862-PWE | PCE | N | 112 | CM,C2 |
| Augusta | A4961-DV | DV | N* | 111 | CM,C2 |
| Augusta | A6362-D | D | Y | 112 | CM,C2 |
| Channel | 209-70TRERIB | TRE | Y | 109 | AC,P5V,EDC-EL |
| Channel | 213-33TRECRIB | TRE | Y | 113 | AC,P5V,EDC-EL |
| Channel | 213-87VT2PRIB | VT2P | Y | 113 | AC,P5V,EDC-EL |
| DeKalb | DKC111-35RIB | VT2P | Y* | 111 | AC,P5V,EDC-EL |
| Ebberts | 7442PC | PCE | Y | 112 | Ebberts |
| Ebberts | 7511PC | PCE | Y | 111 | Ebberts |
| Ebberts | 7660PC | PCE | Y | 110 | Ebberts |
| Ebberts | 7770PC | PCE | Y | 110 | Ebberts |
| Ebberts | 7883PC | PCE | Y | 113 | Ebberts |
| FS InVision | FS 5947T RIB | TRE | Y | 109 | G,B,H,F,AL,L,P5 |
| FS InVision | FS 6245V RIB | VT2P | Y | 112 | G,B,H,F,AL,L,P5 |
| FS InVision | FS 6262F RIB | VT4P | Y | 112 | G,B,F4,AL,L4,P5,N,C |
| Great Heart | HT-7195TRE | TRE | N | 111 | Treated |
| Great Heart | HT-7210TRERIB | TRE | N | 112 | Treated |
| Hoegemeyer | 7925V | VE | Y | 109 | Lum, L1 |
| Hoegemeyer | 8161PCE | PCE | Y | 111 | Lum, L1 |
| Integra | 6076 VT4PRIB | VT4P | Y | 110 | AC,P5,N314,SU |
| Integra | 6274 VT2PRIB | VT2P | Y | 112 | AC,P5V,SU |
| Pioneer | P0859AM | AM | Y | 108 | Lum, L1 |
| Pioneer | P10796PCE | PCE | Y | 110 | Lum, L1 |
| Pioneer | P13777PCE | PCE | Y | 113 | Lum, L1 |
| ProHarvest | 80P81 STAXPRO | STXP | N | 110 | AC,P5V,EDC-EL |
| ProHarvest | 81P19 VT4P | VT4P | N | 111 | AC,P5V,Va |
| ProHarvest | 82P96 PCE | PCE | Y | 112 | LumPro P5 |
| Purple Ribbon | 25P12 | PCE | N | 112 | CM,C2,Vi5 |
| Purple Ribbon | 26P11 | PCE | Y | 111 | CM,C2,Vi5 |
| Purple Ribbon | 27P09 | PCE | N | 109 | CM,C2,Vi5 |
| Seed Genetics Direct | AGI-C 4111PWE | PCE | N | 110 | SGD Pro Tec + C4 |
| Seed Genetics Direct | AGI-C 6111PWE | PCE | N | 111 | SGD Pro Tec + C4 |
| Seed Genetics Direct | AGI-C 6112PWE | PCE | N | 112 | SGD Pro Tec + C4 |
| Seed Genetics Direct | DIRECT 3111-3110 | 3110 | N | 111 | SGD Pro Tec + C4 |

| Company/Brand | Brand/Product | Technology | RIB | RM | Seed Treat. |
|---|---|---|---|---|---|
| Seed Genetics Direct | DIRECT 7113AA | AA | N | 113 | SGD Pro Tec + C4 |
| Wyckoff | 2664 PCE | PCE | Y | 111 | CM,C2,Vi,Va |
| Wyckoff | 2676 TRE RIB | TRE | Y | 112 | AC,P5 |
| Wyckoff | 2685 TRE RIB | TRE | Y | 112 | AC,P5 |
| Wyckoff | 2688 PCE | PCE | Y | 112 | CM,C2,Vi,Va |
| Wyckoff | 2691 PCE | PCE | Y | 113 | CM,C2,Vi,Va |
| Wyffels | W6644 | PCE | N | 110 | CM,C2,Vi,Va |
| Wyffels | W7229 | STXP | N | 112 | AC,P5V |
| Wyffels | W7424RIB | PCE | Y* | 112 | CM,C2,Vi,Va |
| Wyffels | W7544 | PCE | N | 112 | CM,C2,Vi,Va |
| Wyffels | W7819 | STXP | N | 113 | AC,P5V |

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

## Footnotes and Abbreviations Descriptions

### Brand Footnotes

| | |
|---|---|
| CK | Identifies a check product included in early- and full-season tests. |
| GC | Grower Comparison product included by FIRST when space permits. |
| ^ | Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience. |

### Corn Technologies

| | |
|---|---|
| 3110 | Agrisure® Viptera® 3110 (Vip, CB,LL,GT) |
| AA | Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120 |
| AM | Optimum® AcreMax® |
| D | Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122 |
| DV | DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222 |
| GLY | Glyphosate tolerant |
| PC | PowerCore® |
| PCE | PowerCore® Enlist® |
| QR | Qrome® |
| STX | SmartStax® |
| STXP | SmartStax® Pro with RNAi Technology |
| TRE | Trecepta® |
| V | Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220 |
| VE | Vorceed™ Enlist® |
| VT2P | VT Double PRO® |
| VT4P | VT4Pro™ with RNAi Technology |

NOTE: The refuge component genetics may vary in a refuge blend seed product.

## Corn Seed Treatments*

| | |
|---|---|
| AC,P5 | Acceleron® 500 |
| AC,P5,N314 | Acceleron® Poncho 500, N-314 |
| AC,P5,N314,SU | Acceleron® Poncho 500, N-314 STEPUP |
| AC,P5V | Acceleron® Poncho 500/Votivo |
| AC,P5V,EDC-EL | Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control |
| AC,P5V,SU | Acceleron® Poncho 500/Votivo, StepUp |
| AC,P5V,Va | Acceleron® Poncho 500/Votivo, Vayantis® |
| CM,C2 | CruiserMaxx® 250 |
| CM,C2,Vi | CruiserMaxx® 250 with Vibrance |
| CM,C2,Vi5 | CruiserMaxx® 250, Vibrance Cinco |
| CM,C2,Vi,Va | CruiserMaxx® 250 with Vibrance, Vayantis® |
| CM,C5 | Cruisermaxx® 500 |
| Ebberts | Ebberts Complete Corn (Ebberts Field Seeds) |
| G,B,F4,AL,L4,P5,N,C | 500SAI - Poncho500/VOTiVO ELITE + N314 |
| G,B,F,AL,L,P5 | 500SAI-Poncho,VOTIVO |
| G,B,H,F,AL,L,P5 | 500SAI-Poncho/Poncho/Votivo+Vayantis |
| Lum, L1 | LumiGEN, Lumisure 1250 |
| LumPro P5 | Lumiscend Pro/Lumiflex fungicide, L-2012R bio-fungicide, Lumisure/Lumivia 500 insecticide, Lumialza nematicide |
| SGD Pro Tec + C4 | Seed Genetics Direct |
| Treated | Treated seed, unspecified |

* Seed treatments may include unspecified plant health promoting components.