first farmers' independent research of seed technologies

Test by: Field Research Innovations Inc. Shannon, IL

2026 Corn Grain Top 30 Harvest Report

Wisconsin Central [WICE] TOMAH, WI

Nathan Bell, Juneau County, WI 54618

Early-Season Test	**93** - **98** Day CRM B2026WICE47a
Top 22 of 22	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Strelius Ii, Tricor, Barrage, Inflame, Zidua, Roundup Powermax
SOIL DESCRIPTION:	Merit silt loam, well drained, non-irrigated
SOIL CONDITION:	No-Till, 6.01 pH, 2.15% OM, 5.06 CEC, high P, high K, low S, high B, high Zn
CROP PROTECTION:	Cavallo (H), Strelius Ii (H), Detonate (H), Atrazine (H), Veltyma @ Brown Silk (F), Xyway 3d (F)
FERTILITY - Applied N:	180 Fall, 44 lb Sulfur, .5 lb Boron
Applied N-P-K (units):	180-48-124
SEEDED - RATE - ROW:	May 14 35.4 /A 30" spacing
HARVESTED - STAND:	Oct 29 35.0 /A
PEST & DISEASE RISK:	Fusarium*

TEST COMMENTS:

This site was planted on May 14th in dry conditions. Rain was needed and arrived in the days following planting. Precipitation stayed consistent throughout the growing season, except for a dry July. Fortunately, this didn't appear to have much impact on the field. During harvest, the corn showed no lodging, with strong stalks and large, well-developed ears. No weed pressure was observed, and tar spot was minimal. This was a great performance out of this location!

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Channel	198-25SSPRIB GC ⇗	STXP	98	**267.7**	16.3	1	34.4	1106	1
Channel	193-40VT4PRIB GC ⇗	VT4P	93	264.1	15.9	1	35.3	1097	2
Tracy	T098-37 ⇗	V	98	263.0	16.7	1	35.3	1082	3
Channel	194-04VT2PRIB GC ⇗	VT2P	94	258.3	15.9	1	34.4	1073	4
Augusta	A3048-AA-EZ ⇗	AA	98	257.5	16.2	1	36.2	1066	6
Renk	RK4656PCE ⇗	PC	93	256.7	15.7	1	35.3	1070	5
Rob-See-Co	RC4829-PCE ⇗	PCE	98	256.6	17.2	1	36.2	1050	9
Augusta	A2246-PCE ⇗	PCE	96	255.3	16.6	1	35.3	1052	8
Cornelius	C5402SSP ⇗	STXP	94	254.2	16.0	1	36.2	1055	7
Pioneer	P96760Q GC ⇗	QR	96	253.1	16.0	1	36.2	1050	10
Hoegemeyer	6370PCE ⇗	PCE	93	252.4	16.2	1	36.2	1045	11
Renk	RK5518TRE ⇗	TRE	97	250.6	16.2	1	35.3	1037	12
Renk	RK4696SSPRO ⇗	STXP	95	248.9	15.7	1	35.3	1037	13
Titan Pro	50-98 SSP ⇗	STXP	98	248.3	15.8	1	34.4	1033	14
Renk	RK5652PCE ⇗	PC	96	246.8	16.0	1	32.5	1024	15
Cornelius	C5745TRE ⇗	TRE	97	244.7	15.9	1	35.3	1017	16
Augusta	A4146-V ⇗	V	96	242.9	16.5	1	33.5	1002	18
Titan Pro	68-98 PCE ⇗	PCE	98	240.1	16.6	1	33.5	989	19
Augusta	A4143-3110 ⇗	3110	93	235.8	16.2	1	34.4	976	20
Tracy	T097-37 ⇗	DS	97	227.9	17.2	1	32.1	932	21
Renk	RK4545AV ⇗	V	93	221.2	16.3	1	35.3	915	22
Pioneer	P97299Q CK	AQ	97	246.2	16.6	1	36.2	1014	17
			Averages =	**250.6**	**16.3**	**1**	**35.0**	**1034**	
			LSD (0.10) =	14.5	ns	ns			
Matt Speers			LSD (0.25) =	7.6	ns	ns			
matt.speers@firstseedtests.com, (779) 245-1481			C.V. =	5.4	Historic yield: 219.0 bu/a, 14 yr(s)				

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 10/31/2026

Additional reports available at **www.firstseedtests.com**

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Field Research Innovations Inc. Shannon, IL

2026 Corn Grain Top 30 Harvest Report

Wisconsin Central [WICE] TOMAH, WI

Nathan Bell, Juneau County, WI 54618

Full-Season Test	**99** - **102** Day CRM B2026WICE47b
Top 24 of 24	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Soybeans / Strelius Ii, Tricor, Barrage, Inflame, Zidua, Roundup Powermax
SOIL DESCRIPTION:	Merit silt loam, well drained, non-irrigated
SOIL CONDITION:	No-Till, 6.01 pH, 2.15% OM, 5.06 CEC, high P, high K, low S, high B, high Zn
CROP PROTECTION:	Cavallo (H), Strelius Ii (H), Detonate (H), Atrazine (H), Veltyma @ Brown Silk (F), Xyway 3d (F)
FERTILITY - Applied N:	180 Fall, 44 lb Sulfur, .5 lb Boron
Applied N-P-K (units):	180-48-124
SEEDED - RATE - ROW:	May 14 35.4 /A 30" spacing
HARVESTED - STAND:	Oct 29 35.1 /A
PEST & DISEASE RISK:	Fusarium*

TEST COMMENTS:

This site was planted on May 14th in dry conditions. Rain was needed and arrived in the days following planting. Precipitation stayed consistent throughout the growing season, except for a dry July. Fortunately, this didn't appear to have much impact on the field. During harvest, the corn showed no lodging, with strong stalks and large, well-developed ears. No weed pressure was observed, and tar spot was minimal. This was a great performance out of this location!

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
FS InVision	FS 5067T RIB ⇗	TRE	100	**279.4**	17.0	1	34.9	1146	1
Integra	5136 PCE ⇗	PC	101	**271.2**	16.7	1	35.3	1116	2
Integra	5225 TRERIB ⇗	TRE	102	**270.9**	16.9	1	36.2	1112	3
FS InVision	FS 5155P RIB ⇗	STXP	101	**270.1**	16.7	1	34.4	1111	4
Renk	RK630TRE ⇗	TRE	102	**268.6**	17.2	1	36.2	1099	6
Renk	RK5699TRE ⇗	TRE	100	267.1	16.4	1	33.5	1103	5
Cornelius	C6163TRE ⇗	TRE	101	264.5	17.0	1	35.3	1084	7
Augusta	A4450-PCE ⇗	PCE	100	263.5	16.9	1	34.4	1082	8
Rob-See-Co	RC5101-PCE ⇗	PCE	101	262.4	16.5	1	35.3	1082	9
Tracy	T100-37 ⇗	DS	100	261.5	17.3	1	36.2	1069	11
Cornelius	C6034PCE ⇗	PCE	100	261.4	16.6	1	34.4	1077	10
Cornelius	C6107SSP ⇗	STXP	101	258.6	17.1	1	32.5	1059	12
Augusta	A4050-DS ⇗	DS	100	257.2	17.4	1	35.3	1049	14
Renk	RK6610PCE ⇗	PC	101	256.3	17.0	1	35.3	1051	13
Cornelius	C6056DP ⇗	VT2P	100	254.4	17.0	1	33.5	1043	15
Renk	RK6555VT4PRO ⇗	VT4P	102	251.6	16.3	1	35.3	1040	16
Hoegemeyer	7107PCE ⇗	PCE	101	248.0	16.7	1	35.3	1021	17
FS InVision	FS 5159PC RA ⇗	PCE	101	247.0	17.0	1	36.2	1013	18
Integra	5055 VT4PRIB ⇗	VT4P	100	243.7	16.8	1	36.2	1001	19
Hoegemeyer	7047V ⇗	VE	100	239.6	16.7	1	36.2	986	20
Renk	RK5670VT4PRO ⇗	VT4P	99	230.0	16.8	1	33.5	946	22
Augusta	A4052-DV ⇗	DV	102	221.3	18.2	1	36.2	894	23
Augusta	A3350-DV ⇗	DV	100	218.4	17.4	1	36.2	891	24
Pioneer	P97299Q CK	AQ	97	234.2	17.0	1	34.4	960	21
			Averages =	**253.8**	**16.9**	**1**	**35.1**	**1043**	
			LSD (0.10) =	13.7	0.5	ns			
			LSD (0.25) =	7.2	0.3	ns			
			C.V. =	5.1					

Matt Speers

matt.speers@firstseedtests.com, (779) 245-1481

Historic yield: 219.0 bu/a, 14 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 10/31/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2026 Corn - Wisconsin Central [WICE]

Weather Conditions Summary at TOMAH, WI

Weather Data Retrieved: 10/31/2026

Monthly Total	Apr*	May	Jun	Jul	Aug	Sep	Oct*	Total
Precip (in) | (Diff)	0.1 | 0.0 (+0.1)	2.2 | 3.7 (-1.5)	5.2 | 4.1 (+1.1)	5.4 | 3.8 (+1.6)	4.9 | 4.9 (0.0)	5.2 | 3.8 (+1.4)	1.4 | 2.1 (-0.7)	24.3 | 22.4 (+1.9)
GDU | Avg (Diff)	0 | 0 (0)	290 | 287 (+2)	498 | 526 (-28)	722 | 648 (+73)	584 | 566 (+17)	427 | 378 (+48)	276 | 103 (+172)	2797 | 2511



* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes.
For information purposes only.

Macronutrients



Micronutrients



Biofertility Analytics



Below Ground Pest & Disease - Corn



Above Ground Pest & Disease - Corn



More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- Reported Analytics Descriptions
- Soil Nutrients & Fertility
- Analytics & Insights
- EarthOptics

2026 Corn - Wisconsin Central [WICE]

Early-Season Test Products (22 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2246-PCE	PCE	N	96	CM,C5
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A4143-3110	3110	N	93	CM,C2
Augusta	A4146-V	V	Y	96	CM,C5
Channel	193-40VT4PRIB	VT4P	Y	93	AC,P5V,EDC-EL
Channel	194-04VT2PRIB	VT2P	Y	94	AC,P5V,EDC-EL
Channel	198-25SSPRIB	STXP	Y	98	AC,P5V,EDC-EL
Cornelius	C5402SSP	STXP	N	94	AC,P5V,EDC-EL
Cornelius	C5745TRE	TRE	N	97	CM,C2,Vi,Va
Hoegemeyer	6370PCE	PCE	Y	93	Lum, L1
Pioneer	P96760Q	QR	Y	96	Lum, L1
Pioneer	P97299Q	AQ	Y	97	Lum, L1
Renk	RK4545AV	V	N	93	CM,C2,Vi
Renk	RK4656PCE	PC	N	93	CM,C2,Vi
Renk	RK4696SSPRO	STXP	N	95	AC,P5
Renk	RK5518TRE	TRE	N	97	AC,P5
Renk	RK5652PCE	PC	N	96	CM,C2,Vi
Rob-See-Co	RC4829-PCE	PCE	Y	98	CM,C2,Vi,Va
Titan Pro	50-98 SSP	STXP	Y	98	LumPro P2
Titan Pro	68-98 PCE	PCE	Y	98	LumPro P2
Tracy	T097-37	DS	Y	97	Treated
Tracy	T098-37	V	Y	98	Treated

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Wisconsin Central [WICE]

Full-Season Test Products (24 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A3350-DV	DV	Y*	100	CM,C2
Augusta	A4050-DS	DS	Y	100	CM,C5
Augusta	A4052-DV	DV	Y	102	CM,C5
Augusta	A4450-PCE	PCE	Y	100	CM,C2
Cornelius	C6034PCE	PCE	N	100	CM,C2,Vi,Va
Cornelius	C6056DP	VT2P	N	100	CM,C2,Vi,Va
Cornelius	C6107SSP	STXP	N	101	E 500, N314
Cornelius	C6163TRE	TRE	N	101	AC,P5V
FS InVision	FS 5067T RIB	TRE	Y	100	G,B,F,AL,L,P5
FS InVision	FS 5155P RIB	STXP	Y	101	G,B,H,F,AL,L,P5
FS InVision	FS 5159PC RA	PCE	Y	101	G,B,H,F,AL,L,P5
Hoegemeyer	7047V	VE	Y	100	Lum, L1
Hoegemeyer	7107PCE	PCE	Y	101	Lum, L1
Integra	5055 VT4PRIB	VT4P	Y	100	AC,P5V,SU
Integra	5136 PCE	PC	Y	101	AC,P5,N314,SU
Integra	5225 TRERIB	TRE	Y	102	AC,P5V,SU
Pioneer	P97299Q	AQ	Y	97	Lum, L1
Renk	RK5670VT4PRO	VT4P	N	99	AC,P5
Renk	RK5699TRE	TRE	N	100	AC,P5
Renk	RK630TRE	TRE	N	102	AC,P5
Renk	RK6555VT4PRO	VT4P	N	102	AC,P5
Renk	RK6610PCE	PC	N	101	CM,C2,Vi
Rob-See-Co	RC5101-PCE	PCE	Y	101	CM,C2,Vi,Va
Tracy	T100-37	DS	Y	100	Treated

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.
^	Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

3110	Agrisure® Viptera® 3110 (Vip, CB,LL,GT)
AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
AQ	Optimum® AQUAmax®
DS	Durastak™ (NOTE: Approval required from all major corn importing countries prior to March 31. An exception may be possible in some FIRST regions. Please check with the Field Manager of a region of interest _before_ entering technologies with export limitations.)
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
PC	PowerCore®
PCE	PowerCore® Enlist®
QR	Qrome®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT2P	VT Double PRO®
VT4P	VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

AC,P5	Acceleron® 500
AC,P5,N314,SU	Acceleron® Poncho 500, N-314 STEPUP
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
AC,P5V,SU	Acceleron® Poncho 500/Votivo, StepUp
CM,C2	CruiserMaxx® 250
CM,C2,Vi	CruiserMaxx® 250 with Vibrance
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
E 500, N314	Elite 500, N314
G,B,F,AL,L,P5	500SAI-Poncho,VOTIVO
G,B,H,F,AL,L,P5	500SAI-Poncho/Poncho/Votivo+Vayantis
Lum, L1	LumiGEN, Lumisure 1250
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematicide
Treated	Treated seed, unspecified

* Seed treatments may include unspecified plant health promoting components.