first farmers' independent research of seed technologies

Test by: Field Research Innovations Inc. Shannon, IL

2026 Corn Grain Top 30 Harvest Report

Wisconsin South [WISO] ARLINGTON, WI

Curtis Stibb, Columbia County, WI 53960

Early-Season Test	**99** - **104** Day CRM B2026WISO04a
Top 29 of 29	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Corn / Roundup Powermax, Basis Blend, Simazine, Status
SOIL DESCRIPTION:	Ripon silt loam, well drained, non-irrigated
SOIL CONDITION:	Strip-Till, 6.3 pH, 3.57% OM, 5.88 CEC, medium P, low K, low S, mod. B, high Zn
CROP PROTECTION:	Makaze (H), Basis Blend (H), Simazine (H), Enlist (H), Status (H)
FERTILITY - Applied N:	14.4 lb Sulfur
Applied N-P-K (units):	166-0-31
SEEDED - RATE - ROW:	May 13 32.4 /A 30" spacing
HARVESTED - STAND:	Nov 1 29.4 /A
PEST & DISEASE RISK:	No elevated risks*

TEST COMMENTS:

This strip-tilled, corn-on-corn location was planted on May 13th in dry conditions. Rainfall shortly after planting helped promote good emergence. Although July was fairly dry, total precipitation remained slightly above the area's 10-year average. An Enlist application effectively controlled weed pressure but caused goosenecking and lodging in certain hybrids that lacked tolerance to the herbicide. These effects were evident during stand counts, with some plants appearing to have been blown over. Despite these challenges, ear development remained good, and yields remained strong overall.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Rob-See-Co	RC5263-PCE ⇗	PCE	102	**263.8**	17.8	1	27.9	1071	3
Hoegemeyer	7108V ⇗	VE	101	**263.4**	17.6	1	31.6	1072	2
Integra	5136 PCE ⇗	PC	101	**262.5**	17.0	1	30.7	1076	1
FS InVision	FS 5159PC RA ⇗	PCE	101	**259.6**	17.3	1	29.8	1061	4
Burrus	POWER PLUS 1R47 VE ⇗	VE	103	**258.1**	17.7	1	27.9	1050	5
Integra	5447 PCE ⇗	PC	104	**255.7**	17.4	1	28.8	1043	6
Burrus	POWER PLUS 2A17 VE ⇗	VE	104	**254.7**	17.5	1	31.6	1038	7
Wyffels	W3654RIB ⇗	PCE	104	**253.2**	18.0	1	27.9	1025	8
Wyffels	W2674RIB ⇗	PCE	101	248.7	17.2	1	27.0	1017	9
Hoegemeyer	7369V ⇗	VE	103	245.6	17.6	1	30.7	1000	10
Augusta	A2254-PWE ⇗	PCE	104	242.1	17.7	2	30.7	984	11
Renk	RK6610PCE ⇗	PC	101	239.5	17.3	1	27.0	978	12
Renk	RK6671SSPRO ⇗	STXP	104	235.5	17.0	1	30.7	965	13
FS InVision	FS 5155P RIB ⇗	STXP	101	232.1	17.5	25	32.1	946	14
Renk	RK6640TRE ⇗	TRE	103	231.5	17.8	1	29.7	940	15
Wyffels	W3095RIB ⇗	TRE	103	227.9	17.3	6	31.6	931	16
Augusta	A4050-DS ⇗	DS	100	225.1	17.7	1	28.8	915	18
Augusta	A4052-DV ⇗	DV	102	220.0	18.0	2	29.8	891	20
Augusta	A3048-AA-EZ ⇗	AA	98	219.9	17.2	2	29.8	900	19
FS InVision	FS 5067T RIB ⇗	TRE	100	217.7	17.5	34	26.0	887	21
Renk	RK630TRE ⇗	TRE	102	217.2	17.8	2	25.1	882	22
Titan Pro	52-04 SSP ⇗	STXP	104	216.4	17.6	2	30.7	881	23
Wyffels	W3299 ⇗	STXP	103	213.9	17.6	17	30.7	871	24
Tracy	T103-37 ⇗	DS	103	213.2	17.9	15	28.8	865	25
Wyffels	W2105 ⇗	TRE	99	212.6	17.7	11	29.8	864	26
Tracy	T100-37 ⇗	DS	100	211.1	17.6	1	29.8	859	28
Integra	5317 SSPRORIB ⇗	STXP	103	209.3	16.6	11	27.9	862	27
Renk	RK5699TRE ⇗	TRE	100	199.3	17.0	23	29.8	817	29
DeKalb	DKC103-63RIB CK	STXP	103	227.9	17.5	22	32.5	929	17
		Averages =		**234.0**	**17.5**	**6**	**29.4**	**952**	
		LSD (0.10) =		15.3	0.4	7			
		LSD (0.25) =		8.0	0.2	3			
		C.V. =		6.2					

Matt Speers

matt.speers@firstseedtests.com, (779) 245-1481

Historic yield: 204.24 bu/a, 26 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 11/02/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

first farmers' independent research of seed technologies

Test by: Field Research Innovations Inc. Shannon, IL

2026 Corn Grain Top 30 Harvest Report

Wisconsin South [WISO] ARLINGTON, WI

Curtis Stibb, Columbia County, WI 53960

Full-Season Test	**105** - **109** Day CRM B2026WISO04b
Top 29 of 29	For Gross Income (Sorted by Yield) Average of (**3**) Replications
PREV. CROP/HERB:	Corn / Roundup Powermax, Basis Blend, Simazine, Status
SOIL DESCRIPTION:	Ripon silt loam, well drained, non-irrigated
SOIL CONDITION:	Strip-Till, 6.3 pH, 3.57% OM, 5.88 CEC, medium P, low K, low S, mod. B, high Zn
CROP PROTECTION:	Makaze (H), Basis Blend (H), Simazine (H), Enlist (H), Status (H)
FERTILITY - Applied N:	14.4 lb Sulfur
Applied N-P-K (units):	166-0-31
SEEDED - RATE - ROW:	May 13 32.4 /A 30" spacing
HARVESTED - STAND:	Nov 1 30.4 /A
PEST & DISEASE RISK:	No elevated risks*

TEST COMMENTS:

This strip-tilled, corn-on-corn location was planted on May 13th in dry conditions. Rainfall shortly after planting helped promote good emergence. Although July was fairly dry, total precipitation remained slightly above the area's 10-year average. An Enlist application effectively controlled weed pressure but caused goosenecking and lodging in certain hybrids that lacked tolerance to the herbicide. These effects were evident during stand counts, with some plants appearing to have been blown over. Despite these challenges, ear development remained good, and yields remained strong overall.

Company/Brand	Product/Brand	Technol.†	RM	Yield Bu/A ↓	Moisture %	Lodging %	Stand (x 1000)	Gross Income $/Acre	Gross Income Rank
Rob-See-Co	RC5992-PCE ⇗	PCE	109	**272.0**	18.6	1	30.7	1093	1
Titan Pro	64-08 PCE ⇗	PCE	108	**256.3**	18.8	1	30.7	1027	3
Wyffels	W4889 ⇗	STXP	107	**254.7**	18.2	1	29.8	1029	2
Wyffels	W5684RIB ⇗	PCE	108	**250.5**	18.7	1	31.6	1006	4
FS InVision	FS 5765P RIB ⇗	STXP	107	**249.9**	19.1	1	30.7	998	5
Burrus	POWER PLUS 3G31AM ⇗	AM	106	246.6	18.7	1	28.8	990	6
Pioneer	P08075V GC ⇗	VE	108	246.4	19.0	1	32.6	986	7
FS InVision	FS 5869PC RA ⇗	PCE	108	243.1	19.3	1	28.8	968	8
Wyffels	W5735 ⇗	TRE	109	229.7	18.8	1	29.8	921	9
Renk	RK6690PCE ⇗	PC	105	227.4	18.9	1	29.8	910	10
Tracy	T105-36 ⇗	PCE	105	226.0	18.7	1	28.8	907	11
Integra	5716 PCE ⇗	PCE	107	222.9	18.6	1	32.6	896	12
Renk	RK7590SSPRO ⇗	STXP	109	221.6	18.5	1	31.6	892	13
Augusta	A1457-D ⇗	D	107	221.5	19.0	1	30.7	886	15
FS InVision	FS 5767T RIB ⇗	TRE	107	220.8	18.8	6	33.5	885	16
Integra	5537 TRERIB ⇗	TRE	105	219.9	19.4	2	29.8	876	18
Renk	RK7626SSPRO ⇗	STXP	108	219.8	18.0	1	29.8	890	14
Burrus	POWER PLUS 4V73AM ⇗	AM	109	219.2	19.0	6	30.7	877	17
Wyffels	W4545 ⇗	TRE	106	216.3	18.6	1	30.7	869	19
Augusta	A3458-DV ⇗	DV	108	216.2	19.2	12	29.8	863	22
FS InVision	FS 5965P RIB ⇗	STXP	109	215.8	19.4	1	27.9	859	23
Renk	RK705VT4PRO ⇗	VT4P	105	215.8	18.5	1	31.6	868	20
Titan Pro	59-08 PCE ⇗	PCE	108	215.6	18.5	1	28.8	868	21
FS InVision	FS 5552F RIB ⇗	VT4P	105	213.5	18.5	4	33.5	859	24
DeKalb	DKC107-11 GC ⇗	STXP	107	211.5	18.8	1	31.6	848	25
Augusta	A2357-V ⇗	V	107	211.1	19.4	6	28.8	840	26
Wyffels	W5129RIB ⇗	STXP	108	205.3	18.5	1	29.8	827	27
Renk	RK7577SSPRO ⇗	STXP	107	200.3	19.1	17	28.8	800	29
Pioneer	P0529Q CK	QR	105	203.7	18.8	9	29.8	817	28
		Averages =		**226.7**	**18.8**	**3**	**30.4**	**909**	
		LSD (0.10) =		21.8	ns	ns			
		LSD (0.25) =		11.4	ns	ns			
		C.V. =		9.1					

Matt Speers

matt.speers@firstseedtests.com, (779) 245-1481

Historic yield: 204.24 bu/a, 26 yr(s)

Yield & Income Factors: Base Moisture = 15.0% Shrink = 1.3 Drying = $0.05 Prices: GMO = $4.20

Report Date: 11/02/2026

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. *Earthoptics used for soil conditions and soil-borne disease & pest risks. ⇗ Links to full product yield results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

2026 Corn - Wisconsin South [WISO]

Weather Conditions Summary at ARLINGTON, WI

Weather Data Retrieved: 11/02/2026

Monthly Total	Apr*	May	Jun	Jul	Aug	Sep	Oct	Nov*	Total
Precip (in) | (Diff)	0.1 | 0.0 (+0.1)	2.1 | 3.2 (-1.1)	4.3 | 4.2 (+0.1)	1.8 | 3.5 (-1.7)	5.8 | 3.9 (+1.9)	4.1 | 3.5 (+0.6)	2.7 | 2.5 (+0.2)	0.0 | 0.0 (0.0)	20.8 | 20.8 (0.0)
GDU | Avg (Diff)	6 | 0 (+6)	295 | 301 (-6)	497 | 562 (-65)	712 | 676 (+35)	592 | 604 (-12)	448 | 416 (+31)	285 | 129 (+155)	4 | 0 (+4)	2839 | 2690



* First monthly total starts on the date 14 days prior to planting and final monthly total ends on the harvest date.

Note: Weather information from PRISM Climate Group. Data may be revised by the provider after retrieval. FIRST will not revise or update reports to reflect any weather data changes.
For information purposes only.

Macronutrients



Micronutrients



Biofertility Analytics



Below Ground Pest & Disease - Corn

Above Ground Pest & Disease - Corn

More Information

You can find more information about the EarthOptics and soil analytics reported at the following links:

- Reported Analytics Descriptions
- Soil Nutrients & Fertility
- Analytics & Insights
- EarthOptics

2026 Corn - Wisconsin South [WISO]

Early-Season Test Products (29 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A2254-PWE	PCE	N	104	CM,C2
Augusta	A3048-AA-EZ	AA	Y	98	CM,C5
Augusta	A4050-DS	DS	Y	100	CM,C5
Augusta	A4052-DV	DV	Y	102	CM,C5
Burrus	POWER PLUS 1R47 VE	VE	Y	103	F,I,NE
Burrus	POWER PLUS 2A17 VE	VE	Y	104	F,I,NE
DeKalb	DKC103-63RIB	STXP	Y	103	AC,P5V,EDC-EL
FS InVision	FS 5067T RIB	TRE	Y	100	G,B,F,AL,L,P5
FS InVision	FS 5155P RIB	STXP	Y	101	G,B,H,F,AL,L,P5
FS InVision	FS 5159PC RA	PCE	Y	101	G,B,H,F,AL,L,P5
Hoegemeyer	7108V	VE	Y	101	Lum, L1
Hoegemeyer	7369V	VE	Y	103	Lum, L1
Integra	5136 PCE	PC	Y	101	AC,P5,N314,SU
Integra	5317 SSPRORIB	STXP	Y	103	AC,P5,N314
Integra	5447 PCE	PC	Y	104	AC,P5,N314,SU
Renk	RK5699TRE	TRE	N	100	AC,P5
Renk	RK630TRE	TRE	N	102	AC,P5
Renk	RK6610PCE	PC	N	101	CM,C2,Vi
Renk	RK6640TRE	TRE	N	103	AC,P5
Renk	RK6671SSPRO	STXP	N	104	AC,P5
Rob-See-Co	RC5263-PCE	PCE	Y	102	CM,C2,Vi,Va
Titan Pro	52-04 SSP	STXP	Y	104	LumPro P2
Tracy	T100-37	DS	Y	100	Treated
Tracy	T103-37	DS	Y	103	Treated
Wyffels	W2105	TRE	N	99	AC,P5V
Wyffels	W2674RIB	PCE	Y*	101	CM,C2,Vi,Va
Wyffels	W3095RIB	TRE	Y*	103	AC,P5V
Wyffels	W3299	STXP	N	103	AC,P5V
Wyffels	W3654RIB	PCE	Y*	104	CM,C2,Vi,Va

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Corn - Wisconsin South [WISO]

Full-Season Test Products (29 Total)

Company/Brand	Product/Brand	Technology	RIB	RM	Seed Treat.
Augusta	A1457-D	D	Y	107	CM,C2
Augusta	A2357-V	V	N	107	CM,C2
Augusta	A3458-DV	DV	N	108	CM,C5
Burrus	POWER PLUS 3G31AM	AM	Y	106	BPS
Burrus	POWER PLUS 4V73AM	AM	Y	109	BPS
DeKalb	DKC107-11	STXP	Y	107	AC,P5V,EDC-EL
FS InVision	FS 5552F RIB	VT4P	Y	105	G,B,H,F,AL,L,P5
FS InVision	FS 5765P RIB	STXP	Y	107	G,B,F,AL,L,P5
FS InVision	FS 5767T RIB	TRE	Y	107	G,B,F4,AL,L4,P5,N,C
FS InVision	FS 5869PC RA	PCE	Y	108	CM,C2,Vi
FS InVision	FS 5965P RIB	STXP	Y	109	G,B,F4,AL,L4,P5,N,C
Integra	5537 TRERIB	TRE	Y	105	AC,P5,N314
Integra	5716 PCE	PCE	Y	107	AC,P5,N314,SU
Pioneer	P0529Q	QR	Y	105	Lum, L1
Pioneer	P08075V	VE	Y	108	Lum, L1
Renk	RK6690PCE	PC	N	105	CM,C2,Vi
Renk	RK705VT4PRO	VT4P	N	105	AC,P5
Renk	RK7577SSPRO	STXP	N	107	AC,P5
Renk	RK7590SSPRO	STXP	N	109	AC,P5
Renk	RK7626SSPRO	STXP	N	108	AC,P5
Rob-See-Co	RC5992-PCE	PCE	Y	109	CM,C2,Vi,Va
Titan Pro	59-08 PCE	PCE	Y	108	LumPro P2
Titan Pro	64-08 PCE	PCE	Y	108	LumPro P2
Tracy	T105-36	PCE	Y	105	Treated
Wyffels	W4545	TRE	N	106	AC,P5V
Wyffels	W4889	STXP	N	107	AC,P5V
Wyffels	W5129RIB	STXP	Y*	108	CM,C2,Vi,Va
Wyffels	W5684RIB	PCE	Y*	108	CM,C2,Vi,Va
Wyffels	W5735	TRE	N	109	AC,P5V

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.
^	Power Plus® brand seed is distributed by Burrus. Power Plus® is a registered trademark of Corteva Agriscience.

Corn Technologies

AA	Agrisure® Above (CB,HX,LL,GT), formerly Agrisure® 3120
AM	Optimum® AcreMax®
D	Duracade™ (CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5122
DS	Durastak™ (NOTE: Approval required from all major corn importing countries prior to March 31. An exception may be possible in some FIRST regions. Please check with the Field Manager of a region of interest _before_ entering technologies with export limitations.)
DV	DuracadeViptera™ (Vip,CB,HX,RW,RW2,LL,GT), formerly Agrisure Duracade® 5222
PC	PowerCore®
PCE	PowerCore® Enlist®
QR	Qrome®
STXP	SmartStax® Pro with RNAi Technology
TRE	Trecepta®
V	Viptera™ (Vip,CB,HX,LL,GT), formerly Agrisure Viptera® 3220
VE	Vorceed™ Enlist®
VT4P	VT4Pro™ with RNAi Technology

NOTE: The refuge component genetics may vary in a refuge blend seed product.

Corn Seed Treatments*

AC,P5	Acceleron® 500
AC,P5,N314	Acceleron® Poncho 500, N-314
AC,P5,N314,SU	Acceleron® Poncho 500, N-314 STEPUP
AC,P5V	Acceleron® Poncho 500/Votivo
AC,P5V,EDC-EL	Acceleron® ELITE Poncho 500/Votivo with Enhanced Disease Control
BPS	Burrus PowerShield
CM,C2	CruiserMaxx® 250
CM,C2,Vi	CruiserMaxx® 250 with Vibrance
CM,C2,Vi,Va	CruiserMaxx® 250 with Vibrance, Vayantis®
CM,C5	Cruisermaxx® 500
F,I,NE	Fungicide, Insecticide, Nematicide
G,B,F4,AL,L4,P5,N,C	500SAI - Poncho500/VOTiVO ELITE + N314
G,B,F,AL,L,P5	500SAI-Poncho,VOTIVO
G,B,H,F,AL,L,P5	500SAI-Poncho/Poncho/Votivo+Vayantis
Lum, L1	LumiGEN, Lumisure 1250
LumPro P2	Lumiscend Pro /Lumiflex fungicide, L-2012R bio-fungicide, Lumisure 250/Lumivia250 insecticide, Lumialza nematicide
Treated	Treated seed, unspecified

* Seed treatments may include unspecified plant health promoting components.