2026 Soybeans Top 30 Region Summary for Indiana North [INNO]

first farmers' independent research of seed technologies

Test by: M&D Seed Research, LLC Van Buren, IN

Early-Season Test

Maturity Group 2.4 - 2.8

Top 24 of 24

S2026INNOa

For Gross Income (Sorted by Yield), (**9**) Replication Average

Company/Brand	Product/Brand	Technol.†	RM	SCN	Yield Bu/A ↓	Moisture %	Lodging %	Gross Income $/Acre	Rank	Howe REJECTED	Remington	Valparaiso	Wabash
XITAVO	XO 2777E ⇗	E3	2.7	M	**74.0**	10.9	1	913	1	48.2	75.7	72.8	**73.5**
DONMARIO	DM26E26 ⇗	E3	2.6	M	**73.9**	11.1	1	912	2	47.0	**81.4**	73.2	**67.2**
HOEGEMEYER	2697E ⇗	E3	2.6	PK	72.8	11.0	1	898	3	47.4	76.7	73.7	**67.9**
FS HISOY	HS 28E50 ⇗	E3	2.8	M	72.7	10.7	1	898	4	52	75.2	73.8	**69.2**
EBBERTS	E2610 E3 ⇗	E3	2.6	M	72.3	10.9	1	892	6	53	**79.3**	73.8	63.9
APEX	AE2860 ⇗	E3	2.8	M	71.6	10.8	1	883	7	40	76.9	73.0	64.8
WYCKOFF	W2800E3 ⇗	E3	2.8	M	71.6	10.8	1	883	8	43	**79.2**	73.4	62.1
XITAVO	XO 2556E ⇗	E3	2.5	PK	71.5	10.7	1	882	9	46	75.2	74.0	65.2
FS HISOY	HS 24E60 ⇗	E3	2.4	M	71.4	10.9	2	881	10	50	78.4	72.3	63.5
FORTUS	2846ES ⇗	E3,ST	2.8	M	71.1	10.7	1	878	11	45.1	74.5	**76.1**	62.8
EBBERTS	E2800 E3 ⇗	E3	2.8	M	70.8	10.8	1	874	12	52.5	75.9	75.4	61.2
FORTUS	2417ES ⇗	E3,ST	2.4	M	70.7	11.1	1	872	13	46	72.6	71.8	**67.7**
CONNECT	CT2526E GC ⇗	E3	2.5	PK	70.5	10.6	2	868	14	52	79.1	69.0	63.2
WYCKOFF	W2695E3 ⇗	E3	2.6	M	69.7	10.9	1	860	15	55	75.8	74.8	58.5
EBBERTS	E2501 E3 ⇗	E3	2.5	M	69.6	10.9	1	858	16	48.7	75.8	71.7	61.3
FS HISOY	HS 25E30 ⇗	E3	2.5	PK	69.5	10.9	1	858	17	46	74.8	69.1	64.8
FORTUS	2775ES ⇗	E3,ST	2.7	PK	69.4	10.9	1	856	18	52	75.5	73.6	59.1
WYCKOFF	W2790E3 ⇗	E3,ST	2.7	PK	69.4	10.8	2	856	19	44	72.1	**77.5**	58.5
WYCKOFF	W2410E3 ⇗	E3	2.4	M	68.4	11.0	1	844	20	52.4	73.2	68.4	63.6
SEED GENETICS DIRECT	ET-5723E3 ⇗	E3	2.4	M	68.4	11.1	1	843	22	41.1	77.5	63.5	64.1
WYCKOFF	W2495E3 ⇗	E3	2.4	PK	68.3	11.1	3	843	21	40	73.5	72.4	59.2
FS HISOY	HS 26E50 ⇗	E3	2.6	PK	66.4	10.8	3	819	23	39	72.6	68.8	57.9
PIONEER	P21Z05PE GC ⇗	E3	2.1	NA	64.6	11.0	2	796	24	45	73.0	63.4	57.3
PIONEER	P28Z30E CK	E3	2.8	M	72.4	10.9	1	893	5	39	78.8	74.6	63.8
				Averages =	**70.5**	**10.9**	**1**	**869**		43.1	**76.0**	**72.1**	**63.4**
				LSD (0.10) =	3.3	ns	1				3.2	3.9	3.3
				LSD (0.25) =	1.7	ns	0			3	1.6	2.0	1.7

Rejected due to lack of statistical differences

Matt Turner

mattturner1979@yahoo.com, (317) 606-9040

Prev. years average yield for region: 62.81 bu/a, 23 yr(s)

Yield & Income Factors: Base Moisture = 13.0% Shrink = 1.0 Drying = $0.05 Prices: GMO = $12.10

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ⇗ Links to product's results at www.firstseedtests.com. * 2 reps for the site.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Report Date: 11/03/2026

2026 Soybeans Top 30 Region Summary for Indiana North [INNO]

first farmers' independent research of seed technologies

Test by: M&D Seed Research, LLC Van Buren, IN

Full-Season Test

Maturity Group 2.9 - 3.5

Top 30 of 36

S2026INNOb

For Gross Income (Sorted by Yield), (**12**) Replication Average

Company/Brand	Product/Brand	Technol.†	RM	SCN	Yield Bu/A ↓	Moisture %	Lodging %	Gross Income $/Acre	Rank	Howe	Remington	Valparaiso	Wabash
CONNECT	CT3526E GC ⇗	E3	3.5	M	**71.9**	11.4	1	884	1	**52.2**	**85.7**	**81.0**	68.8
EBBERTS	E3590 E3 ⇗	E3,ST	3.4	M	**71.4**	11.1	1	878	2	**55.9**	77.3	78.5	**73.9**
XITAVO	XO 3555E ⇗	E3	3.5	M	**71.3**	11.3	1	877	3	**53.7**	**81.1**	**81.7**	68.9
WYCKOFF	W3590E3 ⇗	E3,ST	3.4	M	**70.8**	11.4	1	871	4	46.2	**82.4**	**83.6**	**71.2**
GREAT HEART	GT-3470ES ⇗	E3,ST	3.4	M	**70.7**	11.3	1	870	5	50.3	80.5	79.5	**72.7**
APEX	AE3070 ⇗	E3	3.0	M	**70.7**	11.4	1	868	6	**54.1**	79.8	78.1	**70.6**
FORTUS	3456ES ⇗	E3,ST	3.4	M	**69.9**	11.2	1	859	7	50.8	79.6	78.6	**70.6**
EBBERTS	E3302 E3 ⇗	E3	3.3	M	68.5	11.3	1	842	8	46.6	**80.7**	77.6	69.0
FS HISOY	HS 35E50 ⇗	E3	3.5	M	67.5	11.2	1	830	9	46.6	77.2	75.7	**70.4**
FORTUS	3146E ⇗	E3	3.1	M	67.4	11.5	1	828	10	46.5	77.1	**80.7**	65.2
EBBERTS	E3190 E3 ⇗	E3	3.1	M	66.9	11.4	1	823	11	46.9	78.0	79.3	63.5
XITAVO	XO 2926E ⇗	E3	2.9	M	66.8	11.3	1	822	12	44.5	76.7	78.0	68.2
SEED GENETICS DIRECT	ET-3729E3S ⇗	E3,ST	2.9	M	66.7	11.6	1	821	13	45.0	74.1	**81.5**	66.3
FS HISOY	HS 29E60 ⇗	E3	2.9	PK	66.6	11.5	2	819	14	47.8	69.5	80.3	68.7
CONNECT	CT2926E GC ⇗	E3	2.9	NA	66.3	11.4	2	816	15	41.5	74.9	77.7	**71.2**
HOEGEMEYER	3427E ⇗	E3	3.3	M	66.1	11.3	2	813	16	44.7	75.1	79.8	64.6
FS HISOY	HS 31E60 ⇗	E3	3.1	M	66.0	11.4	1	812	18	42.6	78.6	77.0	65.9
CONNECT	CT3126E GC ⇗	E3	3.1	M	66.0	11.2	2	812	17	50.0	75.7	78.3	60.2
WYCKOFF	W2900E3 ⇗	E3	2.9	M	66.0	11.3	2	811	19	46.8	74.7	78.1	64.2
APEX	AE3150 ⇗	E3	3.1	M	65.9	11.5	1	810	20	43.1	75.3	78.4	66.6
SEED GENETICS DIRECT	ET-6730E3 ⇗	E3	3.0	M	65.6	11.4	1	807	21	45.0	78.6	79.1	59.7
SEED GENETICS DIRECT	ET-4732E3 ⇗	E3	3.2	PK	65.5	11.1	1	806	22	45.4	75.3	78.1	63.3
PIONEER	P35Z76E GC ⇗	E3	3.5	NA	65.5	11.1	1	806	24	46.5	77.9	76.8	60.8
DONMARIO	DM29E46 ⇗	E3	2.9	PK	65.5	11.4	2	806	23	43.4	73.2	77.4	68.0
WYCKOFF	W2915E3 ⇗	E3	2.9	PK	65.3	11.5	2	803	25	48.7	70.0	77.2	65.4
SEED GENETICS DIRECT	ET-5731E3S ⇗	E3,ST	3.0	PK	65.3	11.5	1	803	26	45.8	75.4	75.9	64.3
PIONEER	P32Z91E GC ⇗	E3	3.2	PK	65.0	11.5	1	799	28	42.9	78.5	76.2	62.4
FS HISOY	HS 33E50 ⇗	E3	3.3	M	65.0	11.3	1	799	29	45.0	71.3	78.6	64.9
GREAT HEART	GT-3020E ⇗	E3	3.0	PK	64.6	11.6	1	794	30	46.2	74.5	77.5	60.3
FORTUS	3007E ⇗	E3	3.0	PK	64.2	11.6	1	789	31	43.7	75.8	73.4	63.9
PIONEER	P28Z30E CK	E3	2.8	M	65.3	11.4	1	803	27	43.5	77.9	77.6	62.1
				Averages =	**66.6**	**11.4**	**1**	**819**		**46.8**	**76.3**	**77.8**	**65.4**
				LSD (0.10) =	2.6	0.2	ns			4.2	4.4	2.9	5.0
				LSD (0.25) =	1.4	0.1	ns			2.2	2.3	1.5	2.6

Matt Turner

mattturner1979@yahoo.com, (317) 606-9040

Prev. years average yield for region: 62.81 bu/a, 23 yr(s)

Yield & Income Factors: Base Moisture = 13.0% Shrink = 1.0 Drying = $0.05 Prices: GMO = $12.10

† See last page for abbreviation descriptions. Dark colored row identifies the check product found in early- and full-season tests. **Bold** yields are significantly above test average by LSD(0.10). ***Italicized*** brands exceed the grain moisture limit for this test. **ns** = column values not significantly different. ⇗ Links to product's results at www.firstseedtests.com.

Additional reports available at **www.firstseedtests.com**

©2026, All rights reserved to Farmers' Independent Research of Seed Technologies, LLC.

Report Date: 11/03/2026

2026 Soybeans - Indiana North [INNO]

Early-Season Test Products (24 Total)

Company/Brand	Product/Brand	Technology	SCN	RM	Seed Treat.
Apex	AE2860	E3	M	2.8	PDU,Sa
Connect	CT2526E	E3	PK	2.5	ACi
DONMARIO	DM26E26	E3	M	2.6	CMB-APX
Ebberts	E2501 E3	E3	M	2.5	Ebberts
Ebberts	E2610 E3	E3	M	2.6	Ebberts
Ebberts	E2800 E3	E3	M	2.8	Ebberts
Fortus	2417ES	E3,ST	M	2.4	ACi,SU2,VI
Fortus	2775ES	E3,ST	PK	2.7	ACi,SU2,VI
Fortus	2846ES	E3,ST	M	2.8	ACi,SU2,VI
FS HiSOY	HS 24E60	E3	M	2.4	ACi,SA
FS HiSOY	HS 25E30	E3	PK	2.5	ACi,SA
FS HiSOY	HS 26E50	E3	PK	2.6	ACi,SA
FS HiSOY	HS 28E50	E3	M	2.8	ACi,SA
Hoegemeyer	2697E	E3	PK	2.6	Lum,Lu,lud,il
Pioneer	P21Z05PE	E3	NA	2.1	Lum,Lu,lud,il
Pioneer	P28Z30E	E3	M	2.8	Lum, LumT, IL
Seed Genetics Direct	ET-5723E3	E3	M	2.4	Pro Tec S5 plus
Wyckoff	W2410E3	E3	M	2.4	WyK2, VI
Wyckoff	W2495E3	E3	PK	2.4	WyK2, VI
Wyckoff	W2695E3	E3	M	2.6	WyK2, VI
Wyckoff	W2790E3	E3,ST	PK	2.7	WyK2, VI
Wyckoff	W2800E3	E3	M	2.8	WyK2, VI
Xitavo	XO 2556E	E3	PK	2.5	PV,IL,OB,Rey
Xitavo	XO 2777E	E3	M	2.7	PV,IL,OB,Rey

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

2026 Soybeans - Indiana North [INNO]

Full-Season Test Products (36 Total)

Company/Brand	Product/Brand	Technology	SCN	RM	Seed Treat.
Apex	AE3070	E3	M	3.0	PDU,Vt
Apex	AE3150	E3	M	3.1	PDU,Sa
Confluence Genetics	X30P878E	E3	NA	3.0	CMB-APX,SA
Connect	CT2926E	E3	NA	2.9	ACi
Connect	CT3126E	E3	M	3.1	ACi
Connect	CT3526E	E3	M	3.5	ACi
DONMARIO	DM29E46	E3	PK	2.9	CMB-APX
Ebberts	E3000 E3	E3	PK	3.0	Ebberts
Ebberts	E3190 E3	E3	M	3.1	Ebberts
Ebberts	E3302 E3	E3	M	3.3	Ebberts
Ebberts	E3590 E3	E3,ST	M	3.4	Ebberts
Fortus	3007E	E3	PK	3.0	ACi,SU2,VI
Fortus	3146E	E3	M	3.1	ACi,SU2,VI
Fortus	3456ES	E3,ST	M	3.4	ACi,SU2,VI
FS HiSOY	HS 29E60	E3	PK	2.9	ACi,SA
FS HiSOY	HS 31E60	E3	M	3.1	ACi,SA
FS HiSOY	HS 33E50	E3	M	3.3	ACi,SA
FS HiSOY	HS 35E50	E3	M	3.5	ACi,SA
Great Heart	GT-3020E	E3	PK	3.0	Gr+
Great Heart	GT-3470ES	E3,ST	M	3.4	Gr+
Hoegemeyer	3427E	E3	M	3.3	Lum,Lu,lud,il
Pioneer	P28Z30E	E3	M	2.8	Lum, LumT, IL
Pioneer	P32Z91E	E3	PK	3.2	Lum,Lu,lud,il
Pioneer	P35Z76E	E3	NA	3.5	Lum,Lu,lud,il
Seed Genetics Direct	ET-3729E3S	E3,ST	M	2.9	Pro Tec S5 plus
Seed Genetics Direct	ET-4732E3	E3	PK	3.2	Pro Tec S5 plus
Seed Genetics Direct	ET-5731E3S	E3,ST	PK	3.0	Pro Tec S5 plus
Seed Genetics Direct	ET-6730E3	E3	M	3.0	Pro Tec S5 plus
Wyckoff	W2900E3	E3	M	2.9	WyK2, VI
Wyckoff	W2915E3	E3	PK	2.9	WyK2, VI
Wyckoff	W3000E3	E3	PK	3.0	WyK2, VI
Wyckoff	W3215E3	E3	PK	3.2	WyK2, VI
Wyckoff	W3590E3	E3,ST	M	3.4	WyK2, VI
Xitavo	XO 2926E	E3	M	2.9	PV,IL,OB,Rey
Xitavo	XO 3297E	E3	M	3.2	PV,IL,OB,Rey
Xitavo	XO 3555E	E3	M	3.5	PV,IL,OB,Rey

* FIRST does not inspect products for refuge blend. N* indicates the product was entered without a refuge component by the sponsoring seed company. Prior year entries may contain refuge blend.

Footnotes and Abbreviations Descriptions

Brand Footnotes

CK	Identifies a check product included in early- and full-season tests.
GC	Grower Comparison product included by FIRST when space permits.

Soybean Cyst Nematode (SCN) Resistance Source or Rating

Note: Source of SCN resistance used when available, otherwise older susceptibility ratings are reported.

M	PI 88788 (MR)
PK	Peking (R)
H	Hartwig (R)
B	Blend (PK + M)
MR	moderate resistance
R	resistant
S	susceptible
NA	info unavailable

Soybeans Technologies

E3	Enlist E3®
ST	Sulfonylurea tolerant

Soybeans Seed Treatments*

ACi	Acceleron® Standard Insecticide-Fungicide
ACi,SA	Acceleron® Standard Insecticide-Fungicide, Saltro®
ACi,SU2,VI	Acceleron® Standard Insecticide-Fungicide, STEPUP 2.0, Victrato®
CMB-APX	CruiserMaxx® Beans APX
CMB-APX,SA	CruiserMaxx® APX with Saltro®
Ebberts	Ebberts Complete Soybean (Ebberts Field Seeds)
Gr+	Great Start Max Plus (Great Heart Seed)
Lum,Lu,lud,il	LumiGen,LumiTreo,Lumiderm,ILVEO HL
Lum, LumT, IL	LumiGEN™, LumiTreo, ILEVO
PDU,Sa	ProtectDUltra,Saltro
PDU,Vt	ProtectDUltra, Victrato
Pro Tec S5 plus	Seed Genetics Direct
PV,IL,OB,Rey	Poncho®/Votivo®, ILeVO, Obvius Plus, Relenya®
WyK2, VI	WycKOAT 2.0 (Wyckoff Hybrids), Victrato®

* Seed treatments may include unspecified plant health promoting components.